

Sensu Go

Contents

[Release Notes](#)

[Getting Started](#)

[Get Started with Sensu](#)

[License-Activated Features](#)

[Live Demo](#)

[Sandbox](#)

[Glossary](#)

[FAQs](#)

[Media](#)

[Installation](#)

[Install Sensu](#)

[Install Plugins](#)

[Upgrade Sensu](#)

[Authentication](#)

[Hardware Requirements](#)

[Binary-Only Distributions](#)

[Configuration Management](#)

[Supported Platforms](#)

[Guides](#)

[Monitoring Server Resources](#)

[Monitoring External Resources](#)

[Collecting Service Metrics](#)

[Aggregating StatsD Metrics](#)

[Augmenting Event Data](#)

[Sending Slack Alerts](#)

[Storing Metrics with InfluxDB](#)

[Reducing Alert Fatigue](#)

[Routing Alerts with Filters](#)

[Scaling with Enterprise datastore](#)

[Installing Plugins with Assets](#)

[Planning Maintenance](#)

[Creating a Read Only User](#)

[Deploying Sensu](#)

[Running a Sensu Cluster](#)

[Securing Sensus](#)
[Troubleshooting](#)

Dashboard

[Overview](#)
[Filtering](#)

API

[API Overview](#)
[Assets API](#)
[Authentication API](#)
[Authentication Providers API](#)
[Checks API](#)
[Cluster API](#)
[Cluster Role Bindings API](#)
[Cluster Roles API](#)
[Entities API](#)
[Events API](#)
[Filters API](#)
[Handlers API](#)
[Health API](#)
[Hooks API](#)
[License API](#)
[Metrics API](#)
[Mutators API](#)
[Namespaces API](#)
[Role Bindings API](#)
[Roles API](#)
[Silencing API](#)
[Tessen API](#)
[Users API](#)
[Version API](#)

Sensuctl CLI

[Quickstart](#)
[Reference](#)

Reference

[Sensu Agent](#)
[Sensu Backend](#)
[Assets](#)
[Checks](#)
[Datastore](#)
[Entities](#)
[Events](#)
[Filters](#)


[Handlers](#)
[Hooks](#)
[Mutators](#)
[Role-Based Access Control](#)
[Sensu Query Expressions](#)
[Silencing](#)
[Tessen](#)
[Tokens](#)
[License Management](#)

| [Learn about licensing](#)

Sensu is the industry leading solution for multi-cloud monitoring at scale. The Sensu monitoring event pipeline empowers businesses to automate their monitoring workflows and gain deep visibility into their multi-cloud environments. Founded in 2017, Sensu offers a comprehensive monitoring solution for enterprises, providing complete visibility across every system, every protocol, every time — from Kubernetes to bare metal. **Get started now and feel the #monitoringlove:** [Learn Sensu Go](#).

Sensu Go is the latest version of Sensu, designed to be more portable, easier and faster to deploy, and (even more) friendly to containerized and ephemeral environments. [Learn about support packages](#) and [license-activated features designed for monitoring at scale](#).

Automate your monitoring workflows: Limitless pipelines let you validate and correlate events, [mutate data formats](#), [send alerts](#), manage incidents, [collect and store metrics](#), and more.




Reduce alert fatigue: Sensu gives you full control over your alerts with flexible [filters](#), [context-rich notifications](#), reporting, [event handling](#), and auto-remediation.

Integrate anywhere: Sensu's open architecture makes it easy to integrate monitoring with tools you already use like Nagios plugins, Chef, Graphite, InfluxDB, and PagerDuty.

[Listen to Sensu Inc. CEO Caleb Hailey explain the Sensu monitoring event pipeline.](#)

Monitoring for Your Infrastructure

Monitoring is the action of observing and checking the behaviors and outputs of a system and its components over time. - [Greg Poirier, Monitorama 2016](#)



Sensu is an agent-based monitoring tool that you install on your organization's infrastructure. The Sensu agent gives you visibility into everything you care about; the Sensu server gives you flexible, automated workflows to route metrics and alerts.

Monitor containers, instances, applications, and on-premises infrastructure

Sensu is designed to monitor everything from the server closet to the cloud. [Install the Sensu agent](#) on the hosts you want to monitor, integrate with the [Sensu API](#), or take advantage of [proxy entities](#) to monitor anything on your network. Sensu agents automatically register and de-register themselves with the Sensu server, so you can monitor ephemeral infrastructure without getting overloaded with alerts.

Better incident response with filterable, context-rich alerts

Get meaningful alerts when and where you need them. Use [event filters](#) to reduce noise and [check hooks](#) to add context and speed up incident response. Sensu integrates with the tools and services your organization already uses like [PagerDuty](#), [Slack](#), and more. Check out [Bonsai](#), the [Sensu asset index](#), or write your own [Sensu Plugins](#) in any language.

Collect and store metrics with built-in support for industry-standard tools

Know what's going on everywhere in your system. Sensu supports industry-standard [metric formats](#) like Nagios Performance Data, Graphite Plaintext Protocol, InfluxDB Line Protocol, OpenTSDB Data Specification, and [StatsD metrics](#). Use the Sensu agent to collect metrics alongside check results, then use the event pipeline to route the data to a time series database like [InfluxDB](#).

Intuitive API and dashboard interfaces

Sensu includes a [dashboard](#) to provide a unified view of your entities, checks, and events, as well as a user-friendly silencing tool. The [Sensu API](#) and the `sensuctl` [command-line tool](#) allow you (and your internal customers) to create checks, register entities, manage configuration, and more.

Open core software backed by Sensu Inc.

Sensu Go's core is open source software, freely available under a permissive [MIT License](#) and publicly available on [GitHub](#). Learn about [support packages](#) and [license-activated features designed for monitoring at scale](#).

Sensu Go release notes

Contents

[5.10.2 release notes](#)

[5.10.1 release notes](#)

[5.10.0 release notes](#)

[5.9.0 release notes](#)

[5.8.0 release notes](#)

[5.7.0 release notes](#)

[5.6.0 release notes](#)

[5.5.1 release notes](#)

[5.5.0 release notes](#)

[5.4.0 release notes](#)

[5.3.0 release notes](#)

[5.2.1 release notes](#)

[5.2.0 release notes](#)

[5.1.1 release notes](#)

[5.1.0 release notes](#)

[5.0.1 release notes](#)

[5.0.0 release notes](#)

Versioning

Sensu Go adheres to [semantic versioning](#) using MAJOR.MINOR.PATCH release numbers, starting at 5.0.0. MAJOR version changes indicate incompatible API changes; MINOR versions add backwards-compatible functionality; PATCH versions include backwards-compatible bug fixes.

Upgrading

Read the [upgrade guide](#) for information on upgrading to the latest version of Sensu Go.

5.10.2 release notes

June 27, 2019 — The latest release of Sensu Go, version 5.10.2, is now available for download. This is a stability release with a bug fix for expired licenses. See the [upgrade guide](#) to upgrade Sensu to version 5.10.2.

FIXES:

Sensu now handles expired licenses as expected.

5.10.1 release notes

June 25, 2019 — The latest release of Sensu Go, version 5.10.1, is now available for download. This release is a stability release with key bug fixes around proxy checks and entity deletion. See the [upgrade guide](#) to upgrade Sensu to version 5.10.1.

FIXES:

The `proxy_requests` entity attributes are now all considered when matching entities. Events are now removed when their corresponding entity is deleted.

5.10.0 release notes

June 19, 2019 — The latest release of Sensu Go, version 5.10.0, is now available for download. There are some exciting feature additions in this release, including the ability to perform advanced filtering in the web UI and use PostgreSQL as a scalable event store. This release also includes key bug fixes, most notably around high CPU usage. See the [upgrade guide](#) to upgrade Sensu to version 5.10.0.

NEW FEATURES:

([Licensed tier](#)) The Sensu web UI now includes fast, predictive filtering for viewing checks, entities, events, handlers, and silences, including the ability to filter based on custom labels. Select the filter bar and start building custom views using suggested attributes and values. For more information, see the [dashboard docs](#).

Free-tier Sensu instances can now delete entities in the web UI entities page. See the [docs](#) to get started using the Sensu web UI.

([Licensed tier](#)) Sensu now supports using an external PostgreSQL instance for event storage in place of etcd. PostgreSQL can handle significantly higher volumes of Sensu events, letting you scale Sensu beyond etcd's storage limits. See the [datastore reference](#) for more information.

Sensu now includes a cluster ID API endpoint and `sensuctl cluster id` command to return the unique Sensu cluster ID. See the [cluster API docs](#) for more information.

IMPROVEMENTS:

The `sensuctl create` command now supports specifying the namespace for a group of resources at the time of creation, allowing you to replicate resources across namespaces without manual editing.

See the [sensuctl reference](#) for more information and usage examples.

Sensu cluster roles can now include permissions to manage your Sensu license using the `license` resource type. See the [RBAC reference](#) to create a cluster role.

The web UI now displays up to 100,000 events and entities on the homepage.

The Sensu API now returns 204 (No Content) responses for some POST and PUT endpoints. See the [API docs](#) for individual endpoint responses.

FIXES:

Sensu now optimizes scheduling for proxy checks, solving an issue with high CPU usage when evaluating proxy entity attributes.

The Sensu API now validates resource namespaces and types in request bodies to ensure RBAC permissions are enforced.

Check `state` and `total_state_change` attributes now update as expected based on check history.

Incident and entity links in the web UI homepage now navigate to the correct views.

The web UI now displays non-standard cron statements correctly, for example: `@weekly`.

On sign in, the web UI now ensures that users are directed to a valid namespace.

In the web UI, code block scrollbars now display only when necessary.

The web UI now displays the handler `timeout` attribute correctly.

When editing resources, the web UI now fetches the latest resource prior to editing.

The web UI now handles array values correctly when creating and editing resources.

5.9.0 release notes

May 28, 2019 — The latest release of Sensu Go, version 5.9.0, is now available for download. There are some exciting feature additions in this release, including the ability to log raw events to a file (licensed tier) and view event handlers in the web UI. See the [upgrade guide](#) to upgrade Sensu to version 5.9.0. If you're upgrading a Sensu cluster from 5.7.0 or earlier, see the [instructions for upgrading a Sensu cluster from 5.7.0 or earlier to 5.8.0 or later](#).

NEW FEATURES:

The Sensu web UI now includes a handlers page that displays available event handlers and handler configuration. See the [docs](#) to get started using the Sensu web UI.

([Licensed tier](#)) Manage your Sensu event handlers from your browser: Sensu's web UI now supports creating, editing, and deleting handlers. See the [docs](#) to get started using the Sensu web UI.

([Licensed tier](#)) Sensu now supports event logging to a file using the `event-log-file` and `event-`

`log-buffer-size` configuration flags. You can use this event log file as an input source for your favorite data lake solution. See the [backend reference](#) for more information.

IMPROVEMENTS:

The Sensu web UI now includes simpler, more efficient filtering in place of filtering using Sensu query expressions.

Sensu packages are now available for Ubuntu 19.04 (Disco Dingo). See the [supported platforms page](#) for a complete list of Sensu's supported platforms and the [installation guide](#) to install Sensu packages for Ubuntu.

FIXES:

The `occurrences` and `occurrences_watermark` event attributes now increment as expected, giving you useful information about recent events. See the [events reference](#) for an in-depth discussion of these attributes.

The `/silenced/subscriptions/:subscription` and `/silenced/checks/:check` API endpoints now return silences by check or subscription.

Sensu now handles errors when seeding initial data, avoiding a panic state.

5.8.0 release notes

May 22, 2019 — The latest release of Sensu Go, version 5.8.0, is now available for download. This is mainly a stability release with bug fixes and performance improvements. Additionally, we have added support for configurable etcd cipher suites. See the [upgrade guide](#) to upgrade Sensu to version 5.8.0.

IMPORTANT:

To upgrade to Sensu Go 5.8.0, Sensu clusters with multiple backend nodes must be shut down during the upgrade process. See the [upgrade guide](#) for more information.

IMPROVEMENTS:

The `sensuctl` command-line tool now supports the `--chunk-size` flag to help you handle large datasets. See the [sensuctl reference](#) for more information.

Sensu backends now support the `etcd-cipher-suites` configuration option, letting you specify the cipher suites that can be used with etcd TLS configuration. See the [backend reference](#) for more information.

The Sensu API now includes the version API, returning version information for your Sensu instance. See the [API docs](#) for more information.

Tessen now collects the numbers of events processed and resources created, giving us better insight

into how we can improve Sensu. As always, all Tessen transmissions are logged for complete transparency. See the [Tessen reference](#) for more information.

Sensu licenses now include the entity limit attached to your Sensu licensing package. See the [license management docs](#) to learn more about entity limits.

Sensu backends now perform better at scale using increased worker pool sizes for events and keepalives.

The maximum size of the etcd database and etcd requests is now configurable using the `etcd-quota-backend-bytes` and `etcd-max-request-bytes` backend configuration options. These are advanced configuration options requiring familiarity with etcd; use with caution. See the [backend reference](#) for more information.

Most Sensu resources now use protobuf serialization in etcd.

FIXES:

Events produced by checks now execute the correct number of write operations to etcd.

API pagination tokens for the users and namespaces APIs now work as expected.

Keepalive events for deleted and deregistered entities are now cleaned up as expected.

KNOWN ISSUES:

Auth tokens may not be purged from etcd, resulting in a possible impact to performance.

5.7.0 release notes

May 9, 2019 — The latest release of Sensu Go, version 5.7.0, is now available for download. This is mainly a stability release with bug fixes. Additionally, we have added support for Windows packages and [updated our usage policy](#). See the [upgrade guide](#) to upgrade Sensu to version 5.7.0.

IMPROVEMENTS:

The Sensu agent for Windows is now available as an MSI package, making it easier to install and operate. See the [installation guide](#) and the [agent reference](#) to get started.

FIXES:

Sensu now enforces resource separation between namespaces sharing a similar prefix.

The `sensuctl cluster` commands now output correctly in JSON and wrapped JSON formats.

The API now returns an error message if [label and field selectors](#) are used without a license.

5.6.0 release notes

April 30, 2019 — The latest release of Sensu Go, version 5.6.0, is now available for download. We have added some exciting new features in this release including API filtering and the ability to create and manage checks through the web UI with the presence of a valid license key. See the [upgrade guide](#) to upgrade Sensu to version 5.6.0.

NEW FEATURES:

([Licensed tier](#)) Manage your Sensu checks from your browser: Sensu's web user interface now supports creating, editing, and deleting checks. See the [docs](#) to get started using the Sensu web UI.

([Licensed tier](#)) The Sensu web UI now includes an option to delete entities.

([Licensed tier](#)) Sensu now supports resource filtering in the Sensu API and `sensuctl` command line tool. Filter events using custom labels and resource attributes, such as event status and check subscriptions. See the [API docs](#) and [sensuctl reference](#) for usage examples.

IMPROVEMENTS:

([Licensed tier](#)) Sensu's LDAP and Active Directory integrations now support mutual authentication using the `trusted_ca_file`, `client_cert_file`, and `client_key_file` attributes. See the [guide to configuring an authentication provider](#) for more information.

([Licensed tier](#)) Sensu's LDAP and Active Directory integrations now support connecting to an authentication provider using anonymous binding. See the [LDAP](#) and [AD](#) binding configuration docs to learn more.

The [health API](#) response now includes the cluster ID.

The `sensuctl cluster health` and `sensuctl cluster member-list` commands now include the cluster ID in tabular format.

FIXES:

You can now configure labels and annotations for Sensu agents using command line flags. For example: `sensu-agent start --label example_key="example value"`. See the [agent reference](#) for more examples.

The Sensu web UI now displays the correct checkbox state when no resources are present.

5.5.1 release notes

April 17, 2019 — The latest release of Sensu Go, version 5.5.1, is now available for download. This release is a stability release with key bug fixes, including addressing an issue with backend CPU utilization. Additionally, we have added support for honoring the source attribute for events received via agent socket. See the [upgrade guide](#) to upgrade Sensu to version 5.5.1.

IMPROVEMENTS:

Sensu agents now support annotations, non-identifying metadata that helps people or external tools interacting with Sensu. See the [agent reference](#) to add annotations in the agent configuration file. The [agent socket event format](#) now supports the `source` attribute to create a proxy entity. Sensu 5.5.1 is built with Go version 1.12.3.

FIXES:

Backends now reinstate etcd watchers in the event of a watcher failure, fixing an issue causing high CPU usage in some components.

5.5.0 release notes

April 4, 2019 — The latest release of Sensu Go, version 5.5.0, is now available for download. This release has some key bug fixes and additions including the introduction of Tessen into Sensu Go. For more information, we encourage you to read Sean Porter's [blog post](#) on Tessen. See the [upgrade guide](#) to upgrade Sensu to version 5.5.0.

NEW FEATURES:

Tessen, the Sensu call-home service, is now enabled by default in Sensu backends. See the [Tessen docs](#) to learn about the data that Tessen collects.

IMPROVEMENTS:

Sensu now includes more verbose check logging to indicate when a proxy request matches an entity according to its entity attributes.

FIXES:

The Sensu web UI now displays silences created by LDAP users.
The web UI now uses a secondary text color for quick-navigation buttons.

5.4.0 release notes

March 27, 2019 — The latest release of Sensu Go, version 5.4.0, is now available for download. This release has some very exciting feature additions including the introduction of our new homepage. 5.4.0

also includes support for API pagination to more efficiently handle large data sets and agent buffering for robustness in lower connectivity situations along with key bug fixes. See the [upgrade guide](#) to upgrade Sensu to version 5.4.0.

NEW FEATURES:

The Sensu dashboard now includes a homepage designed to highlight the most important monitoring data, giving you instant insight into the state of your infrastructure. See the [dashboard docs](#) for a preview.

The Sensu API now supports pagination using the `limit` and `continue` query parameters, letting you limit your API responses to a maximum number of objects and making it easier to handle large data sets. See the [API overview](#) for more information.

Sensu now surfaces internal metrics using the `/metrics` API. See the [metrics API reference](#) for more information.

IMPROVEMENTS:

Sensu now lets you specify a separate TLS certificate and key to secure the dashboard. See the [backend reference](#) to configure the `dashboard-cert-file` and `dashboard-key-file` flags, and check out the [guide to securing Sensu](#) for the complete guide to making your Sensu instance production-ready.

The Sensu agent events API now queues events before sending them to the backend, making the agent events API more robust and preventing data loss in the event of a loss of connection with the backend or agent shutdown. See the [agent reference](#) for more information.

FIXES:

The backend now processes events without persisting metrics to etcd.

The events API POST and PUT endpoints now add the current timestamp to new events by default.

The users API now returns a 404 response code in the event that a username cannot be found.

The `sensuctl` command line tool now correctly accepts global flags when passed after a sub-command flag (for example: `--format yaml --namespace development`).

The `sensuctl handler delete` and `sensuctl filter delete` commands now correctly delete resources from the currently configured namespace.

The agent now terminates consistently on SIGTERM and SIGINT.

In the event of a loss of connection with the backend, the agent now attempts to reconnect to any backends specified in its configuration.

The dashboard now handles cases in which the creator of a silence is inaccessible.

The dashboard event details page now displays “-” in the command field if no command is associated with the event.

5.3.0 release notes

March 11, 2019 — The latest release of Sensu Go, version 5.3.0, is now available for download. This release has some very exciting feature additions and key bug fixes. 5.3.0 enables Active Directory to be configured as an authentication provider with a valid license key. Additionally, round robin scheduling has been fully re-implemented and is available for use. See the [upgrade guide](#) to upgrade Sensu to version 5.3.0.

NEW FEATURES:

Round-robin check scheduling lets you distribute check executions evenly over a group of Sensu agents. To enable round-robin scheduling, set the `round_robin` check attribute to `true`. See the [check reference](#) for more information.

Sensu now provides [license-activated](#) support for using Microsoft Active Directory as an external authentication provider. Read the [authentication guide](#) to configure Active Directory, and check out the [getting started guide](#) for more information about licensing.

The dashboard now features offline state detection and displays an alert banner in the event that the dashboard loses connection to the backend.

IMPROVEMENTS:

The agent socket event format now supports the `handlers` attribute, giving you the ability to send socket events to a Sensu pipeline. See the [agent reference](#) to learn more about creating and handling monitoring events using the agent socket.

Assets now feature improved download performance using buffered I/O.

The sensuctl CLI now uses a 15-second timeout period when connecting to the Sensu backend.

The dashboard now includes expandable configuration details sections on the check and entity pages. You can now use the dashboard to review check details like command, subscriptions, and scheduling, as well as entity details like platform, IP address, and hostname.

SECURITY:

Sensu Go 5.3.0 fixes all known TLS vulnerabilities affecting the backend, including increasing the minimum supported TLS version to 1.2 and removing all ciphers except those with perfect forward secrecy.

Sensu now enforces uniform TLS configuration for all three backend components: `apid`, `agentd`, `dashboardd`.

The backend no longer requires the `trusted-ca-file` flag when using TLS.

The backend no longer loads server TLS configuration for the HTTP client.

FIXES:

Sensu can now download assets with download times over 30 seconds without timing out.

The agent now communicates entity subscriptions to the backend in the correct format.

Sensu no longer includes the `edition` configuration attribute or header.

DNS resolution in Alpine Linux containers now uses the built-in Go resolver instead of the glibc resolver.

The `sensuctl user list` command can now output `yaml` and `wrapped-json` formats when used with the `--format` flag.

The dashboard check details page now displays long commands correctly.

The dashboard check details page now displays the `timeout` attribute correctly.

5.2.1 release notes

February 11, 2019 — The latest release of Sensu Go, version 5.2.1, is now available for download.

This release is a stability release with a key bug fix for proxy check functionality. See the [upgrade guide](#) to upgrade Sensu to version 5.2.1.

FIXES:

Sensu agents now execute checks for proxy entities at the expected interval.

5.2.0 release notes

February 7, 2019 — The latest release of Sensu Go, version 5.2.0, is now available for download.

This release has a ton of exciting content, including the availability of our first enterprise-only features.

For more details on these features, see our [blog post](#). 5.2.0 also has some key improvements and fixes; we added support for self-signed CA certificates for `sensuctl`, check output truncation, and the ability to manage silencing from the event details page on our web UI just to name a few. See the [upgrade guide](#) to upgrade Sensu to version 5.2.0.

IMPORTANT:

Due to changes in the release process, Sensu binary-only archives are now named following the pattern `sensu-enterprise-go_5.2.0_${OS}_${ARCH}.tar.gz`, where `$OS` is the operating system name and `$ARCH` is the CPU architecture. These archives include all files in the top level directory. See the [installation guide](#) for the latest download links.

NEW FEATURES:

Announcing our first enterprise-only features for Sensu Go: [LDAP authentication](#), the [Sensu](#)

[ServiceNow handler](#), and the [Sensu JIRA handler](#). See the [getting started guide](#) for more information. Sensu now provides the option to limit check output size or to drop check outputs following metric extraction. See the [checks reference](#) for more information.

IMPROVEMENTS:

Sensu now includes support for Debian 8 and 9. See the [installation guide](#) to install Sensu for Debian. Sensu's binary-only distribution for Linux is now available for `arm64`, `armv5`, `armv6`, `armv7`, and `386` in addition to `amd64`. See the [installation guide](#) for download links.

The Sensu dashboard now provides the ability to silence and unsilence events from the events page. The Sensu dashboard entity page now displays the platform version and deregistration configuration. `sensuctl` now supports TLS configuration options, allowing you to use a self-signed certificate without adding it to the operating system's CA store, either by explicitly trusting the signer or by disabling TLS hostname verification. See the [sensuctl reference](#) for more information.

`sensuctl` now provides action-specific confirmation messages, like `Created`, `Deleted`, and `Updated`.

FIXES:

Check TTL failure events now persist through cluster member failures and cluster restarts.

The Sensu backend now correctly handles errors for missing keepalive events.

Token substituted values are now omitted from event data to protect sensitive information.

Sensu now correctly processes keepalive and check TTL states following entity deletion.

`sensuctl` can now run `sensuctl version` without being configured.

When disabling users, `sensuctl` now provides the correct prompt for the action.

5.1.1 release notes

January 24, 2019 — The latest patch release of Sensu Go, version 5.1.1, is now available for download. This release includes some key fixes and improvements, including refactored keepalive functionality with increased reliability. Additionally, based on Community feedback, we have added support for the Sensu agent and `sensuctl` for 32-bit Windows systems. See the [upgrade guide](#) to upgrade Sensu to version 5.1.1.

NEW FEATURES:

Sensu now includes a `sensuctl` command and API endpoint to test user credentials. See the [access control reference](#) and [API docs](#) for more information.

IMPROVEMENTS:

The Sensu agent and sensuctl tool are now available for 32-bit Windows. See the [installation guide](#) for instructions.

Keepalive events now include an output attribute specifying the entity name and time last sent.

The Sensu backend includes refactored authentication and licensing to support future enterprise features.

SECURITY:

Sensu 5.1.1 is built with Go version 1.11.5. Go 1.11.5 addresses a security vulnerability impacting TLS handshakes and JWT tokens. See the [CVE](#) for more information.

FIXES:

Keepalive events now continue to execute after a Sensu cluster restarts.

When requested, on-demand check executions now correctly retrieve asset dependencies.

Checks now maintain a consistent execution schedule following updates to the check definition.

Proxy check request errors now include the check name and namespace.

When encountering an invalid line during metric extraction, Sensu now logs an error and continues extraction.

sensuctl now returns an error when attempting to delete a non-existent entity.

sensuctl now removes the temporary file it creates when executing the `sensuctl edit` command.

The Sensu dashboard now recovers from errors correctly when shutting down.

The Sensu dashboard includes better visibility for buttons and menus in the dark theme.

5.1.0 release notes

December 19, 2018 — The latest release of Sensu Go, version 5.1.0, is now available for download. This release includes an important change to the Sensu backend state directory as well as support for Ubuntu 14.04 and some key bug fixes. See the [upgrade guide](#) to upgrade Sensu to version 5.1.0.

IMPORTANT:

NOTE: This applies only to Sensu backend binaries downloaded from `s3-us-west-2.amazonaws.com/sensu.io/sensu-go`, not to Sensu RPM or DEB packages. For Sensu backend binaries, the default `state-dir` is now `/var/lib/sensu/sensu-backend` instead of `/var/lib/sensu`. To upgrade your Sensu backend binary to 5.1.0, make sure your `/etc/sensu/backend.yml` configuration file specifies a `state-dir`. See the [upgrade guide](#) for more information.

NEW FEATURES:

Sensu [agents](#) now include `trusted-ca-file` and `insecure-skip-tls-verify` configuration flags, giving you more flexibility with certificates when connecting agents to the backend over TLS.

IMPROVEMENTS:

Sensu now includes support for Ubuntu 14.04.

FIXES:

The Sensu backend now successfully connects to an external etcd cluster.

SysVinit scripts for the Sensu agent and backend now include correct run and log paths.

Once created, keepalive alerts and check TTL failure events now continue to occur until a successful event is observed.

When querying for an empty list of assets, `sensuctl` and the Sensu API now return an empty array instead of null.

The `sensuctl create` command now successfully creates hooks when provided with the correct definition.

The Sensu dashboard now renders status icons correctly in Firefox.

5.0.1 release notes

December 12, 2018 — Sensu Go 5.0.1 includes our top bug fixes following last week's general availability release. See the [upgrade guide](#) to upgrade Sensu to version 5.0.1.

FIXED:

The Sensu backend can now successfully connect to an external etcd cluster.

The Sensu dashboard now sorts silences in ascending order, correctly displays status values, and reduces shuffling in the event list.

Sensu agents on Windows now execute command arguments correctly.

Sensu agents now correctly include environment variables when executing checks.

Command arguments are no longer escaped on Windows.

Sensu backend environments now include handler and mutator execution requests.

5.0.0 release notes

December 5, 2018 — We're excited to announce the general availability release of Sensu Go! Sensu Go is the flexible monitoring event pipeline, written in Go and designed for container-based and hybrid-cloud infrastructures. Check out the [Sensu blog](#) for more information about Sensu Go and version 5.0.

For a complete list of changes from Beta 8-1, see the [Sensu Go changelog](#). Going forward, this page will be the official home for the Sensu Go changelog and release notes.

To get started with Sensu Go:

[Download the sandbox](#)

[Install Sensu Go](#)

[Get started monitoring server resources](#)

Get started with Sensu

Contents

Learn Sensu in 15 minutes

Create your first monitoring event pipeline using a local development environment pre-installed with the essential Sensu stack.

[Download the sandbox and learn Sensu Go](#)

[See more sandbox lessons](#)

[Join the community](#)

Install Sensu Go (free tier)

Sensu Go is the flexible monitoring event pipeline, designed for container-based and multi-cloud infrastructures. Get started with the free tier by installing an official Sensu distribution.

[Install Sensu Go](#)

[Discover Sensu assets](#)

[Learn about license-activated features](#)

Monitor at scale (licensed tier)

Sensu Inc. offers support packages for Sensu Go as well as license-activated features designed for monitoring at scale.

[Learn about license-activated features](#)

[Contact the sales team for a free trial](#)

[Activate your Sensu license](#)

Build from source (OSS tier)

Sensu Go's core is open source software, freely available under an MIT license.

[Visit Ssensu Go on GitHub](#)

[Learn about OSS-tier features](#)

[Build from source](#)

Getting started with license-activated features

Contents

Sensu Go offers license-activated features designed for monitoring at scale. [Contact the Sensu sales team](#) for a personalized demo and free trial. License-activated features are available for all Sensu Go packages and downloads. See the [products page](#) for a complete feature comparison.

License-activated features in Sensu Go

Manage your monitoring checks and handlers from your browser: Create, edit, and delete checks and handlers using the Sensu [web UI](#).

Authentication providers: Scale Sensu role-based access control with [LDAP and Active Directory integrations](#).

Scalable resource filtering: Designed for large installations, label and field selectors let you filter [Sensu API](#) responses, [sensuctl](#) outputs, and Sensu [web UI](#) views using custom labels and a wider range of resource attributes.

Event logging: Log event data to a file that you can use as an input source for your favorite data lake solution. Using the [event logging](#) functionality provides better performance and reliability than using event handlers.

Enterprise-tier assets: Connect your monitoring event pipelines to industry-standard tools like ServiceNow and Jira with [enterprise-tier assets](#).

Enterprise-scale event storage: Scale your Sensu instance and handle high volumes of events using a [PostgreSQL event store](#).

Enterprise-class support: [Sensu support](#) gives you the assurance that help is available if you need it. Our expert in-house team offers best-in-class support to help get you up and running smoothly.

Contact us for a free trial

For a personalized demo and free trial of license-activated features in Sensu Go, [contact the Sensu sales team](#). You can manage your Sensu account and contact support through [account.sensu.io](#).

[Contact the Sensu sales team](#)

[Log in to your Sensu account](#)

[Contact Sensu support](#)

Get started with license-activated features in Sensu Go

If you haven't already, [install the Sensu Go backend, agent, and sensuctl tool](#) and [configure sensuctl](#).

Log in to your Sensu account at account.sensu.io and download your license file using the “Download license” link.

Sensu account: Download Sensu license.

Sensu Go License

View and download your Sensu Go license key.

Account ID

44

Billing Email

example.com@example.com

Issued

February 19, 2019

Expires

February 19, 2020

[Download license](#)

With the license file downloaded, you can activate your license using sensuctl.

```
sensuctl create --file sensu_license.json
```

You can use sensuctl to view your license details at any time.

```
sensuctl license info
```

See these resources to get started using license-activated features in Sensu Go.

[Set up authentication providers](#)

[Get started with assets](#)

[Manage your Sensu license](#)

[Log in to your Sensu account](#)

[Contact Ssensu support](#)

Sensu live demo

Contents

See a [live demo of the Sensu dashboard](#) (log in with username `guest` and password `i<3sensu`).

Explore the [entities page](#) to see what Sensu is monitoring, the [events page](#) to see the latest monitoring events, and the [checks page](#) to see active service and metric checks.

You can also use the demo to try out `sensuctl`, the Sensu command line tool. First, [install sensuctl](#) on your workstation, then configure `sensuctl` to connect to the demo.

```
sensuctl configure
? Sensu Backend URL: https://caviar.tf.sensu.io:8080
? Username: guest
? Password: i<3sensu
? Namespace: default
? Preferred output format: tabular
```

You should now be able to see the latest monitoring events.

```
sensuctl event list
```

See the [sensuctl quickstart](#) to get started using `sensuctl`.

About the demo

The Caviar project shown in the demo monitors the Sensu docs site using a licensed Sensu cluster of three backends.

Sensu sandbox

Contents

Welcome to the Sensu sandbox! The sandbox is the best place to get started with Sensu and try out new features.

Learn Sensu

[Start here](#): Building your first monitoring workflow

Container monitoring

[Container and application monitoring with Sensu](#): Monitoring a sample app on Kubernetes

Metrics

[Sensu + Prometheus](#): Collecting Prometheus metrics with Sensu

Upgrading from Sensu 1.x to Sensu Go

[Sensu translator](#): Translating check configuration

Glossary of Terms

Contents

Agent

A lightweight client that runs on the infrastructure components you want to monitor. Agents self-register with the backend, send keepalive messages, and execute monitoring checks. Each agent belongs to one or more subscriptions that determine which checks the agent runs. An agent can run checks on the entity it's installed on or by connecting to a remote proxy entity. [Read more.](#)

Asset

An asset is an executable that a check, handler, or mutator can specify as a dependency. Assets must be a tar archive (optionally gzipped) with scripts or executables within a bin folder. At runtime, the backend or agent installs required assets using the specified URL. Assets let you manage runtime dependencies without using configuration management tools. [Read more.](#)

Backend

A flexible, scalable monitoring event pipeline. The backend processes event data using filters, mutators, and handlers. It maintains configuration files, stores recent event data, and schedules monitoring checks. You can interact with the backend using the API, command line, and dashboard interfaces. [Read more.](#)

Check

A recurring check run by the agent to determine the state of a system component or collect metrics. The backend is responsible for storing check definitions, scheduling checks, and processing event data. Check definitions specify the command to be executed, an interval for execution, one or more subscriptions, and one or more handlers to process the resulting event data. [Read more.](#)

Check hook

A command executed by the agent in response to a check result, before creating a monitoring event. Hooks create context-rich events by gathering related information based on the check status.[Read more.](#)

Check token

A placeholder used in a check definition that the agent replaces with local information before executing the check. Tokens let you fine-tune check attributes (like thresholds) on a per-entity level while re-using the check definition.[Read more.](#)

Entity

Infrastructure components that you want to monitor. Each entity runs an agent that executes checks and creates events. Events can be tied to the entity where the agent runs or a proxy entity that the agent checks remotely.[Read more.](#)

Event

A representation of the state of an infrastructure component at a point in time, used by the backend to power the monitoring event pipeline. Event data includes the result of the check or metric (or both), the executing agent, and a timestamp.[Read more.](#)

Filter

Logical expressions that handlers evaluate before processing monitoring events. Filters can instruct handlers to allow or deny matching events based on day, time, namespace, or any attribute in the event data.[Read more.](#)

Handler

A component of the monitoring event pipeline that acts on events. Handlers can send monitoring event data to an executable (or handler plugin), a TCP socket, or a UDP socket.[Read more.](#)

Mutator

An executable run by the backend prior to the handler to transform event data. [Read more.](#)

Plugin

Sensu Plugins are executables designed to work with Sensu event data, either as a check plugin, mutator plugin, or handler plugin. You can write your own check executables in Go, Ruby, Python, and more, or use one of over 200 plugins shared by the Sensu Community. [Read more.](#)

Proxy Entity

Components of your infrastructure that can't run the agent locally (like a network switch or a website) but still need to be monitored. Agents create events with information about the proxy entity in place of the local entity when running checks with a specified proxy entity id. [Read more.](#)

RBAC

Role-based access control (RBAC) is Sensu's local user management system. RBAC lets you manage users and permissions with namespaces, users, roles, and role bindings. [Read more.](#)

Resources

Objects within Sensu that can be used to specify access permissions in Sensu roles and cluster roles. Resources can be specific to a namespace (like checks and handlers) or cluster-wide (like users and cluster roles). [Read more.](#)

Sensuctl

Command line tool that lets you interact with the backend. You can use sensuctl to create checks, view events, create users, manage cluster, and more. [Read more.](#)

Silencing

Silences allow you to suppress execution of event handlers on an ad-hoc basis. You can use silencing to schedule maintenances without being overloaded with alerts. [Read more.](#)

Sensu frequently asked questions

Contents

Thank you for visiting the Sensu FAQ! For a list of Sensu terms and definitions, see the [glossary](#).

[What platforms does Sensu support?](#)

[Is Sensu available as a hosted solution?](#)

[What are the hardware requirements for running a Sensu backend?](#)

[Is there an enterprise version of Sensu Go?](#)

[What's the difference between the OSS tier, free tier, and licensed tier?](#)

[How can I contact the Sensu sales team?](#)

[What can I monitor with Sensu?](#)

[Does Sensu include a time series database for long-term storage?](#)

[Can I connect Sensu Go to clients and servers from earlier versions of Sensu Core and Sensu Enterprise?](#)

[Can I upgrade my Sensu version 1.x deployment to Sensu Go?](#)

[Which ports does Sensu use?](#)

[Can one Sensu backend monitor multiple sites?](#)

[Is it possible to use Uchiwa with Sensu Go?](#)

What platforms does Sensu support?

Sensu Go is available for Linux, Windows (agent and CLI only), macOS (CLI only), and Docker. See the list of [supported platforms](#) and the [installation guide](#) for more information.

Is Sensu available as a hosted solution?

No, Sensu is installed on your organization's infrastructure alongside other applications and services. See the list of [supported platforms](#) and the [installation guide](#) for more information.

What are the hardware requirements for running a Sensu

backend?

See the [hardware requirements guide](#) for minimum and recommended hardware to run a Sensu backend.

Is there an enterprise version of Sensu Go?

Yes! Sensu Inc. offers support packages for Sensu Go as well as license-activated features designed for monitoring at scale. [Contact the Sensu sales team](#) for a personalized demo, and see the [getting started guide](#) for more information.

What's the difference between the OSS tier, free tier, and licensed tier?

See the [Enterprise page](#) for a complete comparison.

How can I contact the Sensu sales team?

We'd love to chat about solving your organization's monitoring challenges with Sensu. Get in touch with us using [this form](#).

What can I monitor with Sensu?

Sensu supports a wide range of plugins for monitoring everything from the server closet to the cloud. [Install the Sensu agent](#) on the hosts you want to monitor, integrate with the [Sensu API](#), or take advantage of [proxy entities](#) to monitor anything on your network.

Sensuctl integrates with [Bonsai](#), the [Sensu asset index](#), where you'll find plugins, libraries, and runtimes you need to automate your monitoring workflows. If you want to add your own asset to the index, read the [guide for sharing an asset on Bonsai](#).

You can also check out the 200+ plugins shared in the [Sensu plugins community](#)—including monitoring checks for [AWS](#), [Jenkins](#), [Puppet](#), [InfluxDB](#), and [SNMP](#)—or write your own Sensu Plugins in any language using the [Sensu Plugins spec](#).

Does Sensu include a time series database for long-term storage?

No, Sensu does not store event data. We recommend integrating Ssensu with a time series database, like [InfluxDB](#), to store event data. See the [guide to storing metrics with InfluxDB](#) to get started.

Can I connect Ssensu Go to clients and servers from earlier versions of Ssensu Core and Ssensu Enterprise?

No, Ssensu Go agents and backends are not compatible with Ssensu Core or Ssensu Enterprise services.

Can I upgrade my Ssensu version 1.x deployment to Ssensu Go?

Ssensu Go is a complete redesign of the original Ssensu; it uses separate packages, dependencies, and data models to bring you powerful new features. See the [Ssensu Go release announcement](#) for more information. Due to these changes, [some features](#) of Ssensu 1.x are no longer supported in Ssensu Go, such as standalone checks. To upgrade your Ssensu 1.x deployment to Ssensu Go, you'll need to translate your Ssensu 1.x configuration to the format expected by Ssensu Go and install the new Ssensu Go services on your infrastructure. The [Ssensu Go upgrade guide](#) includes a detailed feature comparison between Ssensu Go and Ssensu 1.x as well as tools to help you get started.

Which ports does Ssensu use?

The [Ssensu backend](#) uses:

2379 (HTTP/HTTPS) Ssensu storage client: Required for Ssensu backends using an external etcd instance

2380 (HTTP/HTTPS) Ssensu storage peer: Required for other Ssensu backends in a [cluster](#)

3000 (HTTP/HTTPS) [Ssensu dashboard](#): Required for all Ssensu backends using a Ssensu dashboard

8080 (HTTP/HTTPS) [Ssensu API](#): Required for all users accessing the Ssensu API

8081 (WS/WSS) Agent API: Required for all Ssensu agents connecting to a Ssensu backend

The [Ssensu agent](#) uses:

3030 (TCP/UDP) Sensu [agent socket](#): Required for Sensu agents using the agent socket

3031 (HTTP) Sensu [agent API](#): Required for all users accessing the agent API

8125 (UDP, TCP on Windows) [StatsD listener](#): Required for all Sensu agents using the StatsD listener

The agent TCP and UDP sockets are deprecated in favor of the [agent API](#).

For more information, see the [guide to securing Sensu](#).

Can one Sensu backend monitor multiple sites?

Yes, as long as the port requirements described above are met, a single Sensu backend can monitor Sensu agents at multiple sites.

Is it possible to use Uchiwa with Sensu Go?

Due to Sensu Go's implementation, it is not possible to use Uchiwa with Sensu Go. Sensu Go does have a [built-in dashboard](#) that you can use to visually interact with your Sensu Go deployment.

Sensu Go media

Contents

Talks

[Greg Poirier - Sensu Go Deep Dive at Sensu Summit 2017](#)

[Greg Poirier - Sensu Go Assets](#)

[Sean Porter, Influx Days - Data Collection & Prometheus Scraping with Sensu 5.0](#)

Blog posts

[Simon Plourde: Understanding RBAC in Sensu Go](#)

[Sean Porter: Self-service monitoring checks in Sensu Go](#)

[Christian Michel - How to monitor 1,000 network devices using Sensu Go and Ansible](#)

[Eric Chlebek - Filters: valves for the Sensu monitoring event pipeline](#)

[Greg Schofield - Sensu Habitat Core Plans are Here](#)

[Nikki Attea - Check output metric extraction with InfluxDB & Grafana](#)

[Jef Spaleta - Migrating to 5.0](#)

[Anna Plotkin - Sensu Go is here!](#)

Tutorials

[Sensu sandbox tutorials](#)

Podcasts

[Sensu Community Chat November 2018](#)

NOTE: Prior to October 2018, Sensu Go was known as Sensu 2.0.

Installing Sensu

Contents

Select a platform from the dropdown above. Sensu Go is available for Linux, Windows (agent and CLI only), macOS (CLI only), and Docker. See the list of [supported platforms](#) for more information. Sensu downloads are provided under the [Sensu License](#).

Install the Sensu backend

The Sensu backend is available for Ubuntu/Debian, RHEL/CentOS, and [Docker](#). In addition to packages, [binary-only distributions](#) for Linux are available for `amd64`, `arm64`, `armv5`, `armv6`, `armv7`, and `386` architectures.

1. Install the package

Ubuntu/Debian

Add the Sensu repository.

```
curl -s https://packagecloud.io/install/repositories/sensu/stable/script.deb.sh |  
sudo bash
```

Install the `sensu-go-backend` package.

```
sudo apt-get install sensu-go-backend
```

RHEL/CentOS

Add the Sensu repository.

```
curl -s https://packagecloud.io/install/repositories/sensu/stable/script.rpm.sh |  
sudo bash
```

Install the `sensu-go-backend` package.

```
sudo yum install sensu-go-backend
```

2. Create the configuration file

Copy the example backend config file to the default config path.

```
sudo cp /usr/share/doc/sensu-go-backend-5.10.2/backend.yml.example  
/etc/sensu/backend.yml
```

NOTE: The Sensu backend can be configured using a `/etc/sensu/backend.yml` configuration file or using `sensu-backend start` configuration flags. For more information, see the [backend reference](#).

3. Start the service

Start the backend using a service manager.

```
sudo service sensu-backend start
```

Verify that the backend is running.

```
service sensu-backend status
```


Next steps

Now that you've installed the Sensu backend:

[Install the Sensu agent](#)

[Install sensuctl](#)

[Sign in to the dashboard](#)

Install the Sensu agent

The Sensu agent is available for Ubuntu/Debian, RHEL/CentOS, Windows, and [Docker](#). In addition to packages, [binary-only distributions](#) for Linux are available for `amd64`, `arm64`, `armv5`, `armv6`, `armv7`, and `386` architectures and for Windows `amd64` and `386` architectures.

1. Install the package

Ubuntu/Debian

Add the Sensu repository.

```
curl -s https://packagecloud.io/install/repositories/sensu/stable/script.deb.sh |  
sudo bash
```

Install the `sensu-go-agent` package.

```
sudo apt-get install sensu-go-agent
```

RHEL/CentOS

Add the Sensu repository.

```
curl -s https://packagecloud.io/install/repositories/sensu/stable/script.rpm.sh |  
sudo bash
```

Install the `sensu-go-agent` package.

```
sudo yum install sensu-go-agent
```

Windows

Download the Sensu agent for Windows `amd64` or `386` architectures.

```
Invoke-WebRequest https://s3-us-west-2.amazonaws.com/sensu.io/sensu-go/5.10.2/sensu-go-agent_5.10.2.4539_en-US.x64.msi -OutFile "$env:userprofile\sensu-go-agent_5.10.2.4539_en-US.x64.msi"
```

Start the installation wizard.

```
msiexec.exe /i $env:userprofile\sensu-go-agent_5.10.2.4539_en-US.x64.msi
```

NOTE: To make this an unattended install, you can use `/qn` as part of the install command.

2. Create the configuration file

Linux

Copy the example agent config file to the default config path.

```
sudo cp /usr/share/doc/sensu-go-agent-5.10.2/agent.yml.example /etc/sensu/agent.yml
```

NOTE: The Sensu agent can be configured using a `/etc/sensu/agent.yml` configuration file or using `sensu-agent start` configuration flags. For more information, see the [agent reference](#).

Windows

Copy the example agent config file from `%ALLUSERSPROFILE%\sensu\config\agent.yml.example` (default: `C:\ProgramData\sensu\config\agent.yml.example`) to `C:\ProgramData\sensu\config\agent.yml` .

```
cp C:\ProgramData\sensu\config\agent.yml.example C:\ProgramData\sensu\config\agent.yml
```

3. Start the service

Linux

Start the agent using a service manager.

```
sudo service sensu-agent start
```

Verify that the agent is running.

```
service sensu-agent status
```

Windows

Change to the `sensu\sensu-agent\bin` directory where you've installed Sensu.

```
cd 'C:\Program Files\sensu\sensu-agent\bin'
```

Run the `sensu-agent` executable.

```
./sensu-agent.exe
```

Run the following command to install and start the agent.

```
./sensu-agent service install
```

Verify that the agent is running.

```
sc.exe query SensuAgent
```

Next steps

Now that you've installed the Sensu agent:

[Install sensuctl](#)

[Create a monitoring event](#)

Install sensuctl

Sensu Go can be configured and used with the sensuctl command line utility. Sensuctl is available for Ubuntu/Debian, RHEL/CentOS, Windows, and macOS.

1. Install the package

Ubuntu/Debian

Add the Sensu repository.

```
curl -s https://packagecloud.io/install/repositories/sensu/stable/script.deb.sh |  
sudo bash
```

Install the `sensu-go-cli` package.

```
sudo apt-get install sensu-go-cli
```

RHEL/CentOS

Add the Sensu repository.

```
curl -s https://packagecloud.io/install/repositories/sensu/stable/script.rpm.sh |  
sudo bash
```

Install the `sensu-go-cli` package.

```
sudo yum install sensu-go-cli
```

Windows

Download [sensuctl for Windows](#) `amd64` .

```
Invoke-WebRequest https://s3-us-west-2.amazonaws.com/sensu.io/sensu-go/5.10.2/sensu-  
enterprise-go_5.10.2_windows_amd64.tar.gz -OutFile C:\Users\Administrator\sensu-  
enterprise-go_5.10.2_windows_amd64.tar.gz
```

Or download [sensuctl for Windows](#) `386` .

```
Invoke-WebRequest https://s3-us-west-2.amazonaws.com/sensu.io/sensu-go/5.10.2/sensu-  
enterprise-go_5.10.2_windows_386.tar.gz -OutFile C:\Users\Administrator\sensu-  
enterprise-go_5.10.2_windows_386.tar.gz
```

See the [verifying Sensu guide](#) to verify your download using checksums.

macOS

Download the latest release. See the [verifying Sensu guide](#) to verify your download using checksums.

```
curl -LO https://s3-us-west-2.amazonaws.com/sensu.io/sensu-go/5.10.2/sensu-enterprise-go_5.10.2_darwin_amd64.tar.gz
```

Extract the archive.

```
tar -xvf sensu-enterprise-go_5.10.2_darwin_amd64.tar.gz
```

Copy the executable into your PATH.

```
sudo cp sensuctl /usr/local/bin/
```

2. Configure sensuctl

You must configure sensuctl before it can connect to Sensu Go. Run `sensuctl configure` to get started.

```
$ sensuctl configure
? Sensu Backend URL: http://127.0.0.1:8080
? Username: admin
? Password: *****
? Namespace: default
? Preferred output format: tabular
```

By default, your Sensu installation comes with a user named `admin` with password `P@ssw0rd!`. We **strongly** recommended that you change the password immediately. Once authenticated, you can change the password using the `change-password` command.

```
$ sensuctl user change-password --interactive
? Current Password: *****
? Password: *****
? Confirm: *****
```

You can change individual values of your sensuctl configuration with the `config` subcommand.

```
sensuctl config set-namespace default
```

See the [sensuctl reference](#) for more information about using sensuctl.

3. Activate licensed-tier features

Sensu Inc. offers support packages for Sensu Go as well as license-activated features designed for monitoring at scale. To learn more about license-activated features in Sensu Go, [contact the Sensu sales team](#).

If you already have a Sensu license, [log in to your Sensu account](#) and download your license file, then activate your license using sensuctl.

```
sensuctl create --file sensu_license.json
```

You can use sensuctl to view your license details at any time.

```
sensuctl license info
```

For more information about license-activated features in Sensu Go, see the [getting started guide](#).

Next steps

Now that you've installed sensuctl:

[See the sensuctl quick reference](#)
[Create a monitoring event pipeline](#)

Deploy Sensu with Docker

Sensu Go can be run via [Docker](#) or [rkt](#) using the [sensu/sensu](#) image. When running Sensu from Docker there are a couple of things to take into consideration.

The backend requires four exposed ports and persistent storage. This example uses a shared filesystem. Sensu Go is backed by a distributed database, and its storage should be provisioned accordingly. We recommend local storage or something like Throughput Optimized or Provisioned IOPS EBS if local storage is unavailable. The exposed ports are:

2380: Sensu storage peer listener (only other Sensu backends need access to this port)

3000: Sensu dashboard

8080: Sensu API (all users need access to this port)

8081: Agent API (all agents need access to this port)

We suggest, but do not require, persistent storage for Sensu backends and Sensu agents. The Sensu agent will cache runtime assets locally for each check, and the Sensu backend will cache runtime assets locally for each handler and mutator. This storage should be unique per sensu-backend/sensu-agent process.

Start a Sensu backend

```
docker run -v /var/lib/sensu:/var/lib/sensu -d --name sensu-backend -p 2380:2380 -p 3000:3000 -p 8080:8080 -p 8081:8081 sensu/sensu:latest sensu-backend start
```

Start a Sensu agent

In this case, we're starting an agent with the webserver and system subscriptions as an example. This assumes that the Sensu backend is running on another host named `sensu.yourdomain.com`. If you are running these locally on the same system, add `--link sensu-backend` to your Docker arguments and change the backend URL to `--backend-url ws://sensu-backend:8081`.

```
docker run -v /var/lib/sensu:/var/lib/sensu -d --name sensu-agent sensu/sensu:latest sensu-agent start --backend-url ws://sensu.yourdomain.com:8081 --subscriptions webserver,system --cache-dir /var/lib/sensu
```

NOTE: You can configure the backend and agent log levels by using the `--log-level` flag on either

process. Log levels include `panic` , `fatal` , `error` , `warn` , `info` , and `debug` , defaulting to `warn` .

sensuctl and Docker

It's best to install and run sensuctl locally and point it at the exposed API port for your the Sensu backend. The sensuctl utility stores configuration locally, and you'll likely want to persist it across uses. While it can be run from the docker container, doing so may be problematic.

Installing Sensu Plugins

Contents

Sensu's functionality can be extended through the use of [plugins](#). Plugins can provide executables for performing status or metric checks, mutators for changing data to a desired format, or handlers for performing an action on a Sensu event.

Installing plugins using assets

Assets are shareable, reusable packages that make it easy to deploy Sensu plugins. To get started using and deploying assets, we recommend starting with [this guide on installing assets](#). It has everything you need to familiarize yourself with workflows involving assets.

Using the Bonsai Asset Index

Sensu's [Bonsai Asset Index](#) provides a centralized place for downloading and sharing plugin assets. If you ever need to find an asset, this is the first to stop. There, you'll find plugins, libraries and runtimes you need to automate your monitoring workflows. If you'd like to share your asset on Bonsai, we recommend reading [this guide on sharing your asset](#).

Installing plugins using the sensu-install tool

If you've used previous versions of Sensu, you'll be familiar with the [Sensu Plugins](#) organization on GitHub. While some of these plugins are Sensu Go-enabled, not all of them contain the components necessary to work with Sensu Go. See individual plugin instructions for information about compatibility with Sensu Go.

NOTE: Plugins found in the Sensu Plugins GitHub organization are community-maintained, meaning that anyone can improve on a plugin found there. If you have a question about how you can get involved in adding to, or providing a plugin, head to the [Sensu Community Slack channel](#). Maintainers are always happy to help answer questions and point you in the right direction.

To use community plugins that are not yet Sensu Go-enabled, you'll need to use the `sensu-install` tool. This tool comes with an embedded version of Ruby, so there's no need for Ruby to be installed on your system.

To install a Sensu Community Plugin with Sensu Go:

1. Install the sensu-plugins-ruby package from packagecloud.
2. Use the `sensu-install` command to install any plugins in the Sensu Plugins organization on GitHub by repository name. Plugins are installed into `/opt/sensu-plugins-ruby/embedded/bin`.

```
sensu-install --help
Usage: sensu-install [options]
    -h, --help                Display this message
    -v, --verbose             Enable verbose logging
    -p, --plugin PLUGIN       Install a Sensu PLUGIN
    -P, --plugins PLUGIN[,PLUGIN]  PLUGIN or comma-delimited list of Sensu plugins
to install
    -e, --extension EXTENSION  Install a Sensu EXTENSION
    -E, --extensions EXTENSION[,EXT]  EXTENSION or comma-delimited list of Sensu
extensions to install
    -s, --source SOURCE        Install Sensu plugins and extensions from a
custom SOURCE
    -c, --clean                Clean up (remove) other installed versions of
the plugin(s) and/or extension(s)
    -x, --proxy PROXY          Install Sensu plugins and extensions via a
PROXY URL
```

For example, to install the Sensu InfluxDB Plugin:

```
sudo sensu-install -p influxdb
```

To install a specific version of the Sensu InfluxDB Plugin with `sensu-install`, run:

```
sudo sensu-install -p 'sensu-plugins-influxdb:2.0.0'
```

We strongly recommend using a configuration management tool or using [Sensu assets](#) to pin the versions of any plugins installed in production.

NOTE: If a plugin is not Sensu Go-enabled and there is not analog on Bonsai, it is possible to add the necessary functionality. [This guide on \[discourse.sensu.io\]](#) will walk you through that process.

Troubleshooting the sensu-install tool

Some plugins, such as the [Sensu Disk Checks Plugin](#), require additional tools to install successfully. Depending on the plugin, you may need to install developer tool packages.

Ubuntu/Debian:

```
sudo apt-get update
```

```
sudo apt-get install build-essential
```

RHEL/CentOS:

```
sudo yum update
```

```
sudo yum groupinstall "Development Tools"
```

Upgrading Sensu

Contents

[Upgrading from 5.0.0 or later](#)

[Upgrading Sensu clusters from 5.7.0 or earlier to 5.8.0 or later](#)

[Upgrading Sensu backend binaries to 5.1.0](#)

[Upgrading from 1.x or later](#)

Upgrading to the latest version of Sensu Go from 5.0.0 or later

To upgrade to the latest version of Sensu Go from version 5.0.0 or later, first [install the latest packages](#).

Then restart the services.

NOTE: For systems using `systemd`, run `sudo systemctl daemon-reload` before restarting the services.

```
# Restart the Sensu agent
sudo service sensu-agent restart

# Restart the Sensu backend
sudo service sensu-backend restart
```

You can use the `version` command to determine the installed version using the `sensu-agent`, `sensu-backend`, and `sensuctl` tools. For example: `sensu-backend version`.

Upgrading Sensu clusters from 5.7.0 or earlier to 5.8.0 or later

NOTE: This applies only to Sensu clusters with multiple backend nodes.

Due to updates to etcd serialization, Sensu clusters with multiple backend nodes must be shut down while upgrading from Sensu Go 5.7.0 or earlier to 5.8.0 or later. See the [backend reference](#) for more information about stopping and starting backends.

Upgrading Sensu backend binaries to 5.1.0

NOTE: This applies only to Sensu backend binaries downloaded from `s3-us-west-2.amazonaws.com/sensu.io/sensu-go`, not to Sensu RPM or DEB packages.

For Sensu backend binaries, the default `state-dir` in 5.1.0 is now `/var/lib/sensu/sensu-backend` instead of `/var/lib/sensu`. To upgrade your Sensu backend binary to 5.1.0, first [download the latest version](#), then make sure the `/etc/sensu/backend.yml` configuration file specifies a `state-dir`. To continue using `/var/lib/sensu` as the `state-dir`, add the following configuration to `/etc/sensu/backend.yml`.

```
# /etc/sensu/backend.yml configuration to store backend data at /var/lib/sensu
state-dir: "/var/lib/sensu"
```

Then restart the backend.

Migrating to Sensu Go from Sensu Core 1.x

This guide provides general information for migrating your Sensu instance from [Sensu Core 1.x](#) to Sensu Go 5.0. For instructions and tools to help you translate your Sensu configuration from Sensu Core 1.x to Sensu Go, see the following resources.

[Sensu translator project](#)

[Jef Spaleta - Check configuration upgrades with the Sensu Go sandbox](#)

Sensu Go includes important changes to all parts of Sensu: architecture, installation, resource definitions, event data model, check dependencies, filter evaluation, and more. Sensu Go also includes a lot of powerful features to make monitoring easier to build, scale, and offer as a self-service tool to your internal customers.

[Packaging](#)

[Architecture](#)

[Entities](#)

[Checks](#)

[Events](#)

[Handlers](#)

[Filters](#)

[Assets](#)

[Role-based access control](#)

[Silencing](#)

[Token substitution](#)

[Aggregates](#)

[API](#)

[Custom attributes](#)

Packaging

Sensu is now provided as three packages: sensu-go-backend, sensu-go-agent, and sensu-go-cli (sensuctl). This results in a fundamental change in Sensu terminology from Sensu Core 1.x: the server is now the backend; the client is now the agent. To learn more about new terminology in Sensu Go, see the [glossary](#).

Architecture

The external RabbitMQ transport and Redis datastore in Sensu Core 1.x have been replaced with an embedded transport and [etcd datastore](#) in Sensu Go. The Sensu backend and agent are configured using YAML files or using the `sensu-backend` or `sensu-agent` command-line tools, instead of using JSON files. Sensu checks and pipeline elements are now configured via the API or sensuctl tool instead of JSON files. See the [backend](#), [agent](#), and [sensuctl](#) reference docs for more information.

Entities

“Clients” are now represented within Sensu Go as abstract “entities” that can describe a wider range of system components (network gear, web server, cloud resource, etc.) Entities include “agent entities” (entities running a Sensu agent) and familiar “proxy entities”. See the [entity reference](#) and the guide to [monitoring external resources](#) for more information.

Checks

Standalone checks are no longer supported in Sensu Go, although [similar functionality can be](#)

achieved using role-based access control, assets, and entity subscriptions. There are also a few changes to check definitions to be aware of. The `stdin` check attribute is no longer supported in Sensu Go, and Sensu Go no longer tries to run a “default” handler when executing a check without a specified handler. Additionally, check subdues are not yet available in Sensu Go.

Check hooks are now a resource type in Sensu Go, meaning that hooks can be created, managed, and reused independently of check definitions. You can also execute multiple hooks for any given response code.

Events

All check results are now considered events and are processed by event handlers. You can use the built-in incidents filter to recreate the Sensu Core 1.x behavior in which only check results with a non-zero status are considered events.

Handlers

Transport handlers are no longer supported by Sensu Go, but you can create similar functionality using a pipe handler that connects to a message bus and injects event data into a queue.

Filters

Ruby eval logic has been replaced with JavaScript expressions in Sensu Go, opening up powerful possibilities to filter events based on occurrences and other event attributes. As a result, the built-in occurrences filter in Sensu Core 1.x is not provided in Sensu Go, but you can replicate its functionality using this filter definition. Sensu Go includes three new built-in filters: only-incidents, only-metrics, and allow-silencing. Sensu Go does not yet include a built-in check dependencies filter or a filter-when feature.

Assets

The sensu-install tool has been replaced in Sensu Go by assets, shareable, reusable packages that make it easy to deploy Sensu plugins. Sensu Plugins in Ruby can still be installed via sensu-install by installing sensu-plugins-ruby; see the installing plugins guide for more information.

Role-based access control

Role-based access control (RBAC) is a built-in feature of the open-source version of Sensu Go. RBAC

allows management and access of users and resources based on namespaces, groups, roles, and bindings. To learn more about setting up RBAC in Sensu Go, see the [RBAC reference](#) and the [guide to creating a read-only user](#).

Silencing

Silencing is now disabled by default in Sensu Go and must be enabled explicitly using the built-in `not_silenced` filter.

Token substitution

The syntax for using token substitution has changed from using triple colons to using [double curly braces](#).

Aggregates

Check aggregates are supported through the [license-activated Sensu Go Aggregate Check Plugin](#).

API

In addition to the changes to resource definitions, Sensu Go includes a new, versioned API. See the [API overview](#) for more information.

Custom attributes

Custom check attributes are no longer supported in Sensu Go. Instead, Sensu Go provides the ability to add custom labels and annotations to entities, checks, assets, hooks, filters, mutators, handlers, and silences. See the metadata attributes section in the reference documentation for more information about using labels and annotations (for example: [metadata attributes for entities](#)).

Authentication

Contents

[Managing authentication providers](#)

[Configuring authentication providers](#)

[LDAP authentication](#)

[Examples](#)

[Specification](#)

[Troubleshooting](#)

[Active Directory authentication](#)

[Examples](#)

[Specification](#)

[Troubleshooting](#)

Sensu requires username and password authentication to access the [Sensu dashboard](#), [API](#), and command line tool ([sensuctl](#)). For Sensu's [default user credentials](#) and more information about configuring Sensu role based access control, see the [RBAC reference](#) and [guide to creating users](#).

In addition to built-in RBAC, Sensu includes [license-activated](#) support for authentication using external authentication providers. Sensu currently supports Microsoft Active Directory and standards-compliant Lightweight Directory Access Protocol tools like OpenLDAP.

LICENSED TIER: Unlock authentication providers in Sensu Go with a Sensu license. To activate your license, see the [getting started guide](#).

Managing authentication providers

You can view and delete authentication providers using `sensuctl` and the [authentication providers API](#). To set up an authentication provider for Sensu, see the section on [configuring authentication providers](#).

To view active authentication providers:

```
sensuctl auth list
```

To view configuration details for an authentication provider named `openldap` :

```
sensuctl auth info openldap
```

To delete an authentication provider named `openldap` :

```
sensuctl auth delete openldap
```

Configuring authentication providers

1. Write an authentication provider configuration definition

Write an authentication provider configuration definition.

For standards-compliant Lightweight Directory Access Protocol tools like OpenLDAP, see the [LDAP configuration examples](#) and [specification](#). For Microsoft Active Directory, see the [AD configuration examples](#) and [specification](#).

2. Apply the configuration using sensuctl

Log in to sensuctl as the [default admin user](#) and apply the configuration to Sensu.

```
sensuctl create --file filename.json
```

You can verify that your provider configuration has been applied successfully using sensuctl.

```
sensuctl auth list
```

Type	Name
------	------

ldap	openldap
------	----------

3. Integrate with Sensu RBAC

Now that you've configured an authentication provider, you'll need to configure Sensu RBAC to give those users permissions within Ssensu. Ssensu RBAC allows management and access of users and resources based on namespaces, groups, roles, and bindings. See the [RBAC reference](#) for more information about configuring permissions in Ssensu and [implementation examples](#).

Namespaces partition resources within Ssensu. Ssensu entities, checks, handlers, and other [namespaced resources](#) belong to a single namespace.

Roles create sets of permissions (get, delete, etc.) tied to resource types. **Cluster roles** apply permissions across namespaces and include access to [cluster-wide resources](#) like users and namespaces.

Role bindings assign a role to a set of users and groups within a namespace; **cluster role bindings** assign a cluster role to a set of users and groups cluster-wide.

To enable permissions for external users and groups within Ssensu, create a set of [roles](#), [cluster roles](#), [role bindings](#), and [cluster role bindings](#) that map to the usernames and group names found in your authentication providers. Make sure to include the [group prefix](#) and [username prefix](#) when creating Ssensu role bindings and cluster role bindings. Without an assigned role or cluster role, users can sign in to the Ssensu dashboard but can't access any Ssensu resources.

4. Log in to Ssensu

Once you've configured the correct roles and bindings, log in to [sensuctl](#) and the [Ssensu dashboard](#) using your single-sign-on username and password (no prefix required).

LDAP authentication

Ssensu offers license-activated support for using a standards-compliant Lightweight Directory Access Protocol tool for authentication to the Ssensu dashboard, API, and [sensuctl](#). The Ssensu LDAP authentication provider is tested with [OpenLDAP](#). Active Directory users should head over to the [Active Directory section](#).

LDAP configuration examples

Example LDAP configuration: Minimum required attributes

YML

```
type: ldap
api_version: authentication/v2
```

```
metadata:
  name: openldap
spec:
  servers:
  - group_search:
      base_dn: dc=acme,dc=org
    host: 127.0.0.1
    user_search:
      base_dn: dc=acme,dc=org
```

JSON

```
{
  "type": "ldap",
  "api_version": "authentication/v2",
  "spec": {
    "servers": [
      {
        "host": "127.0.0.1",
        "group_search": {
          "base_dn": "dc=acme,dc=org"
        },
        "user_search": {
          "base_dn": "dc=acme,dc=org"
        }
      }
    ]
  },
  "metadata": {
    "name": "openldap"
  }
}
```

Example LDAP configuration: All attributes

YML

```
type: ldap
api_version: authentication/v2
metadata:
```

```
name: openldap
spec:
  groups_prefix: ldap
  servers:
  - binding:
      password: P@ssw0rd!
      user_dn: cn=binder,dc=acme,dc=org
      client_cert_file: /path/to/ssl/cert.pem
      client_key_file: /path/to/ssl/key.pem
      group_search:
        attribute: member
        base_dn: dc=acme,dc=org
        name_attribute: cn
        object_class: groupOfNames
      host: 127.0.0.1
      insecure: false
      port: 636
      security: tls
      trusted_ca_file: /path/to/trusted-certificate-authorities.pem
      user_search:
        attribute: uid
        base_dn: dc=acme,dc=org
        name_attribute: cn
        object_class: person
  username_prefix: ldap
```

JSON

```
{
  "type": "ldap",
  "api_version": "authentication/v2",
  "spec": {
    "servers": [
      {
        "host": "127.0.0.1",
        "port": 636,
        "insecure": false,
        "security": "tls",
        "trusted_ca_file": "/path/to/trusted-certificate-authorities.pem",
        "client_cert_file": "/path/to/ssl/cert.pem",
        "client_key_file": "/path/to/ssl/key.pem",
        "binding": {
```

```

        "user_dn": "cn=binder,dc=acme,dc=org",
        "password": "P@ssw0rd!"
    },
    "group_search": {
        "base_dn": "dc=acme,dc=org",
        "attribute": "member",
        "name_attribute": "cn",
        "object_class": "groupOfNames"
    },
    "user_search": {
        "base_dn": "dc=acme,dc=org",
        "attribute": "uid",
        "name_attribute": "cn",
        "object_class": "person"
    }
}
],
"groups_prefix": "ldap",
"username_prefix": "ldap"
},
"metadata": {
    "name": "openldap"
}
}

```

LDAP specification

Top-level attributes

type	
description	Top-level attribute specifying the <code>sensuctl create</code> resource type. LDAP definitions should always be of type <code>ldap</code> .
required	true
type	String

example

```
"type": "ldap"
```

api_version

description Top-level attribute specifying the Sensu API group and version. For LDAP definitions, this attribute should always be `authentication/v2`.

required true

type String

example

```
"api_version": "authentication/v2"
```

metadata

description Top-level map containing the LDAP definition `name`. See the [metadata attributes reference](#) for details.

required true

type Map of key-value pairs

example

```
"metadata": {  
  "name": "openldap"  
}
```

spec

description Top-level map that includes the LDAP [spec attributes](#).

required true

type Map of key-value pairs

example

```
"spec": {
  "servers": [
    {
      "host": "127.0.0.1",
      "port": 636,
      "insecure": false,
      "security": "tls",
      "trusted_ca_file": "/path/to/trusted-certificate-
authorities.pem",
      "client_cert_file": "/path/to/ssl/cert.pem",
      "client_key_file": "/path/to/ssl/key.pem",
      "binding": {
        "user_dn": "cn=binder,dc=acme,dc=org",
        "password": "P@ssw0rd!"
      },
      "group_search": {
        "base_dn": "dc=acme,dc=org",
        "attribute": "member",
        "name_attribute": "cn",
        "object_class": "groupOfNames"
      },
      "user_search": {
        "base_dn": "dc=acme,dc=org",
        "attribute": "uid",
        "name_attribute": "cn",
        "object_class": "person"
      }
    }
  ],
  "groups_prefix": "ldap",
  "username_prefix": "ldap"
}
```

Spec attributes

servers

description	An array of <u>LDAP servers</u> for your directory. During the authentication process, Sensu attempts to authenticate using each LDAP server in sequence.
-------------	---

required	true
----------	------

type	Array
------	-------

example	
---------	--

```
"servers": [  
  {  
    "host": "127.0.0.1",  
    "port": 636,  
    "insecure": false,  
    "security": "tls",  
    "trusted_ca_file": "/path/to/trusted-certificate-  
authorities.pem",  
    "client_cert_file": "/path/to/ssl/cert.pem",  
    "client_key_file": "/path/to/ssl/key.pem",  
    "binding": {  
      "user_dn": "cn=binder,dc=acme,dc=org",  
      "password": "P@ssw0rd!"  
    },  
    "group_search": {  
      "base_dn": "dc=acme,dc=org",  
      "attribute": "member",  
      "name_attribute": "cn",  
      "object_class": "groupOfNames"  
    },  
    "user_search": {  
      "base_dn": "dc=acme,dc=org",  
      "attribute": "uid",  
      "name_attribute": "cn",  
      "object_class": "person"  
    }  
  }  
]
```

groups_prefix

description	The prefix added to all LDAP groups. Sensu prepends prefixes with a colon. For example, for the groups prefix <code>ldap</code> and the group <code>dev</code> , the resulting group name in Sensu is <code>ldap:dev</code> . Use this prefix when integrating LDAP groups with Sensu RBAC role bindings and cluster role bindings .
required	false
type	String
example	<pre>"groups_prefix": "ldap"</pre>

username_prefix

description	The prefix added to all LDAP usernames. Sensu prepends prefixes with a colon. For example, for the username prefix <code>ldap</code> and the user <code>alice</code> , the resulting username in Sensu is <code>ldap:alice</code> . Use this prefix when integrating LDAP users with Sensu RBAC role bindings and cluster role bindings . Users <i>do not</i> need to provide this prefix when logging in to Sensu.
required	false
type	String
example	<pre>"username_prefix": "ldap"</pre>

Server attributes

host

description	LDAP server IP address or FQDN
required	true
type	String

example

```
"host": "127.0.0.1"
```

port

description LDAP server port

required true

type Integer

default 389 for insecure connections, 636 for TLS connections

example

```
"port": 636
```

insecure

description Skips SSL certificate verification when set to `true`. *WARNING: Do not use an insecure connection in production environments.*

required false

type Boolean

default `false`

example

```
"insecure": false
```

security

description Determines the encryption type to be used for the connection to the LDAP server: `insecure` (unencrypted connection, not recommended for production), `tls` (secure encrypted connection), or `starttls` (unencrypted connection upgrades to a secure connection).

type	String
default	<code>"tls"</code>
example	<pre>"security": "tls"</pre>

trusted_ca_file

description	Path to an alternative CA bundle file in PEM format to be used instead of the system's default bundle. This CA bundle is used to verify the server's certificate.
required	false
type	String
example	<pre>"trusted_ca_file": "/path/to/trusted-certificate-authorities.pem"</pre>

client_cert_file

description	Path to the certificate that should be sent to the server if it requests it
required	false
type	String
example	<pre>"client_cert_file": "/path/to/ssl/cert.pem"</pre>

client_key_file

description	Path to the key file associated with the <code>client_cert_file</code>
-------------	--

required	false
type	String
example	<pre>"client_key_file": "/path/to/ssl/key.pem"</pre>

binding

description	The LDAP account that performs user and group lookups. If your sever supports anonymous binding, you can omit the <code>user_dn</code> or <code>password</code> attributes to query the directory without credentials.
required	false
type	Map
example	<pre>"binding": { "user_dn": "cn=binder,dc=acme,dc=org", "password": "P@ssw0rd!" }</pre>

group_search

description	Search configuration for groups. See the group search attributes for more information.
required	true
type	Map
example	<pre>"group_search": { "base_dn": "dc=acme,dc=org", "attribute": "member", "name_attribute": "cn", "object_class": "groupOfNames"</pre>

```
}
```

user_search

description	Search configuration for users. See the user search attributes for more information.
-------------	--

required	true
----------	------

type	Map
------	-----

example

```
"user_search": {  
  "base_dn": "dc=acme,dc=org",  
  "attribute": "uid",  
  "name_attribute": "cn",  
  "object_class": "person"  
}
```

Binding attributes

user_dn

description	The LDAP account that performs user and group lookups. We recommend using a read-only account. Use the distinguished name (DN) format, such as <code>cn=binder,cn=users,dc=domain,dc=tld</code> . If your sever supports anonymous binding, you can omit this attribute to query the directory without credentials.
-------------	---

required	false
----------	-------

type	String
------	--------

example

```
"user_dn": "cn=binder,dc=acme,dc=org"
```

password

description	Password for the <code>user_dn</code> account. If your sever supports anonymous binding, you can omit this attribute to query the directory without credentials.
-------------	--

required	false
----------	-------

type	String
------	--------

example	
---------	--

```
"password": "P@ssw0rd!"
```

Group search attributes

base_dn

description	Tells Sensu which part of the directory tree to search. For example, <code>dc=acme,dc=org</code> searches within the <code>acme.org</code> directory.
-------------	---

required	true
----------	------

type	String
------	--------

example	
---------	--

```
"base_dn": "dc=acme,dc=org"
```

attribute

description	Used for comparing result entries. This is combined with other filters as <code>"(<Attribute>=<value>)"</code> .
-------------	--

required	false
----------	-------

type	String
------	--------

default	<code>"member"</code>
---------	-----------------------

example

```
"attribute": "member"
```

name_attribute

description	Represents the attribute to use as the entry name.
-------------	--

required	false
----------	-------

type	String
------	--------

default	"cn"
---------	------

example

```
"name_attribute": "cn"
```

object_class

description	Identifies the class of objects returned in the search result. This is combined with other filters as <code>"(objectClass=<ObjectClass>)"</code> .
-------------	--

required	false
----------	-------

type	String
------	--------

default	"groupOfNames"
---------	----------------

example

```
"object_class": "groupOfNames"
```

User search attributes

base_dn

description	Tells Sensu which part of the directory tree to search. For example,
-------------	--

`dc=acme,dc=org` searches within the `acme.org` directory.

required	true
----------	------

type	String
------	--------

example	
---------	--

```
"base_dn": "dc=acme,dc=org"
```

attribute

description	Used for comparing result entries. This is combined with other filters as <code>"(<Attribute>=<value>)"</code> .
-------------	--

required	false
----------	-------

type	String
------	--------

default	<code>"uid"</code>
---------	--------------------

example	
---------	--

```
"attribute": "uid"
```

name_attribute

description	Represents the attribute to use as the entry name.
-------------	--

required	false
----------	-------

type	String
------	--------

default	<code>"cn"</code>
---------	-------------------

example	
---------	--

```
"name_attribute": "cn"
```

object_class

description	Identifies the class of objects returned in the search result. This is combined with other filters as <code>"(objectClass=<ObjectClass>)"</code> .
-------------	--

required	false
----------	-------

type	String
------	--------

default	<code>"person"</code>
---------	-----------------------

example	<pre>"object_class": "person"</pre>
---------	-------------------------------------

Metadata attributes

name

description	A unique string used to identify the LDAP configuration. Names cannot contain special characters or spaces (validated with Go regex <code>\A[\w\._-]+\z</code>).
-------------	--

required	true
----------	------

type	String
------	--------

example	<pre>"name": "openldap"</pre>
---------	-------------------------------

LDAP troubleshooting

In order to troubleshoot any issue with LDAP authentication, the first step should always be to increase log verbosity of sensu-backend to the debug log level. Most authentication and authorization errors are only displayed on the debug log level, in order to avoid flooding the log files.

NOTE: If you can't locate any log entries referencing LDAP authentication, make sure the LDAP

provider was successfully installed using `sensuctl`

Authentication errors

Here are some common error messages and possible solutions:

Error message: `failed to connect: LDAP Result Code 200 "Network Error"`

The LDAP provider couldn't establish a TCP connection to the LDAP server. Verify the `host` & `port` attributes. If you are not using LDAP over TLS/SSL, make sure to set the value of the `security` attribute to `"insecure"` for plaintext communication.

Error message: `certificate signed by unknown authority`

If you are using a self-signed certificate, make sure to set the `insecure` attribute to `true`. This will bypass verification of the certificate's signing authority.

Error message: `failed to bind: ...`

The first step for authenticating a user with the LDAP provider is to bind to the LDAP server using the service account specified in the `binding_object`. Make sure the `user_dn` specifies a valid **DN**, and its password is the right one.

Error message: `user <username> was not found`

The user search failed, no user account could be found with the given username. Go look at the `user_search_object` and make sure that:

The specified `base_dn` contains the requested user entry DN

The specified `attribute` contains the *username* as its value in the user entry

The `object_class` attribute corresponds to the user entry object class

Error message: `ldap search for user <username> returned x results, expected only 1`

The user search returned more than one user entry, therefore the provider could not determine which of these entries should be used. The `user_search_object` needs to be tweaked so the provided *username* can be used to uniquely identify a user entry. Here's a few possible ways of doing it:

Adjust the `attribute` so its value (which corresponds to the *username*) is unique amongst the user entries

Adjust the `base_dn` so it only includes one of the user entries

Error message: `ldap entry <DN> missing required attribute <name_attribute>`

The user entry returned (identified by `<DN>`) doesn't include the attributes specified by `name_attribute` object. Therefore the LDAP provider could not determine which attribute to use as the username in the user entry. The `name_attribute` should be adjusted so it specifies a human friendly name for the user.

Error message: `ldap group entry <DN> missing <name_attribute> and cn attributes`

The group search returned a group entry (identified by `<DN>`) that doesn't have the `name_attribute` attribute nor a `cn` attribute. Therefore the LDAP provider could not determine which attribute to use as the group name in the group entry. The `name_attribute` should be adjusted so it specifies a human friendly name for the group.

Authorization issues

Once authenticated, a user needs to be granted permissions via either a `ClusterRoleBinding` or a `RoleBinding`.

The way in which LDAP users and LDAP groups can be referred as subjects of a cluster role or role binding depends on the `groups_prefix` and `username_prefix` configuration attributes values of the `LDAP provider`. For example, for the groups prefix `ldap` and the group `dev`, the resulting group name in Sensu is `ldap:dev`.

Issue: Permissions are not granted via the LDAP group(s)

During authentication, the LDAP provider will print in the logs all groups found in LDAP, e.g. `found 1 group(s) : [dev]`. Keep in mind that this group name does not contain the `groups_prefix` at this point.

The Sensu backend logs each attempt made to authorize an RBAC request. This is useful for determining why a specific binding didn't grant the request. For example:

```
[...] the user is not a subject of the ClusterRoleBinding cluster-admin [...]  
[...] could not authorize the request with the ClusterRoleBinding system:user [...]  
[...] could not authorize the request with any ClusterRoleBindings [...]
```

Active Directory authentication

Sensu offers license-activated support for using Microsoft Active Directory (AD) for authentication to the Sensu dashboard, API, and sensuctl. The AD authentication provider is based on the [LDAP authentication provider](#).

Active Directory configuration examples

Example AD configuration: Minimum required attributes

YML

```
type: ad
api_version: authentication/v2
metadata:
  name: activedirectory
spec:
  servers:
  - group_search:
      base_dn: dc=acme,dc=org
    host: 127.0.0.1
    user_search:
      base_dn: dc=acme,dc=org
```

JSON

```
{
  "type": "ad",
  "api_version": "authentication/v2",
  "spec": {
    "servers": [
      {
        "host": "127.0.0.1",
        "group_search": {
          "base_dn": "dc=acme,dc=org"
        },
        "user_search": {
          "base_dn": "dc=acme,dc=org"
        }
      }
    ]
  }
}
```

```

    ]
  },
  "metadata": {
    "name": "activedirectory"
  }
}

```

Example AD configuration: All attributes

YML

```

type: ad
api_version: authentication/v2
metadata:
  name: activedirectory
spec:
  groups_prefix: ad
  servers:
    - binding:
        password: P@ssw0rd!
        user_dn: cn=binder,cn=users,dc=acme,dc=org
        client_cert_file: /path/to/ssl/cert.pem
        client_key_file: /path/to/ssl/key.pem
        group_search:
          attribute: member
          base_dn: dc=acme,dc=org
          name_attribute: cn
          object_class: group
        host: 127.0.0.1
        insecure: false
        port: 636
        security: tls
        trusted_ca_file: /path/to/trusted-certificate-authorities.pem
        user_search:
          attribute: sAMAccountName
          base_dn: dc=acme,dc=org
          name_attribute: displayName
          object_class: person
        username_prefix: ad

```

JSON

```
{
  "type": "ad",
  "api_version": "authentication/v2",
  "spec": {
    "servers": [
      {
        "host": "127.0.0.1",
        "port": 636,
        "insecure": false,
        "security": "tls",
        "trusted_ca_file": "/path/to/trusted-certificate-authorities.pem",
        "client_cert_file": "/path/to/ssl/cert.pem",
        "client_key_file": "/path/to/ssl/key.pem",
        "binding": {
          "user_dn": "cn=binder,cn=users,dc=acme,dc=org",
          "password": "P@ssw0rd!"
        },
        "group_search": {
          "base_dn": "dc=acme,dc=org",
          "attribute": "member",
          "name_attribute": "cn",
          "object_class": "group"
        },
        "user_search": {
          "base_dn": "dc=acme,dc=org",
          "attribute": "sAMAccountName",
          "name_attribute": "displayName",
          "object_class": "person"
        }
      }
    ],
    "groups_prefix": "ad",
    "username_prefix": "ad"
  },
  "metadata": {
    "name": "activedirectory"
  }
}
```


Active Directory specification

Top-level attributes

type	
description	Top-level attribute specifying the <code>sensuctl create</code> resource type. AD definitions should always be of type <code>ad</code> .
required	true
type	String
example	<pre>"type": "ad"</pre>

api_version	
description	Top-level attribute specifying the Sensu API group and version. For AD definitions, this attribute should always be <code>authentication/v2</code> .
required	true
type	String
example	<pre>"api_version": "authentication/v2"</pre>

metadata	
description	Top-level map containing the AD definition <code>name</code> . See the metadata attributes reference for details.
required	true
type	Map of key-value pairs

example

```
"metadata": {  
  "name": "activedirectory"  
}
```

spec

description Top-level map that includes the AD [spec attributes](#).

required true

type Map of key-value pairs

example

```
"spec": {  
  "servers": [  
    {  
      "host": "127.0.0.1",  
      "port": 636,  
      "insecure": false,  
      "security": "tls",  
      "trusted_ca_file": "/path/to/trusted-certificate-  
authorities.pem",  
      "client_cert_file": "/path/to/ssl/cert.pem",  
      "client_key_file": "/path/to/ssl/key.pem",  
      "binding": {  
        "user_dn": "cn=binder,cn=users,dc=acme,dc=org",  
        "password": "P@ssw0rd!"  
      },  
      "group_search": {  
        "base_dn": "dc=acme,dc=org",  
        "attribute": "member",  
        "name_attribute": "cn",  
        "object_class": "group"  
      },  
      "user_search": {  
        "base_dn": "dc=acme,dc=org",  
        "attribute": "sAMAccountName",  
        "name_attribute": "displayName",
```

```

        "object_class": "person"
      }
    }
  ],
  "groups_prefix": "ad",
  "username_prefix": "ad"
}

```

Active Directory spec attributes

servers

description An array of AD servers for your directory. During the authentication process, Sensu attempts to authenticate using each AD server in sequence.

required true

type Array

example

```

"servers": [
  {
    "host": "127.0.0.1",
    "port": 636,
    "insecure": false,
    "security": "tls",
    "trusted_ca_file": "/path/to/trusted-certificate-authorities.pem",
    "client_cert_file": "/path/to/ssl/cert.pem",
    "client_key_file": "/path/to/ssl/key.pem",
    "binding": {
      "user_dn": "cn=binder,cn=users,dc=acme,dc=org",
      "password": "P@ssw0rd!"
    },
    "group_search": {
      "base_dn": "dc=acme,dc=org",
      "attribute": "member",
      "name_attribute": "cn",

```

```

        "object_class": "group"
    },
    "user_search": {
        "base_dn": "dc=acme,dc=org",
        "attribute": "sAMAccountName",
        "name_attribute": "displayName",
        "object_class": "person"
    }
}
]

```

groups_prefix

description The prefix added to all AD groups. Sensu prepends prefixes with a colon. For example, for the groups prefix `ad` and the group `dev`, the resulting group name in Sensu is `ad:dev`. Use this prefix when integrating AD groups with Sensu RBAC [role bindings](#) and [cluster role bindings](#).

required false

type String

example

```
"groups_prefix": "ad"
```

username_prefix

description The prefix added to all AD usernames. Sensu prepends prefixes with a colon. For example, for the username prefix `ad` and the user `alice`, the resulting username in Sensu is `ad:alice`. Use this prefix when integrating AD users with Sensu RBAC [role bindings](#) and [cluster role bindings](#). Users *do not* need to provide this prefix when logging in to Sensu.

required false

type String

example

```
"username_prefix": "ad"
```

Active Directory server attributes

host

description	AD server IP address or <u>FQDN</u>
-------------	-------------------------------------

required	true
----------	------

type	String
------	--------

example	
---------	--

```
"host": "127.0.0.1"
```

port

description	AD server port
-------------	----------------

required	true
----------	------

type	Integer
------	---------

default	<code>389</code> for insecure connections, <code>636</code> for TLS connections
---------	---

example	
---------	--

```
"port": 636
```

insecure

description	Skips SSL certificate verification when set to <code>true</code> . <i>WARNING: Do not use an insecure connection in production environments.</i>
-------------	--

required	false
----------	-------

type	Boolean
default	false
example	<pre>"insecure": false</pre>

security

description	Determines the encryption type to be used for the connection to the AD server: <code>insecure</code> (unencrypted connection, not recommended for production), <code>tls</code> (secure encrypted connection), or <code>starttls</code> (unencrypted connection upgrades to a secure connection).
type	String
default	"tls"
example	<pre>"security": "tls"</pre>

trusted_ca_file

description	Path to an alternative CA bundle file in PEM format to be used instead of the system's default bundle. This CA bundle is used to verify the server's certificate.
required	false
type	String
example	<pre>"trusted_ca_file": "/path/to/trusted-certificate-authorities.pem"</pre>

client_cert_file

description	Path to the certificate that should be sent to the server if it requests it
required	false
type	String
example	<pre>"client_cert_file": "/path/to/ssl/cert.pem"</pre>

client_key_file

description	Path to the key file associated with the <code>client_cert_file</code>
required	false
type	String
example	<pre>"client_key_file": "/path/to/ssl/key.pem"</pre>

binding

description	The AD account that performs user and group lookups. If your sever supports anonymous binding, you can omit the <code>user_dn</code> or <code>password</code> attributes to query the directory without credentials. To use anonymous binding with AD, the <code>ANONYMOUS LOGON</code> object requires read permissions for users and groups.
required	false
type	Map
example	<pre>"binding": { "user_dn": "cn=binder,cn=users,dc=acme,dc=org", "password": "P@ssw0rd!" }</pre>

group_search

description	Search configuration for groups. See the group search attributes for more information.
-------------	--

required	true
----------	------

type	Map
------	-----

example

```
"group_search": {  
  "base_dn": "dc=acme,dc=org",  
  "attribute": "member",  
  "name_attribute": "cn",  
  "object_class": "group"  
}
```

user_search

description	Search configuration for users. See the user search attributes for more information.
-------------	--

required	true
----------	------

type	Map
------	-----

example

```
"user_search": {  
  "base_dn": "dc=acme,dc=org",  
  "attribute": "sAMAccountName",  
  "name_attribute": "displayName",  
  "object_class": "person"  
}
```

Active Directory binding attributes

user_dn

description	The AD account that performs user and group lookups. We recommend using a read-only account. Use the distinguished name (DN) format, such as <code>cn=binder,cn=users,dc=domain,dc=tld</code> . If your sever supports anonymous binding, you can omit this attribute to query the directory without credentials.
-------------	---

required	false
----------	-------

type	String
------	--------

example	
---------	--

```
"user_dn": "cn=binder,cn=users,dc=acme,dc=org"
```

password

description	Password for the <code>user_dn</code> account. If your sever supports anonymous binding, you can omit this attribute to query the directory without credentials.
-------------	--

required	false
----------	-------

type	String
------	--------

example	
---------	--

```
"password": "P@ssw0rd!"
```

Active Directory group search attributes

base_dn

description	Tells Sensu which part of the directory tree to search. For example, <code>dc=acme,dc=org</code> searches within the <code>acme.org</code> directory.
-------------	---

required	true
----------	------

type	String
------	--------

example

```
"base_dn": "dc=acme,dc=org"
```

attribute

description Used for comparing result entries. This is combined with other filters as `"(<Attribute>=<value>)"`.

required false

type String

default `"member"`

example

```
"attribute": "member"
```

name_attribute

description Represents the attribute to use as the entry name.

required false

type String

default `"cn"`

example

```
"name_attribute": "cn"
```

object_class

description Identifies the class of objects returned in the search result. This is combined with other filters as `"(objectClass=<ObjectClass>)"`.

required false

type	String
default	"group"
example	<pre>"object_class": "group"</pre>

Active Directory user search attributes

base_dn	
description	Tells Sensu which part of the directory tree to search. For example, <code>dc=acme,dc=org</code> searches within the <code>acme.org</code> directory.
required	true
type	String
example	<pre>"base_dn": "dc=acme,dc=org"</pre>

attribute	
description	Used for comparing result entries. This is combined with other filters as <code>"(<Attribute>=<value>)"</code> .
required	false
type	String
default	"sAMAccountName"
example	<pre>"attribute": "sAMAccountName"</pre>

name_attribute

description	Represents the attribute to use as the entry name.
-------------	--

required	false
----------	-------

type	String
------	--------

default	"displayName"
---------	---------------

example	
---------	--

```
"name_attribute": "displayName"
```

object_class

description	Identifies the class of objects returned in the search result. This is combined with other filters as <code>"(objectClass=<ObjectClass>)"</code> .
-------------	--

required	false
----------	-------

type	String
------	--------

default	"person"
---------	----------

example	
---------	--

```
"object_class": "person"
```

Active Directory metadata attributes

name

description	A unique string used to identify the AD configuration. Names cannot contain special characters or spaces (validated with Go regex <code>\A[\\w\\.\\-]+\\z</code>).
-------------	---

required	true
----------	------

type

String

example

```
"name": "activedirectory"
```

Active Directory troubleshooting

See the [LDAP troubleshooting](#) section.

Hardware requirements

Contents

[Sensu backend requirements](#)

[Sensu agent requirements](#)

[Networking recommendations](#)

[Cloud recommendations](#)

Sensu backend

Backend minimum requirements

The following configuration is the minimum required to run the Sensu backend, however it is insufficient for production use. See the [recommended configuration](#) for production recommendations.

64-bit Intel or AMD CPU

4 GB RAM

4 GB free disk space

10 mbps network link

Backend recommended configuration

The following configuration is recommended as a baseline for production use to ensure a good user and operator experience. Using additional resources (even over-provisioning) further improves stability and scalability.

64 bit 4-core Intel or AMD CPU

8 GB RAM

SSD (NVMe or SATA3)

Gigabit ethernet

The Sensu backend is typically CPU and storage intensive. In general, its use of these resources scales linearly with the total number of checks executed by all Sensu agents connecting to the backend.

The Sensu backend is a massively parallel application that can scale to any number of CPU cores. Provision roughly 1 CPU core for every 50 checks per second (including agent keepalives). Most installations are fine with 4 CPU cores, but larger installations may find that additional CPU cores (8+) are necessary.

Every executed Sensu check results in storage writes. When provisioning storage, a good guideline is to have twice as many **sustained disk IOPS** as you expect to have events per second. Don't forget to include agent keepalives in this calculation; each agent publishes a keepalive every 20 seconds. For example, in a cluster of 100 agents, you can expect those agents to consume 10 write IOPS for keepalives.

The Sensu backend uses a relatively modest amount of RAM under most circumstances. Larger production deployments use a larger amount of RAM (8+ GB).

Sensu agent

Agent minimum requirements

The following configuration is the minimum required to run the Sensu agent, however it is insufficient for production use. See the [recommended configuration](#) for production recommendations.

- 386, amd64, or ARM CPU (armv5 minimum)
- 128 MB RAM
- 10 mbps network link

Agent recommended configuration

The following configuration is recommended as a baseline for production use to ensure a good user and operator experience.

- 64 bit 4-core Intel or AMD CPU
- 512 MB RAM
- Gigabit ethernet

The Sensu agent itself is quite lightweight, and should be able to run on all but the most modest hardware. However, since the agent is responsible for executing checks, factor the agent's responsibilities into your hardware provisioning.

Networking recommendations

Agent connections

Sensu uses WebSockets for communication between the agent and backend. All communication occurs over a single TCP socket.

It's recommended that users connect backends and agents via gigabit ethernet, but any somewhat-reliable network link should work (e.g. WiFi and 4G). If you see WebSocket timeouts in the backend logs, you may need to use a better network link between the backend and agents.

Cloud recommendations

AWS

The recommended EC2 instance type and size for Sensu backends running embedded etcd is **M5d.xlarge**. The [M5d instance](#) provides 4 vCPU, 16 GB of RAM, up to 10 Gbps network connectivity, and a 150 NVMe SSD directly attached to the instance host (optimal for sustained disk IOPS).

Binary-only distributions

Contents

In addition to [packages](#), Sensu binary-only distributions are available for Linux, Windows (agent and CLI only), and macOS (CLI only).

Linux

Download Sensu for Linux [amd64](#) , [arm64](#) , [armv5](#) , [armv6](#) , [armv7](#) , or [386](#) architectures.

```
curl -LO https://s3-us-west-2.amazonaws.com/sensu.io/sensu-go/5.10.2/sensu-enterprise-go_5.10.2_linux_amd64.tar.gz
```

Generate a SHA-512 checksum for the downloaded artifact.

```
sha512sum sensu-enterprise-go_5.10.2_linux_amd64.tar.gz
```

The result should match the checksum for your platform.

```
curl -LO https://s3-us-west-2.amazonaws.com/sensu.io/sensu-go/5.10.2/sensu-enterprise-go_5.10.2_checksums.txt && cat sensu-enterprise-go_5.10.2_checksums.txt
```

Windows

Download the Sensu agent for Windows [amd64](#) or [386](#) architectures.

```
Invoke-WebRequest https://s3-us-west-2.amazonaws.com/sensu.io/sensu-go/5.10.2/sensu-enterprise-go_5.10.2_windows_amd64.tar.gz -OutFile "$env:userprofile\sensu-
```

```
enterprise-go_5.10.2_windows_amd64.tar.gz"
```

Generate a SHA-256 checksum for the downloaded artifact.

```
Get-FileHash "$env:userprofile\sensu-enterprise-go_5.10.2_windows_amd64.tar.gz" -  
Algorithm SHA256 | Format-List
```

The result should match (with the exception of capitalization) the checksum for your platform.

```
Invoke-WebRequest https://s3-us-west-2.amazonaws.com/sensu.io/sensu-go/5.10.2/sensu-  
enterprise-go_5.10.2_checksums.txt -OutFile "$env:userprofile\sensu-enterprise-  
go_5.10.2_checksums.txt"  
  
Get-Content "$env:userprofile\sensu-enterprise-go_5.10.2_checksums.txt" | Select-  
String -Pattern windows_amd64
```

macOS

Download Sensu for macOS.

```
curl -LO https://s3-us-west-2.amazonaws.com/sensu.io/sensu-go/5.10.2/sensu-  
enterprise-go_5.10.2_darwin_amd64.tar.gz
```

Generate a SHA-512 checksum for the downloaded artifact.

```
shasum -a 512 sensu-go-5.10.2-darwin-amd64.tar.gz
```

The result should match the checksum for your platform.

```
curl -LO https://s3-us-west-2.amazonaws.com/sensu.io/sensu-go/5.10.2/sensu-  
enterprise-go_5.10.2_checksums.txt && cat sensu-enterprise-go_5.10.2_checksums.txt
```

Extract the archive.

```
tar -xvf sensu-enterprise-go_5.10.2_darwin_amd64.tar.gz
```

Copy the executable into your PATH.

```
sudo cp sensuctl /usr/local/bin/
```

Next steps

Now that you've installed Sensu:

[Starting the Sensu backend](#)

[Starting the Sensu agent](#)

[sensuctl first-time setup](#)

[Monitoring server resources](#)

Configuration Management

Contents

We highly recommend using configuration management tools to deploy Sensu in production and at scale.

Pin versions of Sensu-related software to ensure repeatable Sensu deployments.
Ensure consistent configuration between Sensu backends.

The following configuration management tools have well-defined Sensu modules to help you get started.

Puppet

The [Puppet](#) Sensu module can be found on the [GitHub](#). Sensu has partnered with [Tailored Automation](#) to enhance the Puppet module with new features and bug fixes.

Chef

The [Chef](#) cookbook for Sensu can be found on the [GitHub](#). Interested in more information on Sensu + Chef? Get some helpful resources [here](#).

Ansible

The [Ansible](#) role to deploy and manage Sensu Go can be found on [GitHub](#).

Supported platforms

Contents

Sensu backend

The Sensu backend is available for 64-bit Linux. See the [backend installation guide](#) for more information.

Platform & Version		amd64
CentOS/RHEL 6		
CentOS/RHEL 7		
Ubuntu 14.04		
Ubuntu 16.04		
Ubuntu 18.04		
Ubuntu 18.10		
Ubuntu 19.04		
Debian 8		
Debian 9		

Sensu agent








The Sensu agent is available for Linux and Windows. See the [agent installation guide](#) for more information.

CentOS/RHEL 6	✓	
CentOS/RHEL 7	✓	
Ubuntu 14.04	✓	
Ubuntu 16.04	✓	
Ubuntu 18.04	✓	
Ubuntu 18.10	✓	
Ubuntu 19.04	✓	
Debian 8	✓	
Debian 9	✓	
Windows Server 2008 R2 and later	✓	✓
Windows 7 and later	✓	✓

Sensuctl command-line tool

Sensuctl is available for Linux, Windows, and macOS. See the [sensuctl installation guide](#) for more information.

Platform & Version	amd64	386
CentOS/RHEL 6	✓	
CentOS/RHEL 7	✓	
Ubuntu 14.04	✓	
Ubuntu 16.04	✓	
Ubuntu 18.04	✓	
Ubuntu 18.10	✓	

Ubuntu 19.04		
Debian 8		
Debian 9		
Windows 7 and later		
Windows Server 2008 R2 and later		
macOS 10.10 and later		

How to monitor server resources with checks

Contents

What are Sensu checks?

Sensu checks are **commands** (or scripts), executed by the Sensu agent, that output data and produce an exit code to indicate a state. Sensu checks use the same specification as **Nagios**, therefore, Nagios **check plugins** may be used with Sensu.

Why use a check?

You can use checks to monitor server resources, services, and application health (for example: is Nginx running?) as well as collect and analyze metrics (for example: how much disk space do I have left?).

Using checks to monitor a service

The purpose of this guide is to help you monitor server resources, more specifically the CPU usage, by configuring a check named `check-cpu` with a **subscription** named `system`, in order to target all **entities** subscribed to the `system` subscription. This guide requires a Sensu backend and at least one Sensu agent running on Linux.

Registering assets

To power the check, we'll use the [Sensu CPU checks asset](#) and the [Sensu Ruby runtime asset](#).

Use the following `sensuctl` example to register the `sensu-plugins-cpu-checks` asset for CentOS, or download the asset definition for Debian or Alpine from [Bonsai](#) and register the asset using `sensuctl create --file filename.yml`.


```
sensuctl asset create sensu-plugins-cpu-checks --url
"https://assets.bonsai.sensu.io/68546e739d96fd695655b77b35b5aabfbabeb056/sensu-
plugins-cpu-checks_4.0.0_centos_linux_amd64.tar.gz" --sha512
"518e7c17cf670393045bfff4af318e1d35955bfde166e9ceec2b469109252f79043ed133241c4dc96501
b6636a1ec5e008ea9ce055d1609865635d4f004d7187b"
```

Then use the following `sensuctl` example to register the `sensu-ruby-runtime` asset for CentOS, or download the asset definition for Debian or Alpine from [Bonsai](#) and register the asset using `sensuctl create --file filename.yml`.

```
sensuctl asset create sensu-ruby-runtime --url
"https://assets.bonsai.sensu.io/03d08cdfc649500b7e8cd1708bb9bb93d91fea9e/sensu-ruby-
runtime_0.0.8_ruby-2.4.4_centos_linux_amd64.tar.gz" --sha512
"7b254d305af512cc524a20a117c601bcfae0d51d6221bbfc60d8ade180cc1908081258a6eefc9b196b
932e774083537efe748c1534c83d294873dd3511e97a3"
```

You can use `sensuctl` to confirm that both the `sensu-plugins-cpu-checks` and `sensu-ruby-runtime` assets are ready to use.

```
sensuctl asset list
```

Name	URL	Hash
sensu-plugins-cpu-checks	//assets.bonsai.sensu.io/.../sensu-plugins-cpu-checks_4.0.0_centos_linux_amd64.tar.gz	518e7c1
sensu-ruby-runtime	//assets.bonsai.sensu.io/.../sensu-ruby-runtime_0.0.10_ruby-2.4.4_centos_linux_amd64.tar.gz	338b88b

Creating the check

Now that the assets are registered, we'll create a check named `check-cpu`, which runs the command `check-cpu.rb -w 75 -c 90` using the `sensu-plugins-cpu-checks` and `sensu-ruby-runtime` assets, at an **interval** of 60 seconds, for all entities subscribed to the `system` subscription. This checks generates a warning event (`-w`) when CPU usage reaches 75% and a critical alert (`-c`) at 90%.

```
sensuctl check create check-cpu \  
--command 'check-cpu.rb -w 75 -c 90' \  
--interval 60 \  
--subscriptions system \  
--runtime-assets sensu-plugins-cpu-checks,sensu-ruby-runtime
```

Configuring the subscription

To run the check, we'll need a Sensu agent with the subscription `system`. After installing an agent, open `/etc/sensu/agent.yml` and add the `system` subscription so the subscription configuration looks like:

```
subscriptions:
  - system
```

Then restart the agent.

```
sudo service sensu-agent restart
```

Validating the check

We can use `sensuctl` to see that Sensu is monitoring CPU usage using the `check-cpu`, returning an OK status (`0`). It might take a few moments, once the check is created, for the check to be scheduled on the entity and the event returned to Sensu backend.

```

sensuctl event list
  Entity      Check                               Output                               Status
  Silenced    Timestamp
  _____  _____
  _____
  _____
  _____

sensu-centos  check-cpu  CheckCPU TOTAL OK: total=0.2 user=0.0 nice=0.0 system=0.2 idle=99.8 iowait=0.0 irq=0.0

```

Entity	Check	Output	Status
Silenced	Timestamp		

```
sensu-centos check-cpu CheckCPU TOTAL OK: total=0.2 user=0.0 nice=0.0 system=0.2 idle=99.8 iowait=0.0 irq=0.0
```

Next steps

You now know how to run a simple check to monitor CPU usage. From this point, here are some recommended resources:

Read the [checks reference](#) for in-depth documentation on checks.

Read our guide on [providing runtime dependencies to checks with assets](#).

Read our guide on [monitoring external resources with proxy checks and entities](#).

Read our guide on [sending alerts to Slack with handlers](#).

How to monitor external resources with proxy requests and entities

Contents

[Using a proxy entity to monitor a website](#)

[Using proxy requests to monitor a group of websites](#)

Proxy entities allow Sensu to monitor external resources on systems or devices where a Sensu agent cannot be installed, like a network switch or a website. You can create [proxy entities](#) using [sensuctl](#), the [Sensu API](#), or the `proxy_entity_name` check attribute. When executing checks that include a `proxy_entity_name` or `proxy_requests` attributes, Sensu agents report the resulting event under the proxy entity instead of the agent entity.

This guide requires a running Sensu backend, a running Sensu agent, and a `sensuctl` instance configured to connect to the backend as a user with `get`, `list`, and `create` permissions for entities, checks, and events.

Using a proxy entity to monitor a website

In this section, we'll monitor the status of [sensu.io](#) by configuring a check with a **proxy entity name** so that Sensu creates an entity representing the site and reports the status of the site under this entity.

Registering assets

To power the check, we'll use the [Sensu plugins HTTP asset](#) and the [Sensu Ruby runtime asset](#).

Use the following `sensuctl` example to register the `sensu-plugins-http` asset for CentOS, or download the asset definition for Debian or Alpine from [Bonsai](#) and register the asset using `sensuctl create --file filename.yml`.

```
sensuctl asset create sensu-plugins-http --url
"https://assets.bonsai.sensu.io/30d8361243af8c7806e2d6db4a6dc576dab02966/sensu-
plugins-http_5.1.1_centos_linux_amd64.tar.gz" --sha512
```

```
"31023af6e0073729eecb0f5ab834ddc467eeaa1d9b998cbf528f3302104814ec717fc746af470556c496806fa8db66e6ded75aef97d73abdfa29615a81270ee6"
```

Then use the following `sensuctl` example to register the `sensu-ruby-runtime` asset for CentOS, or download the asset definition for Debian or Alpine from [Bonsai](#) and register the asset using `sensuctl create --file filename.yml`.

```
sensuctl asset create sensu-ruby-runtime --url
"https://assets.bonsai.sensu.io/03d08cdfc649500b7e8cd1708bb9bb93d91fea9e/sensu-ruby-
runtime_0.0.8_ruby-2.4.4_centos_linux_amd64.tar.gz" --sha512
"7b254d305af512cc524a20a117c601bcfae0d51d6221bbfc60d8ade180cc1908081258a6eecfc9b196b932e774083537efe748c1534c83d294873dd3511e97a3"
```

You can use `sensuctl` to confirm that both the `sensu-plugins-http` and `sensu-ruby-runtime` assets are ready to use.

```
sensuctl asset list
```

Name	URL	Hash
sensu-plugins-http	//assets.bonsai.sensu.io/.../sensu-plugins-http_5.1.1_centos_linux_amd64.tar.gz	31023af
sensu-ruby-runtime	//assets.bonsai.sensu.io/.../sensu-ruby-runtime_0.0.10_ruby-2.4.4_centos_linux_amd64.tar.gz	338b88b

Creating the check

Now that the assets are registered, we'll create a check named `check-sensu-site`, which runs the command `check-http.rb -u https://sensu.io` using the `sensu-plugins-http` and `sensu-ruby-runtime` assets, at an interval of 60 seconds, for all agents subscribed to the `proxy` subscription, using the `sensu-site` proxy entity name. To avoid duplicate events, we'll add the `round_robin` attribute to distribute the check execution across all agents subscribed to the `proxy` subscription.

Create a file called `check.json` and add the following check definition.

YML

```
type: CheckConfig
api_version: core/v2
metadata:
  name: check-sensu-site
  namespace: default
spec:
  command: check-http.rb -u https://sensu.io
  interval: 60
  proxy_entity_name: sensu-site
  publish: true
  round_robin: true
  runtime_assets:
  - sensu-plugins-http
  - sensu-ruby-runtime
  subscriptions:
  - proxy
```

JSON

```
{
  "type": "CheckConfig",
  "api_version": "core/v2",
  "metadata": {
    "name": "check-sensu-site",
    "namespace": "default"
  },
  "spec": {
    "command": "check-http.rb -u https://sensu.io",
    "runtime_assets": [
      "sensu-plugins-http",
      "sensu-ruby-runtime"
    ],
    "interval": 60,
    "proxy_entity_name": "sensu-site",
    "publish": true,
    "round_robin": true,
    "subscriptions": [
      "proxy"
    ]
  }
}
```

```
}
```

Now we can use `sensuctl` to add this check to Sensu.

```
sensuctl create --file check.json
```

```
sensuctl check list
```

Name	Command	Interval	Cron	Timeout	TTL	Subscriptions	Handlers	Assets
check-sensu-site	check-http.rb -u https://sensu.io	60		0	0	proxy	sensu-plugins-http,sensu-	
ruby-runtime	true false							

Adding the subscription

To run the check, we'll need a Sensu agent with the subscription `proxy`. After installing an agent, open `/etc/sensu/agent.yml` and add the `proxy` subscription so the subscription configuration looks like:

```
subscriptions:
  - proxy
```

Then restart the agent.

```
sudo service sensu-agent restart
```

Validating the check

Now we can use `sensuctl` to see that Sensu has created the proxy entity `sensu-site`.

```
sensuctl entity list
```

ID	Class	OS	Subscriptions	Last Seen
sensu-centos	agent	linux	proxy,entity:sensu-centos	2019-01-16 21:50:03 +0000 UTC
sensu-site	proxy		entity:sensu-site	N/A

NOTE: It might take a few moments for Sensu to execute the check and create the proxy entity.

And that Sensu is now monitoring `sensu-site` using the `check-sensu-site` check.

```
sensuctl event info sensu-site check-sensu-site
=== sensu-site - check-sensu-site
Entity:      sensu-site
Check:       check-sensu-site
Output:
Status:      0
History:     0,0
Silenced:    false
Timestamp:   2019-01-16 21:51:53 +0000 UTC
```

We can also see our new proxy entity in the [Sensu dashboard](#).

Using proxy requests to monitor a group of websites

Now let's say that, instead of monitoring just sensu.io, we want to monitor multiple sites, for example: docs.sensu.io, packagecloud.io, and github.com. In this section of the guide, we'll use the `proxy_requests` check attribute, along with `entity labels` and `token substitution`, to monitor three sites using the same check. Before we get started, go ahead and register the `sensu-plugins-http` and `sensu-ruby-runtime` assets if you haven't already.

Creating proxy entities

Instead of creating a proxy entity using the `proxy_entity_name` check attribute, we'll be using `sensuctl` to create proxy entities to represent the three sites we want to monitor. Our proxy entities need the `entity_class` attribute set to `proxy` to mark them as proxy entities as well as a few custom `labels` that we'll use to identify them as a group and pass in individual URLs.

Create a file called `entities.json` and add the following entity definitions.

```
{
  "type": "Entity",
  "api_version": "core/v2",
  "metadata": {
    "name": "sensu-docs",
    "namespace": "default",
    "labels": {
      "proxy_type": "website",
      "url": "https://docs.sensu.io"
    }
  },
  "spec": {
    "entity_class": "proxy"
  }
}

{
  "type": "Entity",
  "api_version": "core/v2",
  "metadata": {
    "name": "packagecloud-site",
    "namespace": "default",
    "labels": {
      "proxy_type": "website",
      "url": "https://packagecloud.io"
    }
  },
  "spec": {
    "entity_class": "proxy"
  }
}

{
  "type": "Entity",
  "api_version": "core/v2",
  "metadata": {
    "name": "github-site",
    "namespace": "default",
    "labels": {
      "proxy_type": "website",
      "url": "https://github.com"
    }
  },
  "spec": {
    "entity_class": "proxy"
  }
}
```

```

    }
  },
  "spec": {
    "entity_class": "proxy"
  }
}

```

PRO TIP: When creating proxy entities, you can add whatever custom labels make sense for your environment. For example, when monitoring a group of routers, you may want to add `ip_address` labels.

Now we can use `sensuctl` to add these proxy entities to Sensu.

```
sensuctl create --file entities.json
```

```
sensuctl entity list
```

ID	Class	OS	Subscriptions	Last Seen
github-site	proxy		N/A	
packagecloud-site	proxy		N/A	
sensu-centos	agent	linux	proxy,entity:sensu-centos	2019-01-16 23:05:03 +0000 UTC
sensu-docs	proxy		N/A	

Creating a reusable HTTP check

Now that we have our three proxy entities set up, each with a `proxy_type` and `url` label, we can use proxy requests and token substitution to create a single check that monitors all three sites.

Create a file called `check-proxy-requests.json` and add the following check definition.

YML

```

type: CheckConfig
api_version: core/v2
metadata:
  name: check-http
  namespace: default
spec:

```

```
command: check-http.rb -u {{ .labels.url }}
interval: 60
proxy_requests:
  entity_attributes:
    - entity.entity_class == 'proxy'
    - entity.labels.proxy_type == 'website'
publish: true
runtime_assets:
- sensu-plugins-http
- sensu-ruby-runtime
subscriptions:
- proxy
```

JSON

```
{
  "type": "CheckConfig",
  "api_version": "core/v2",
  "metadata": {
    "name": "check-http",
    "namespace": "default"
  },
  "spec": {
    "command": "check-http.rb -u {{ .labels.url }}",
    "runtime_assets": [
      "sensu-plugins-http",
      "sensu-ruby-runtime"
    ],
    "interval": 60,
    "subscriptions": [
      "proxy"
    ],
    "publish": true,
    "proxy_requests": {
      "entity_attributes": [
        "entity.entity_class == 'proxy'",
        "entity.labels.proxy_type == 'website'"
      ]
    }
  }
}
```

Our `check-http` check uses the `proxy_requests` attribute to specify the applicable entities. In our case, we want to run the `check-http` check on all entities of entity class `proxy` and proxy type `website`. Since we're using this check to monitor multiple sites, we can use token substitution to apply the correct `url` in the check `command`.

Now we can use `sensuctl` to add this check to Sensu.

```
sensuctl create --file check-proxy-requests.json
```

```
sensuctl check list
```

Name	Command	Interval	Cron	Timeout	TTL	Subscriptions	Handlers	Assets
Hooks	Publish?	Stdin?						
check-http	check-http.rb -u {{ .labels.url }}	60		0	0	proxy	sensu-plugins-http,sensu-ruby-	
runtime	true false							

PRO TIP: To distribute check executions across multiple agents, set the `round-robin` check attribute to `true`. For more information about round-robin checks, see the [check reference](#).

Validating the check

Before validating the check, make sure that you've registered the `sensu-plugins-http` and `sensu-ruby-runtime` assets and added the `proxy` subscription to a Sensu agent if you haven't already.

Now we can use `sensuctl` to see that Sensu is monitoring `docs.sensu.io`, `packagecloud.io`, and `github.com` using the `check-http`, returning a status of `0` (OK).

```
sensuctl event list
```

Entity	Check	Output	Status	Silenced	Timestamp
github-site	check-http		0	false	2019-01-17 17:10:31 +0000 UTC
packagecloud-site	check-http		0	false	2019-01-17 17:10:34 +0000 UTC
sensu-centos	keepalive	...	0	false	2019-01-17 17:10:34 +0000 UTC

Next steps

You now know how to run a proxy check to verify the status of a website, as well as using proxy requests to run a check on two different proxy entities based on label evaluation. From this point, here are some recommended resources:

Read the [proxy checks reference](#) for in-depth documentation on proxy checks.

Read the guide to [providing runtime dependencies to checks with assets](#).

Read the guide to [sending alerts to Slack with handlers](#).

How to collect and extract metrics using Sensu checks

Contents

What are Sensu checks?

In short, Sensu checks are **commands** (or scripts), executed by the Sensu agent, that output data and produce an exit code to indicate a state. If you are unfamiliar with checks, or would like to learn how to configure one first, take a look through the check [reference doc](#) and [guide](#) before you continue.

Extracting metrics from check output

In order to extract metrics from check output, you'll need to do the following:

1. Configure the check `command` such that the command execution outputs metrics in one of the [supported output metric formats](#).
2. Configure the check `output_metric_format` to one of the [supported output metric formats](#).
3. Configure the check `output_metric_handlers` (optional) to a Sensu handler that is equipped to handle Sensu metrics (see [handlers](#) or [influx-db handler](#) to learn more).

You can configure the check with these fields at creation, or use the commands below assuming you have a check named `collect-metrics`. In this example, we'll be using `graphite_plaintext` format and sending the metrics to a handler named `influx-db`.

```
sensuctl check set-command collect-metrics collect_metrics.sh
sensuctl check set-output-metric-format collect-metrics graphite_plaintext
sensuctl check set-output-metric-handlers collect-metrics influx-db
```

Supported output metric formats

The output metric formats that Sensu currently supports for check output metric extraction are nagios, influxdb, graphite, and opentsdb.

nagios

output_metric_format	nagios_perfdata
documentation	Nagios Performance Data
example	<pre>PING ok - Packet loss = 0%, RTA = 0.80 ms percent_packet_loss=0, rta=0.80</pre>

graphite

output_metric_format	graphite_plaintext
documentation	Graphite Plaintext Protocol
example	<pre>local.random.diceroll 4 123456789</pre>

influxdb

output_metric_format	influxdb_line
documentation	InfluxDB Line Protocol
example	<pre>weather,location=us-midwest temperature=82 1465839830100400200</pre>

opentsdb

output_metric_format	opentsdb_line
----------------------	---------------

example

```
sys.cpu.user 1356998400 42.5 host=webserver01 cpu=0
```

Validating the metrics

If the check output is formatted correctly according to its `output_metric_format`, the metrics will be extracted in Sensu Metric Format, and passed to the event pipeline. You should expect to see logged errors if Sensu is unable to parse the check output. You can validate that metrics have been extracted from your check by inspecting the event passed to the handler. See our troubleshooting guide for an [example debug handler](#) which writes events to a file for inspection. The example check we used would yield an event similar to the one below:

YML

```
type: Event
api_version: core/v2
metadata: {}
spec:
  check:
    command: collect_metrics.sh
    metadata:
      name: collect-metrics
      namespace: default
    output: |-
      cpu.idle_percentage 61 1525462242
      mem.sys 104448 1525462242
    output_metric_format: graphite_plaintext
    output_metric_handlers:
      - influx-db
  metrics:
    handlers:
      - influx-db
    points:
      - name: cpu.idle_percentage
        tags: []
        timestamp: 1525462242
        value: 61
```



```
- name: mem.sys
  tags: []
  timestamp: 1525462242
  value: 104448
```

JSON

```
{
  "type": "Event",
  "api_version": "core/v2",
  "metadata": {},
  "spec": {
    "check": {
      "metadata": {
        "name": "collect-metrics",
        "namespace": "default"
      },
      "command": "collect_metrics.sh",
      "output": "cpu.idle_percentage 61 1525462242\\nmem.sys 104448 1525462242",
      "output_metric_format": "graphite_plaintext",
      "output_metric_handlers": [
        "influx-db"
      ]
    },
    "metrics": {
      "handlers": [
        "influx-db"
      ],
      "points": [
        {
          "name": "cpu.idle_percentage",
          "value": 61,
          "timestamp": 1525462242,
          "tags": []
        },
        {
          "name": "mem.sys",
          "value": 104448,
          "timestamp": 1525462242,
          "tags": []
        }
      ]
    }
  }
}
```

```
}  
}  
}
```

Next steps

Now you know how to extract metrics from check output! Check out the below resources for some further reading:

Read the [checks reference](#) for in-depth documentation on checks.

Read the [checks guide](#) for directions on how to schedule checks.

Read the [handlers reference](#) for in-depth documentation on handlers.

Read the [influx-db handler guide](#) for instructions on Sensu's built-in metric handler.

How to aggregate metrics with the Sensu StatsD listener

Contents

What is StatsD?

StatsD, originating from the [daemon written by Etsy](#), is a daemon, tool, and protocol that can be used to send, collect, and aggregate custom metrics. Services that implement StatsD typically expose UDP port 8125 to receive metrics according to the line protocol `<metricname>:<value>|<type>`.

Why use StatsD?

StatsD allows you to measure anything and everything. You can monitor application performance by collecting custom metrics in your code and sending them to a StatsD server or you can monitor system levels of CPU, I/O, network etc. with collection daemons. The metrics that StatsD aggregates can be fed to multiple different backends to store or visualize the data.

How does Sensu implement StatsD?

Sensu implements a StatsD listener on its agents. Each `sensu-agent` listens on the default port 8125 for UDP messages which follow the StatsD line protocol. StatsD aggregates the metrics, and Sensu translates them to Sensu metrics and events to be passed to the event pipeline. The listener is configurable (see [Configuring the StatsD listener](#)) and can be accessed with the netcat utility command:

```
echo 'abc.def.g:10|c' | nc -w1 -u localhost 8125
```

Metrics received through the StatsD listener are not stored in etcd, so it is important to configure an event handler(s).

NOTE: On Windows machines running Sensu, the StatsD UDP port is not supported, rather the TCP port is exposed.

Configuring the StatsD listener

The Sensu StatsD Server is configured at the start-up of a `sensu-agent`. The flags below allow you to configure the event handlers, flush interval, address, and port:

<code>--statsd-disable-server</code>	disables the statsd listener and metrics server
<code>--statsd-event-handlers stringSlice</code>	comma-delimited list of event handlers for statsd metrics
<code>--statsd-flush-interval int</code>	number of seconds between statsd flush (default 10)
<code>--statsd-metrics-host string</code> (default <code>"127.0.0.1"</code>)	address used for the statsd metrics server
<code>--statsd-metrics-port int</code> (default 8125)	port used for the statsd metrics server

For example:

```
sensu-agent start --statsd-event-handlers influx-db --statsd-flush-interval 1 --statsd-metrics-host "123.4.5.6" --statsd-metrics-port 8125
```

Next steps

Now that you know how to feed StatsD metrics into Sensu, check out the following resources to learn how to handle those metrics:

Read the [handlers reference](#) for in-depth documentation on handlers.

Read the [InfluxDB handler guide](#) for instructions on Sensu's built-in metric handler.

How to augment event data using check hooks

Contents

What are check hooks?

Check hooks are **commands** run by the Sensu agent in response to the result of a **check** command execution. The Sensu agent executes the appropriate configured hook, depending on the exit status code (e.g., `1`).

Why use check hooks?

Check hooks allow Sensu users to automate data collection routinely performed by operators investigating monitoring alerts, freeing precious operator time! While check hooks can be used for rudimentary auto-remediation tasks, they are intended for enrichment of monitoring event data.

Using check hooks to gather context

The purpose of this guide is to help you put in place a check hook which captures the process tree in the event that an `nginx_process` check returns a status of `2` (critical, not running).

Creating the hook

The first step is to create a new hook that runs a specific command to capture the process tree. We can set an execution **timeout** of 10 seconds for this command.

```
sensuctl hook create process_tree \  
--command 'ps aux' \  
--timeout 10
```

Assigning the hook to a check

Now that the `process_tree` hook has been created, it can be assigned to a check. Here we apply our hook to an already existing `nginx_process` check. By setting the `type` to `critical`, we ensure that whenever the check command returns a critical status, Sensu executes the `process_tree` hook and adds the output to the resulting event data.

```
sensuctl check set-hooks nginx_process \
--type critical \
--hooks process_tree
```

Validating the check hook

You can verify the proper behavior of the check hook against a specific event by using `sensuctl`. It might take a few moments, once the check hook is assigned, for the check to be scheduled on the entity and the result sent back to the Sensu backend. The check hook command result is available in the `hooks` array, within the `check` scope.

```
sensuctl event info i-424242 nginx_process --format json

{
  [...]
  "check": {
    [...]
    "hooks": [
      {
        "config": {
          "name": "process_tree",
          "command": "ps aux",
          "timeout": 10,
          "namespace": "default"
        },
        "duration": 0.008713605,
        "executed": 1521724622,
        "output": "",
```

```

        "status": 0
    }
],
[...]]
}
}

```

Having confirmed that the hook is attached to our check, we can stop Nginx and observe the check hook in action on the next check execution. Here we use `sensuctl` to query event info and send the response to `jq` so we can isolate the check hook output:

```

sensuctl event info i-424242 nginx_process --format json | jq -r
'.check.hooks[0].output'

```

USER	PID	%CPU	%MEM	VSZ	RSS	TTY	STAT	START	TIME	COMMAND
root	1	0.0	0.3	46164	6704	?	Ss	Nov17	0:11	/usr/lib/systemd/systemd --switched-root --system --deserialize 20
root	2	0.0	0.0	0	0	?	S	Nov17	0:00	[kthreadd]
root	3	0.0	0.0	0	0	?	S	Nov17	0:01	[ksoftirqd/0]
root	7	0.0	0.0	0	0	?	S	Nov17	0:01	[migration/0]
root	8	0.0	0.0	0	0	?	S	Nov17	0:00	[rcu_bh]
root	9	0.0	0.0	0	0	?	S	Nov17	0:34	[rcu_sched]

Note that the above output, although truncated in the interest of brevity, reflects the output of the `ps aux` command specified in the check hook we created. Now when we are alerted that Nginx is not running, we can review the check hook output to confirm this was the case, without ever firing up an SSH session to investigate!

Next steps

You now know how to run data collection tasks using check hooks. From this point, here are some recommended resources:

Read the [hooks reference](#) for in-depth documentation on hooks.

How to send alerts to Slack with handlers

Contents

What are Sensu handlers?

Sensu event handlers are actions executed by the Sensu server on events.

Why use a handler?

Handlers can be used for sending an email alert, creating or resolving an incident (in PagerDuty, for example), or storing metrics in a time-series database (InfluxDB, for example).

Using a handler to send alerts to Slack

The purpose of this guide is to help you send alerts to Slack, on the channel `monitoring`, by configuring a handler named `slack` to a check named `check-cpu`. If you don't already have a check in place, [this guide](#) is a great place to start.

Registering the asset

Assets are shareable, reusable packages that make it easy to deploy Sensu plugins. In this guide, we'll use the Sensu Slack handler asset to power a `slack` handler.

You can use the following `sensuctl` example to register the Sensu Slack handler asset for Linux AMD64, or you can download the latest asset definition for your platform from [Bonsai](#) and register the asset using `sensuctl create --file filename.yml`.

```
sensuctl asset create sensu-slack-handler --url
"https://assets.bonsai.sensu.io/3149de09525d5e042a83edbb6eb46152b02b5a65/sensu-
slack-handler 1.0.3 linux amd64.tar.gz" --sha512
```



```
"68720865127fbc7c2fe16ca4d7bbf2a187a2df703f4b4acae1c93e8a66556e9079e1270521999b5871473e6c851f51b34097c54fdb8d18eedb7064df9019adc8"
```

You should see a confirmation message from sensuctl.

```
Created
```

Getting a Slack webhook

If you're already an admin of a Slack, visit `https://YOUR_WORKSPACE_NAME_HERE.slack.com/services/new/incoming-webhook` and follow the steps to add the Incoming WebHooks integration, choose a channel, and save the settings. (If you're not yet a Slack admin, start [here](#) to create a new workspace.) After saving, you'll see your webhook URL under Integration Settings.

Creating the handler

Now we'll use sensuctl to create a handler called `slack` that pipes event data to Slack using the `sensu-slack-handler` asset. Edit the command below to include your Slack channel and webhook URL. For more information about customizing your Sensu slack alerts, see the asset page in [Bonsai](#).

```
sensuctl handler create slack \  
--type pipe \  
--env-vars "SLACK_WEBHOOK_URL=https://hooks.slack.com/services/T0000/B000/XXXXXXXX" \  
--command "sensu-slack-handler --channel '#monitoring'" \  
--runtime-assets sensu-slack-handler
```

You should see a confirmation message from sensuctl.

```
Created
```


Assigning the handler to a check

With the `slack` handler now created, it can be assigned to a check. Here, since we want to receive Slack alerts whenever the CPU usage of our systems reach some specific thresholds, we will apply our handler to the check `check-cpu`.

```
sensuctl check set-handlers check-cpu slack
```

Validating the handler

It might take a few moments, once the handler is assigned to the check, for the check to be scheduled on the entities and the result sent back to Sensu backend, but once an event is handled, you should see the following message in Slack.



Otherwise, you can verify the proper behavior of this handler by using `sensu-backend` logs. See the [troubleshooting guide](#) for log locations by platform.

Whenever an event is being handled, a log entry is added with the message `"handler": "slack", "level": "debug", "msg": "sending event to handler"`, followed by a second one with the message `"msg": "pipelined executed event pipe handler", "output": "", "status": 0`.

Next steps

You now know how to apply a handler to a check and take action on events. From this point, here are some recommended resources:

- Read the [handlers reference](#) for in-depth documentation on handlers.
- Read our guide on [reducing alert fatigue](#) with filters.

How to populate InfluxDB metrics using handlers

Contents

What are Sensu handlers?

Sensu event handlers are actions executed by the Sensu server on [events](#). In this example, we'll use a handler to populate a time series database. If you're not totally comfortable with handlers yet, check out the in-depth guide on [handlers](#) first!

Using a handler to populate InfluxDB

The purpose of this guide is to help you populate Sensu metrics into the timeseries database [InfluxDB](#). Metrics can be collected from [check output](#) or from the [Sensu StatsD Server](#).

Registering the asset

[Assets](#) are shareable, reusable packages that make it easy to deploy Sensu plugins. In this guide, we'll use the [Sensu InfluxDB handler asset](#) to power an `influx-db` handler.

You can use the following `sensuctl` example to register the [Sensu InfluxDB handler asset](#) for Linux AMD64, or you can download the latest asset definition for your platform from [Bonsai](#) and register the asset using `sensuctl create --file filename.yml`.

```
sensuctl asset create sensu-influxdb-handler --url
"https://assets.bonsai.sensu.io/b28f8719a48aa8ea80c603f97e402975a98cea47/sensu-
influxdb-handler_3.1.2_linux_amd64.tar.gz" --sha512
"612c6ff9928841090c4d23bf20aaf7558e4eed8977a848cf9e2899bb13a13e7540bac2b63e324f39d9b
1257bb479676bc155b24e21bf93c722b812b0f15cb3bd"
```

You should see a confirmation message from sensuctl.

```
Created
```

Creating the handler

Now we'll use sensuctl to create a handler called `influx-db` that pipes event data to InfluxDB using the `sensu-influxdb-handler` asset. Edit the command below to include your database name, address, username, and password. For more information about the Sensu InfluxDB handler, see the asset page in [Bonsai](#).

```
sensuctl handler create influx-db \  
--type pipe \  
--command "sensu-influxdb-handler -d sensu" \  
--env-vars "INFLUXDB_ADDR=http://influxdb.default.svc.cluster.local:8086,  
INFLUXDB_USER=sensu, INFLUXDB_PASS=password" \  
--runtime-assets sensu-influxdb-handler
```

You should see a confirmation message from sensuctl.

```
Created
```

Assigning the handler to an event

With the `influx-db` handler now created, it can be assigned to a check for [check output metric extraction](#). In this example, the check name is `collect-metrics`:

```
sensuctl check set-output-metric-handlers collect-metrics influx-db
```

The handler can also be assigned to the [Sensu StatsD listener](#) at agent startup to pass all StatsD metrics into InfluxDB:

```
sensu-agent start --statsd-event-handlers influx-db
```

Validating the handler

It might take a few moments once the handler is assigned to the check or StatsD server, for Sensu to receive the metrics, but once an event is handled, you should start to see your InfluxDB being populated! Otherwise, you can verify the proper behavior of this handler by using `sensu-backend` logs. See the [troubleshooting guide](#) for log locations by platform.

Whenever an event is being handled, a log entry is added with the message `"handler":"influx-db","level":"debug","msg":"sending event to handler"`, followed by a second one with the message `"msg":"pipelined executed event pipeHandler","output":"","status":0`.

Next steps

You now know how to apply a handler to metrics and take action on events. From this point, here are some recommended resources:

Read the [handlers reference](#) for in-depth documentation on handlers.

Read the [StatsD listener guide](#) for instructions on how to aggregate StatsD metrics in Sensu.

Read the [check output metric extraction guide](#) to learn how to collect and extract metrics using Sensu checks.

How to reduce alert fatigue with filters

Contents

What are Sensu filters?

Sensu filters allow you to filter **events** destined for one or more event **handlers**. Sensu filters evaluate their expressions against the event data, to determine if the event should be passed to an event handler.

Why use a filter?

Filters are commonly used to filter recurring events (i.e. to eliminate notification noise) and to filter events from systems in pre-production environments.

Using filters to reduce alert fatigue

The purpose of this guide is to help you reduce alert fatigue by configuring a filter named `hourly`, for a handler named `slack`, in order to prevent alerts from being sent to Slack every minute. If you don't already have a handler in place, learn [how to send alerts with handlers](#).

Creating the filter

We'll show you two approaches to creating a filter that will handle occurrences. The first approach will be to create our own filter that we'll add to Sensu. The second approach will cover implementing the filter as an asset.

Using Sensuctl to Create a Filter

The first step is to create a filter that we will call `hourly`, which matches new events (where the event's `occurrences` is equal to `1`) or hourly events (so every hour after the first occurrence,

calculated with the check's `interval` and the event's `occurrences`).

Events in Sensu Go are handled regardless of check execution status; even successful check events are passed through the pipeline. Therefore, it's necessary to add a clause for non-zero status.

```
sensuctl filter create hourly \  
--action allow \  
--expressions "event.check.occurrences == 1 || event.check.occurrences % (3600 /  
event.check.interval) == 0"
```

Assigning the filter to a handler

Now that the `hourly` filter has been created, it can be assigned to a handler. Here, since we want to reduce the number of Slack messages sent by Sensu, we will apply our filter to an already existing handler named `slack`, in addition to the built-in `is_incident` filter so only failing events are handled.

```
sensuctl handler update slack
```

Follow the prompts to add the `hourly` and `is_incident` filters to the Slack handler.

Creating a fatigue check filter

While we can use `sensuctl` to interactively create a filter, we can create more reusable filters through the use of assets. Read on to see how to implement a filter using this approach.

Using a Filter Asset

If you're not already familiar with [assets](#), take a minute or two and read over our [guide to installing plugins with assets](#). This will help you understand what an asset is and how they are used in Sensu.

The first step we'll need to take is to obtain a filter asset that will allow us to replicate the behavior we used when we created the `hourly` filter via `sensuctl`. Let's use the [fatigue check asset](#) from the [Bonsai Asset Index](#). You can download the asset directly by running the following:

```
curl -s https://bonsai.sensu.io/release_assets/nixwiz/sensu-go-fatigue-check-
```

```
filter/0.1.3/any/noarch/download | sensuctl create
```

Excellent! You've registered the asset. We still need to create our filter. We'll use the following configuration for creating the actual filter. In this case, we'll call it `sensu-fatigue-check-filter.yml`:

```
---
type: EventFilter
api_version: core/v2
metadata:
  name: fatigue_check
  namespace: default
spec:
  action: allow
  expressions:
  - fatigue_check(event)
  runtime_assets:
  - fatigue-check-filter
```

And we'll go ahead and create it:

```
sensuctl create -f sensu-fatigue-check-filter.yml
```

Now that we've created the filter asset and the filter, let's move on to the check annotations needed for the asset to work properly.

Annotating a check for filter asset use

Now that we've created the filter, we'll need to make some additions to any checks we want to use the filter with. Let's look at an example CPU check:

```
---
type: CheckConfig
api_version: core/v2
metadata:
  name: linux-cpu-check
  namespace: default
```



```
annotations:
  fatigue_check/occurrences: '1'
  fatigue_check/interval: '3600'
  fatigue_check/allow_resolution: 'false'
spec:
  command: check-cpu -w 90 c 95
  env_vars:
  handlers:
  - email
  high_flap_threshold: 0
  interval: 60
  low_flap_threshold: 0
  output_metric_format: ''
  output_metric_handlers:
  proxy_entity_name: ''
  publish: true
  round_robin: false
  runtime_assets:
  stdin: false
  subdue:
  subscriptions:
  - linux
  timeout: 0
  ttl: 0
```

You'll notice that under the `metadata` scope we've added some annotations. For our filter asset to work the way that our interactively created filter does, these annotations are necessary. Let's discuss those annotations briefly.

The annotations in our check definition are doing several things:

1. `fatigue_check/occurrences` : This tells the filter on which occurrence we're going to send the event through for further processing
2. `fatigue_check/interval` : This value (in seconds) tells the filter at what interval to allow additional events to be processed
3. `fatigue_check/allow_resolution` : Determines if a `resolve` event will be passed through to the filter.

For more information on configuring these values, see the [filter asset README](#). Now let's assign our newly minted filter to a handler.

Assigning the filter to a handler

Just like we did with our interactively created filter, we're going to assign our filter to a handler. We can use the following handler example:

```
---
api_version: core/v2
type: Handler
metadata:
  namespace: default
  name: slack
spec:
  type: pipe
  command: 'sensu-slack-handler --channel '#general'' --timeout 20 --username
'sensu' ' '
  env_vars:
    - SLACK_WEBHOOK_URL=https://www.webhook-url-for-slack.com
  timeout: 30
  filters:
    - is_incident
    - fatigue_check
```

Let's move on to validating our filter.

Validating the filter

You can verify the proper behavior of these filters by using `sensu-backend` logs. The default location of these logs varies based on the platform used, but the [troubleshooting guide](#) provides this information.

Whenever an event is handled, a log entry is added with the message

`"handler":"slack","level":"debug","msg":"sending event to handler"`, followed by a second one with the message `"msg":"pipelined executed event pipe handler","output":"","status":0`. However, if the event is being discarded by our filter, a log entry with the message `event filtered` will appear instead.

Next steps

You now know how to apply a filter to a handler, as well as use a filter asset and hopefully reduce alert fatigue. From this point, here are some recommended resources:

Read the [filters reference](#) for in-depth documentation on filters.

How to route alerts using filters

Contents

Every alert has an ideal first responder: a team or individual with the knowledge to triage and address the issue. Sensu contact routing lets you alert the right people using their preferred contact methods, reducing mean time to response and recovery.

[Prerequisites](#)

[Configuring contact routing](#)

[1. Register the has-contact filter asset](#)

[2. Create contact filters](#)

[3. Create a handler for each contact](#)

[4. Create a handler set](#)

[Testing contact routing](#)


[Managing contact labels in checks and entities](#)

In this guide, we'll set up alerting for two teams (ops and dev) with separate Slack channels. Each team wants to be alerted only for the things they care about, using their team's Slack channel. To achieve this, we'll be creating two types of Sensu resources:

Event handlers to store contact preferences for the ops team, the dev team, and a fallback option

Event filters to match contact labels to the right handler

Here's a quick overview of the configuration we'll need to set up contact routing. You can see that the check definition includes the `contacts: dev` label, resulting in an alert being sent to the dev team, but not to the ops team or to the fallback contact.



Sensu Go contact routing: Routing alerts to the ops team using a check label

Prerequisites

To complete this guide, you'll need:

a [Sensu backend](#)

at least one [Sensu agent](#)

[sensuctl](#), [configured](#) to talk to the Sensu backend

[curl](#)

a [Slack webhook URL](#) and three Slack channels available to receive test alerts

To set up a quick testing environment, download and start the [Sensu sandbox](#).

Configuring contact routing

1. Register the has-contact filter asset

Contact routing is powered by the [has-contact filter asset](#). To add the has-contact asset to Sensu, use this [sensuctl](#) command, or download the latest asset definition from [Bonsai](#).

```
curl https://bonsai.sensu.io/release_assets/sensu/sensu-go-has-contact-  
filter/0.2.0/any/noarch/download \  
| sensuctl create
```

You can run `sensuctl asset list --format yaml` to confirm that the asset is ready to use.

2. Create contact filters

Looking at the documentation in [Bonsai](#), we can see that the has-contact asset supports two functions:

`has_contact`, taking the Sensu event and the contact name as arguments
`no_contact`, to use as a fallback in the absence of contact labels and taking only the event as an argument

We'll use these functions to create filters that represent the three actions that the Sensu Slack handler can take on an event: contact the ops team, contact the dev team, and contact the fallback option.

filter name	expression	description
<code>contact_ops</code>	<code>has_contact(event, "ops")</code>	Allow events with the entity or check label <code>contacts: ops</code>
<code>contact_dev</code>	<code>has_contact(event, "dev")</code>	Allow events with the entity or check label <code>contacts: dev</code>
<code>contact_fallback</code>	<code>no_contacts(event)</code>	Allow events without an entity or check <code>contacts</code> label

To add these filters to Sensu, use `sensuctl create`:

```
echo '---  
type: EventFilter  
api_version: core/v2  
metadata:  
  name: contact_ops  
spec:  
  action: allow  
  runtime_assets:
```

```

    - sensu-go-has-contact-filter_any_noarch
expressions:
    - has_contact(event, "ops")
---
type: EventFilter
api_version: core/v2
metadata:
    name: contact_dev
spec:
    action: allow
    runtime_assets:
        - sensu-go-has-contact-filter_any_noarch
expressions:
    - has_contact(event, "dev")
---
type: EventFilter
api_version: core/v2
metadata:
    name: contact_fallback
spec:
    action: allow
    runtime_assets:
        - sensu-go-has-contact-filter_any_noarch
expressions:
    - no_contacts(event)' | sensuctl create

```

You can run `sensuctl filter list --format yaml` to confirm that the filters are ready to use.

3. Create a handler for each contact

With our contact filters in place, we'll create a handler for each contact: ops, dev, and fallback. If you haven't already, add the [Slack handler asset](#) to Sensu using sensuctl:

```

curl https://bonsai.sensu.io/release_assets/sensu/sensu-slack-
handler/1.0.3/linux/amd64/download \
| sensuctl create

```

In each handler definition, we'll specify:

a unique name: `slack_ops` , `slack_dev` , or `slack_fallback`
a customized command with the contact's preferred Slack channel
the contact filter
the built-in `is_incident` and `not_silenced` filters to reduce noise and enable silences
an environment variable containing your Slack webhook URL
the `sensu-slack-handler` runtime asset

To create the `slack_ops` , `slack_dev` , and `slack_fallback` handlers, edit and run:

```
# Edit before running:
# 1. Add your SLACK_WEBHOOK_URL
# 2. Make sure the Slack channels specified in the
#    command` attributes match channels available
#    to receive test alerts in your Slack instance.
echo '---
type: Handler
api_version: core/v2
metadata:
  name: slack_ops
spec:
  command: sensu-slack-handler --channel "#alert-ops"
  env_vars:
    - SLACK_WEBHOOK_URL=https://hooks.slack.com/services/T0000/B000/XXXXXXXXX
  filters:
    - is_incident
    - not_silenced
    - contact_ops
  runtime_assets:
    - sensu-slack-handler_linux_amd64
  type: pipe
---
type: Handler
api_version: core/v2
metadata:
  name: slack_dev
spec:
  command: sensu-slack-handler --channel "#alert-dev"
  env_vars:
    - SLACK_WEBHOOK_URL=https://hooks.slack.com/services/T0000/B000/XXXXXXXXX
  filters:
    - is_incident
```



```

- not_silenced
- contact_dev
runtime_assets:
- sensu-slack-handler_linux_amd64
type: pipe
---
type: Handler
api_version: core/v2
metadata:
  name: slack_fallback
spec:
  command: sensu-slack-handler --channel "#alert-all"
  env_vars:
  - SLACK_WEBHOOK_URL=https://hooks.slack.com/services/T0000/B000/XXXXXXXX
  filters:
  - is_incident
  - not_silenced
  - contact_fallback
runtime_assets:
- sensu-slack-handler_linux_amd64
type: pipe' | sensuctl create

```

You can run `sensuctl handler list --format yaml` to confirm that the handlers are ready to use.

4. Create a handler set

To centralize contact management and simplify configuration, we'll create a handler set that combines our contact-specific handlers under a single handler name.

Use `sensuctl` to create a `slack` handler set:

```

echo '---
type: Handler
api_version: core/v2
metadata:
  name: slack
  namespace: default
spec:
  handlers:

```

```
- slack_ops
- slack_dev
- slack_fallback
type: set' | sensuctl create
```

You should see the output of `sensuctl handler list` update to include the `slack` handler set.

Testing contact routing

To make sure our contact filters are working, we'll use the agent API to create ad-hoc events and send them to our Slack pipeline.

First, let's create an event without a `contacts` label. You may need to modify the URL with your Sensu agent address.

```
curl -X POST \
-H 'Content-Type: application/json' \
-d '{
  "check": {
    "metadata": {
      "name": "example-check"
    },
    "status": 1,
    "output": "You should receive this example event in the Slack channel specified
by your slack_fallback handler.",
    "handlers": ["slack"]
  }
}' \
http://127.0.0.1:3031/events
```

You should see a 202 response from the API and, since this event doesn't include a `contacts` label, an alert in the Slack channel specified by the `slack_fallback` handler. Behind the scenes, Sensu uses the `contact_fallback` filter to match the event to the `slack_fallback` handler.

Now let's create an event with a `contacts` label.

```
curl -X POST \
```

```
-H 'Content-Type: application/json' \
-d '{
  "check": {
    "metadata": {
      "name": "example-check",
      "labels": {
        "contacts": "dev"
      }
    },
    "status": 1,
    "output": "You should receive this example event in the Slack channel specified
by your slack_dev handler.",
    "handlers": ["slack"]
  }
}' \
http://127.0.0.1:3031/events
```

Since this event contains the `contacts: dev` label, you should see an alert in the Slack channel specified by the `slack_dev` handler.

Resolve the events by sending the same API requests with `status` set to `0`.

Managing contact labels in checks and entities

To assign an alert to a contact, add a `contacts` label to the check or entity.

Checks

For example, this check definition includes two contacts (`ops` and `dev`) and the handler `slack` .To set up the `check_cpu` check, see the [guide to monitoring server resources](#).


```
---
type: CheckConfig
api_version: core/v2
metadata:
  name: check_cpu
  labels:
```

```

  contacts: ops, dev
spec:
  command: check-cpu.rb -w 75 -c 90
  handlers:
  - slack
  interval: 10
  publish: true
  subscriptions:
  - system
  runtime-assets:
  - sensu-plugins-cpu-checks
  - sensu-ruby-runtime

```

When the `check_cpu` check generates an incident, Sensu filters the event according to the `contact_ops` and `contact_dev` filters, resulting in an alert sent to `#alert-ops` and `#alert-dev`.




Sensu Go contact routing: Routing alerts to two contacts using a check label

Entities

You can also specify contacts using an entity label. For more information about managing entity labels, see the [entity reference](#).

In the case that contact labels are present in both the check and entity, the check contacts override the

entity contacts. Here we can see that the `dev` label in the check configuration overrides the `ops` label in the agent definition, resulting in an alert sent to `#alert-dev` but not to `#alert-ops` or `#alert-all`.



Sensu Go contact routing: Check contacts take precedence over entity contacts

Next steps

Now that you've set up contact routing for two example teams, you can create additional filters, handlers, and labels to represent your team's contacts. For more tools to reduce alert fatigue, see the [guide](#).

Scale SENSU Go with Enterprise Datastore

Contents

SENSU Go's licensed-tier datastore feature enables scaling your monitoring to many thousands of events per second.

[Why use the Enterprise datastore?](#)

[Prerequisites](#)

[Configure Postgres](#)

[Configure SENSU](#)

[Revert to built-in datastore](#)

Why use the Enterprise datastore?

For each unique entity/check pair, SENSU records the latest event object in its datastore. By default, SENSU uses the embedded etcd datastore for event storage. The embedded etcd datastore helps you get started, but as the number of entities and checks in your SENSU implementation grows, so does the rate of events being written to the datastore. In a clustered deployment of etcd, whether embedded or external to SENSU, each event received by a member of the cluster must be replicated to other members, increasing network and disk IO utilization.

Our team documented configuration and testing of SENSU running on bare metal infrastructure in the [sensu/sensu-perf](#) project. This configuration comfortably handled 12,000 SENSU agent connections (and their keepalives) and processed more than 8,500 events per second.

This rate of events should be more than sufficient for many installations but assumes an ideal scenario where SENSU backend nodes use direct-attached, dedicated non-volatile memory express (NVMe) storage and are connected to a dedicated LAN. Deployments on public cloud providers are not likely to achieve similar results due to sharing both disk and network bandwidth with other tenants. Following the cloud provider's recommended practices may also become a factor because many operators are inclined to deploy a cluster across multiple availability zones. In such a deployment cluster, communication happens over shared WAN links, which are subject to uncontrolled variability in throughput and latency.

Using the Enterprise datastore can help operators achieve much higher rates of event processing and

minimize the replication communication between etcd peers. The `sensu-perf` test environment comfortably handles 40,000 Sensu agent connections (and their keepalives) and processes more than 36,000 events per second under ideal conditions.

Prerequisites

Database server running Postgres 9.5 or later

Postgres database (or administrative access to create one)

Postgres user with permissions to the database (or administrative access to create such a user)

Licensed Sensu Go backend

Configure Postgres

Before Sensu can start writing events to Postgres, you need a database and an account with permissions to write to that database. To provide consistent event throughput, we strongly recommend exclusively dedicating your Postgres instance to storage of Sensu events.

If you have administrative access to Postgres, you can create the database and user:

```
$ sudo -u postgres psql
postgres=# CREATE DATABASE sensu_events;
CREATE DATABASE
postgres=# CREATE USER sensu WITH ENCRYPTED PASSWORD 'mypass';
CREATE ROLE
postgres=# GRANT ALL PRIVILEGES ON DATABASE sensu_events TO sensu;
GRANT
postgres-# \q
```

With this configuration complete, Postgres will have a `sensu_events` database for storing Sensu events and a `sensu` user with permissions to that database.

By default, the Postgres user you've just added will not be able to authenticate via password, so you'll also need to make a change to the `pg_hba.conf` file. The required change will depend on how Sensu will connect to Postgres. In this case, you'll configure Postgres to allow the `sensu` user to connect to the `sensu_events` database from any host using an md5-encrypted password:

```
# make a copy of the current pg_hba.conf
```

```
sudo cp /var/lib/pgsql/data/pg_hba.conf /var/tmp/pg_hba.conf.bak
# give sensu user permissions to connect to sensu_events database from any IP
address
echo 'host sensu_events sensu 0.0.0.0/0 md5' | sudo tee -a
/var/lib/pgsql/data/pg_hba.conf
# restart postgresql service to activate pg_hba.conf changes
sudo systemctl restart postgresql
```

With this configuration complete, you can configure Sensu to store events in your Postgres database.

NOTE: If your Sensu Go license expires, event storage will automatically revert to etcd. See [Revert to built-in datastore](#) below.

Configure Sensu

If your Sensu backend is already licensed, the configuration for routing events to Postgres is relatively straightforward. Create a `PostgresConfig` resource that describes the database connection as a data source name (DSN):

YML

```
type: PostgresConfig
api_version: store/v1
metadata:
  name: postgres01
spec:
  dsn: "postgresql://sensu:mypass@10.0.2.15:5432/sensu_events?sslmode=disable"
  pool_size: 20
```

JSON

```
{
  "type": "PostgresConfig",
  "api_version": "store/v1",
  "metadata": {
    "name": "my-postgres"
  },
  "spec": {
    "dsn": "postgresql://sensu:mypass@10.0.2.15:5432/sensu_events",
```



```
"pool_size": 20
}
}
```

This configuration is written to disk as `my-postgres.yml`, and you can install it using `sensuctl`:

```
sensuctl create -f my-postgres.yml
```

The Sensu backend is now configured to use Postgres for event storage!

In the web UI and in `sensuctl`, event history will appear incomplete. When Postgres configuration is provided and the backend successfully connects to the database, etcd event history is not migrated. New events will be written to Postgres as they are processed, with the Postgres datastore ultimately being brought up to date with the current state of your monitored infrastructure.

Aside from event history, which is not migrated from etcd, there's no observable difference when using Postgres as the event store, and neither interface supports displaying the PostgresConfig type.

To verify that the change was effective and your connection to Postgres was successful, look at the [sensu-backend log](#):

```
{"component":"store","level":"warning","msg":"trying to enable external event
store","time":"2019-10-02T23:31:38Z"}
{"component":"store","level":"warning","msg":"switched event store to
postgres","time":"2019-10-02T23:31:38Z"}
```

You can also use `psql` to verify that events are being written to the `sensu_events` database. This code illustrates connecting to the `sensu_events` database, listing the tables in the database, and requesting a list of all entities reporting keepalives:

```
postgres=# \c sensu_events
You are now connected to database "sensu_events" as user "postgres".
sensu_events=# \dt
          List of relations

```

Schema	Name	Type	Owner
-----+-----+-----+-----			

```
public | events          | table | sensu
public | migration_version | table | sensu
(2 rows)

sensu_events=# select sensu_entity from events where sensu_check = 'keepalive';
 sensu_entity
-----
i-414141
i-424242
i-434343
(3 rows)
```

Revert to built-in datastore

In Sensu Go 5.10 there is no supported method for viewing or deleting a PostgresConfig resource. To delete PostgresConfig resources and thereby revert to the built-in datastore, please upgrade to the latest version of Sensu Go.

NOTE: *If your Sensu Go license expires, event storage will automatically revert to etcd.*

How to install plugins using assets

Contents

[1. Download an asset definition from Bonsai](#)

[2. Register the asset with SENSU](#)

[3. Create a monitoring workflow](#)

[Next steps](#)

Assets are shareable, reusable packages that make it easy to deploy SENSU plugins. You can use assets to provide the plugins, libraries, and runtimes you need to automate your monitoring workflows. See the [asset reference](#) for more information about assets.

1. Download an asset definition from Bonsai

You can discover, download, and share assets using [Bonsai, the SENSU asset index](#). To use an asset, select the Download button on the asset page in Bonsai to download the asset definition for your SENSU backend platform and architecture. Asset definitions tell SENSU how to download and verify the asset when required by a check, filter, mutator, or handler.

For example, here's the asset definition for version 1.1.0 of the [SENSU PagerDuty handler asset](#) for Linux AMD64.

```
---
type: Asset
api_version: core/v2
metadata:
  name: sensu-pagerduty-handler
  namespace: default
  labels: {}
  annotations: {}
spec:
  url:
https://assets.bonsai.sensu.io/698710262d59c72ace3e31524960630dc1e4f190/sensu-
pagerduty-handler_1.1.0_linux_amd64.tar.gz
  sha512:
```

```
e93ec4465af5a2057664e8c3cd68e9352457b81315b97578eaae5e21f0cf7419d4fc36feb0155eeb0dd5a227e267307a58ee58a9f3e85bf3d44da3738bf691ca
filters:
- entity.system.os == 'linux'
- entity.system.arch == 'amd64'
```

After downloading an asset definition, open the file and adjust the `namespace` and `filters` for your Sensu instance. Filters for *check* assets should match entity platforms, while filters for *handler* and *filter* assets should match your Sensu backend platform. If the provided filters are too restrictive for your platform, replace `os` and `arch` with any supported `entity.system.attributes` (for example: `entity.system.platform_family == 'rhel'`). You may also want to customize the asset `name` to reflect the supported platform (for example: `sensu-pagerduty-handler-linux`) and add custom attributes using `labels` and `annotations`.

Enterprise-tier assets (like the [ServiceNow](#) and [Jira](#) event handlers) require a Sensu license. For more information about licensed-tier features and to activate your license, see the [getting started guide](#).

2. Register the asset with Sensu

Once you've downloaded the asset definition, you can register the asset with Sensu using `sensuctl`.

```
sensuctl create --file sensu-sensu-pagerduty-handler-1.1.0-linux-amd64.yml
```

You can use `sensuctl` to verify that the asset is registered and ready to use.

```
sensuctl asset list
```

3. Create a workflow

Now we can use assets in a monitoring workflow. Depending on the asset, you may want to create Sensu checks, filters, mutators, and handlers. The asset details in Bonsai are the best resource for information about asset capabilities and configuration.

For example, to use the [Sensu PagerDuty handler asset](#), create a `pagerduty` handler that includes your PagerDuty service API key in place of `SECRET` and `sensu-pagerduty-handler` as a runtime

asset.

YML

```
type: Handler
api_version: core/v2
metadata:
  name: pagerduty
  namespace: default
spec:
  command: sensu-pagerduty-handler
  env_vars:
    - PAGERDUTY_TOKEN=SECRET
  filters:
    - is_incident
  runtime_assets:
    - sensu-pagerduty-handler
  timeout: 10
  type: pipe
```

JSON

```
{
  "api_version": "core/v2",
  "type": "Handler",
  "metadata": {
    "namespace": "default",
    "name": "pagerduty"
  },
  "spec": {
    "type": "pipe",
    "command": "sensu-pagerduty-handler",
    "env_vars": [
      "PAGERDUTY_TOKEN=SECRET"
    ],
    "runtime_assets": ["sensu-pagerduty-handler"],
    "timeout": 10,
    "filters": [
      "is_incident"
    ]
  }
}
```

Save the definition to a file (for example: `pagerduty-handler.json`), and add to SENSU using `sensuctl`.

```
sensuctl create --file pagerduty-handler.json
```

Now that SENSU can create incidents in PagerDuty, we can automate this workflow by adding the `pagerduty` handler to our SENSU service checks. To get started with checks, see the [guide to monitoring server resources](#).

Next steps

[Learn more about assets](#)

[Read the asset specification](#)

[Share your assets on Bonsai](#)

How to plan maintenance windows using silencing

Contents

What is Sensu silencing?

As **check results** are processed by a Sensu server, the server executes eventhandlers to send alerts to personnel or otherwise relay **event data** to external services. Ssensu's built-in **silencing**, along with the built-in `not_silenced` filter, provides the means to suppress execution of eventhandlers on an ad hoc basis.

When to use silencing

Silencing is used to prevent handlers configured with the `not_silenced` filter from being triggered based on the check name present in a check result or the subscriptions associated with the entity that published the check result. This can be desirable in many scenarios, giving operators the ability to quiet incoming alerts while coordinating their response.

Sensu silences make it possible to:

[Silence all checks on a specific entity](#)

[Silence a specific check on a specific entity](#)

[Silence all checks on entities with a specific subscription](#)

[Silence a specific check on entities with a specific subscription](#)

[Silence a specific check on every entity](#)

Using silencing to plan maintenance

The purpose of this guide is to help you plan a maintenance window, by creating a silenced entry for a specific entity named `i-424242` and its check named `check-http`, in order to prevent alerts as you restart or redeploy the services associated with this entity.

Creating the silenced entry

The first step is to create a silenced entry that will silence the check `check-http` on an entity named `i-424242`, for a planned maintenance window that starts at **01:00**, on **Sunday**, and ends **1 hour** later. Your username will automatically be added as the **creator** of the silenced entry.

```
sensuctl silenced create \  
--subscription 'entity:i-424242' \  
--check 'check-http' \  
--begin '2018-03-16 01:00:00 -04:00' \  
--expire 3600 \  
--reason 'Server upgrade'
```

See the [sensuctl documentation](#) for the supported time formats in the `begin` flag.

Validating the silenced entry

You can verify that the silenced entry against our entity, here named `i-424242`, has been properly created, by using `sensuctl`.

```
sensuctl silenced info 'entity:i-424242:check-http'
```

Once the silenced entry starts to take effect, events that are silenced will be marked as so in `sensuctl events`.

```
sensuctl event list
```

Entity	Check	Output	Status	Silenced	Timestamp
i-424242	check-http		0	true	2018-03-16 13:22:16 -0400 EDT

WARNING: By default, a silenced event will be handled unless the handler uses the `not_silenced` filter to discard silenced events.

Next steps

You now know how to create silenced entries to plan a maintenance and hopefully avoid false positive. From this point, here are some recommended resources:

Read the [silencing reference](#) for in-depth documentation on silenced entries.

How to create a read-only user with RBAC

Contents

Sensu role-based access control (RBAC) helps different teams and projects share a Sensu instance. RBAC allows management and access of users and resources based on **namespaces**, **groups**, **roles**, and **bindings**.

By default, Sensu includes a `default` namespace and an `admin` user with full permissions to create, modify, and delete resources within Sensu, including RBAC resources like users and roles. This guide requires a running Sensu backend and a `sensuctl` instance configured to connect to the backend as the default `admin` user.

Why use RBAC?

RBAC allows you to exercise fine-grained control over how Sensu users interact with Sensu resources. Using RBAC rules, you can easily achieve **multitenancy** so different projects and teams can share a Sensu instance.

How to create a read-only user

In this section, you'll create a user and assign them read-only access to resources within the `default` namespace using a **role** and a **role binding**.

1. Create a user with the username `alice` and assign them to the group `ops` :

```
sensuctl user create alice --password='password' --groups=ops
```

2. Create a `read-only` role with `get` and `list` permissions for all resources (`*`) within the `default` namespace:

```
sensuctl role create read-only --verb=get,list --resource=* --namespace=default
```

3. Create an `ops-read-only` role binding to assign the `read-only` role to the `ops` group:

```
sensuctl role-binding create ops-read-only --role=read-only --group=ops
```

You can also use role bindings to tie roles directly to users using the `--user` flag.

All users in the `ops` group now have read-only access to all resources within the default namespace. You can use the `sensuctl user`, `sensuctl role`, and `sensuctl role-binding` commands to manage your RBAC configuration.

How to create a cluster-wide event-reader user

Now let's say you want to create a user that has read-only access to events across all namespaces. Since you want this role to have cluster-wide permissions, you'll need to create a **cluster role** and a **cluster role binding**.

1. Create a user with the username `bob` and assign them to the group `ops`:

```
sensuctl user create bob --password='password' --groups=ops
```

2. Create a `global-event-reader` cluster role with `get` and `list` permissions for `events` across all namespaces:

```
sensuctl cluster-role create global-event-reader --verb=get,list --  
resource=events
```

3. Create an `ops-event-reader` cluster role binding to assign the `global-event-reader` role to the `ops` group:

```
sensuctl cluster-role-binding create ops-event-reader --cluster-role=global-  
event-reader --group=ops
```

All users in the `ops` group now have read-only access to events across all namespaces.

Next steps

You now know how to create a user, create a role, and create a role binding to assign a role to a user. From this point, here are some recommended resources:

Read the [RBAC reference](#) for in-depth documentation on role-based access control, examples, and information about cluster-wide permissions.

Planning your Sensu Go deployment

Contents

This guide describes various deployment considerations and recommendations, including details related to communication security and common deployment architectures.

[What is etcd?](#)

[Hardware sizing](#)

[Communications security](#)

[Common Sensu architectures](#)

[Single backend using embedded etcd](#)

[Clustered backend with embedded etcd](#)

What is etcd?

etcd is a key-value store which is used by applications of varying complexity, from simple web apps to Kubernetes. The Sensu backend uses an embedded etcd instance for storing both configuration and event data, so you can get Sensu up and running without external dependencies.

By building atop etcd, Sensu's backend inherits a number of characteristics that should be considered when planning for a Sensu deployment.

Hardware sizing

Because etcd's design prioritizes consistency across a cluster, the speed with which write operations can be completed is very important to the performance of a Sensu cluster.

This means that Sensu backend infrastructure should be provisioned to provide sustained IO operations per second (IOPS) appropriate for the rate of monitoring events the system will be required to process.

For more detail, our [hardware requirements](#) document describes the minimum and recommended hardware specifications for running the Sensu backend.

Communications security

Whether using a single or multiple Sensu backends in a cluster, communication with the backend's various network ports (web UI, HTTP API, websocket API, etcd client & peer) occurs in cleartext by default. Encrypting network communications via TLS is highly recommended, and requires both some planning and explicit configuration.

Planning TLS for etcd

The URLs for each member of an etcd cluster are persisted to the database after initialization. As a result, moving a cluster from cleartext to encrypted communications requires resetting the cluster, which destroys all configuration and event data in the database. Therefore, we recommend planning for encryption before initiating a clustered Sensu backend deployment.

WARNING: Reconfiguring a Sensu cluster for TLS post-deployment will require resetting all etcd cluster members, resulting in the loss of all data.

As described in our [guide for securing Sensu](#), the backend uses a shared certificate and key for web UI and agent communications. Communications with etcd can be secured using the same certificate and key; the certificate's common name or subject alternate names must include the network interfaces and DNS names that will point to those systems.

See our [clustering guide](#) and the [etcd docs](#) for more info on setup and configuration, including a walk-through for generating TLS certificates for your cluster.

Common Sensu architectures

Depending on your infrastructure and the type of environments you'll be monitoring, you may use one or a combination of these architectures to best fit your needs.

Single backend using embedded etcd

This architecture requires minimal resources, but provides no redundancy in the event of failure.



Sensu standalone architecture with embedded etcd

A single backend can later be reconfigured as a member of a cluster, but this operation is destructive – meaning that it requires destroying the existing database.

Use cases


The simplicity of this architecture may make it a good fit for small to medium-sized deployments, such as monitoring a remote office or datacenter, deploying alongside individual auto-scaling groups or in various segments of a logical environment spanning multiple cloud providers.

For example, in environments with unreliable WAN connectivity, having agents connect to a local backend may be more reliable than having those agents connect over WAN or VPN tunnel to a backend running in a central location.

NOTE: Multiple Sensu backends can relay their events to a central backend using the [sensu-relay-handler](#).

Clustered backend with embedded etcd

The embedded etcd databases of multiple Sensu backend instances can be joined together in a cluster, providing increased availability and replication of both configuration and data. Please see our [clustering guide](#) for more information.




Sensu clustered architecture with embedded etcd

Clustering requires an odd number of backend instances. While larger clusters provide better fault tolerance, write performance suffers because data must be replicated across more machines. Following on the advice of the etcd maintainers, clusters of 3, 5 or 7 backends are the only recommended sizes. See the [etcd docs](#) for more info.

Scaling cluster performance with Postgres

To achieve the high rate of event processing required by many enterprises, Sensu offers support for

Postgres event storage as a licensed feature. See the [Datastore reference documentation](#) for details on configuring the Sensu backend to use Postgres for event storage.



Sensu clustered architecture with embedded etcd and Postgres event storage

In load testing Sensu Go has proven capable of processing 36,000 events per second when using Postgres as the event store. See the [sensu-perf project repository](#) for detailed explanation of our testing methodology and results.

Cluster creation and maintenance

Sensu’s embedded etcd supports initial cluster creation via a static list of peer URLs. Once the cluster is created, members can be added or removed using `etcdctl` tooling. See our [clustering guide](#) and the [etcd docs](#) for more info.

Networking considerations

Clustered deployments benefit from a fast and reliable network. Ideally they should be co-located in the same network segment with as low latency as possible between all the nodes. Clustering backends across disparate subnets or WAN connections is not recommended.

While a 1GbE is sufficient for common deployments, larger deployments will benefit from 10GbE network allowing for a reduced mean time to recovery.

As the number of agents connected to a backend cluster grows, so will the communication between members of the cluster required for data replication. With this in mind, it is recommended that clusters with a thousand or more agents use a discrete network interface for peer communication.

Load balancing

Although each Sensu agent can be configured with the URLs for multiple backend instances, we recommend that agents be configured for connecting to a load balancer. This approach provides operators with greater control over agent connection distribution and makes it possible to replace members of the backend cluster without requiring updates to agent configuration.

Conversely, the `sensuctl` command-line utility cannot be configured with multiple backend URLs. Under normal conditions it is desirable for both `sensuctl` communications and browser access to the web UI to be routed via a load balancer as well.

How to run a Sensu cluster

Contents

[What is a Sensu cluster?](#)

[Why use clustering?](#)

[Configuring a cluster](#)

[Adding sensu agents to the cluster](#)

[Cluster health](#)

[Managing cluster members](#)

[Security](#)

[Client-to-server transport security with HTTPS](#)

[Client-to-server authentication with HTTPS client certificates](#)

[Peer communication authentication with HTTPS client certificates](#)

[Sensu agent with HTTPS](#)

[Using an external etcd cluster](#)

[Troubleshooting](#)

What is a Sensu cluster?

A Sensu cluster is a group of at least three sensu-backend nodes, each connected to a shared etcd cluster, using Sensu's embedded etcd or an external etcd cluster. Creating a Sensu cluster ultimately configures an etcd cluster.

Why use clustering?

Clustering is important to make Sensu more highly available, reliable, and durable. It will help you cope with the loss of a backend node, prevent data loss, and distribute the network load of agents.

NOTE: We recommend using a load balancer to evenly distribute agent connections across the cluster.

Configuring a cluster

The sensu-backend arguments for its store mirror the [etcd configuration flags](#), however the Sensu flags are prefixed with `etcd`. For more detailed descriptions of the different arguments, you can refer to the [etcd docs](#) or the Sensu [backend reference](#).

You can configure a Sensu cluster in a couple different ways (we'll show you a few below) but it's recommended to adhere to some etcd cluster guidelines as well.

The recommended etcd cluster size is 3, 5 or 7, which is decided by the fault tolerance requirement. A 7-member cluster can provide enough fault tolerance in most cases. While a larger cluster provides better fault tolerance, the write performance reduces since data needs to be replicated to more machines. It is recommended to have an odd number of members in a cluster. Having an odd cluster size doesn't change the number needed for majority, but you gain a higher tolerance for failure by adding the extra member (*Core OS*).

We also recommend using stable platforms to support your etcd instances (see [etcd's supported platforms](#)).

Docker

If you'd prefer to stand up your Sensu cluster within Docker containers, check out the Sensu Go [docker configuration](#). This configuration defines three sensu-backend containers and three sensu-agent containers.

Traditional computer instance

NOTE: The remainder of this guide uses on disk configuration. If you are using an ephemeral computer instance, you can use `sensu-backend start --help` to see examples of etcd command line flags. The configuration file entries below translate to `sensu-backend` flags.

Sensu backend configuration

Below are example configuration snippets from `/etc/sensu/backend.yml` using a three node cluster. The nodes are named `backend-1`, `backend-2` and `backend-3` with IP addresses `10.0.0.1`, `10.0.0.2` and `10.0.0.3`, respectively.

NOTE: This backend configuration assumes you have set up and installed the sensu-backend on all the nodes used in your cluster. You can use our [installation and configuration guide](#) if you have not done so.

backend-1

```
##  
# store configuration for backend-1/10.0.0.1  
##  
etcd-advertise-client-urls: "http://10.0.0.1:2379"  
etcd-listen-client-urls: "http://10.0.0.1:2379"  
etcd-listen-peer-urls: "http://0.0.0.0:2380"  
etcd-initial-cluster: "backend-1=http://10.0.0.1:2380,backend-  
2=http://10.0.0.2:2380,backend-3=http://10.0.0.3:2380"  
etcd-initial-advertise-peer-urls: "http://10.0.0.1:2380"  
etcd-initial-cluster-state: "new"  
etcd-initial-cluster-token: ""  
etcd-name: "backend-1"
```

backend-2

```
##  
# store configuration for backend-2/10.0.0.2  
##  
etcd-advertise-client-urls: "http://10.0.0.2:2379"  
etcd-listen-client-urls: "http://10.0.0.2:2379"  
etcd-listen-peer-urls: "http://0.0.0.0:2380"  
etcd-initial-cluster: "backend-1=http://10.0.0.1:2380,backend-  
2=http://10.0.0.2:2380,backend-3=http://10.0.0.3:2380"  
etcd-initial-advertise-peer-urls: "http://10.0.0.2:2380"  
etcd-initial-cluster-state: "new"  
etcd-initial-cluster-token: ""  
etcd-name: "backend-2"
```

backend-3

```
##  
# store configuration for backend-3/10.0.0.3  
##  
etcd-advertise-client-urls: "http://10.0.0.3:2379"  
etcd-listen-client-urls: "http://10.0.0.3:2379"
```

```
etcd-listen-peer-urls: "http://0.0.0.0:2380"
etcd-initial-cluster: "backend-1=http://10.0.0.1:2380,backend-2=http://10.0.0.2:2380,backend-3=http://10.0.0.3:2380"
etcd-initial-advertise-peer-urls: "http://10.0.0.3:2380"
etcd-initial-cluster-state: "new"
etcd-initial-cluster-token: ""
etcd-name: "backend-3"
```

Once each node has the configuration described above, start each sensu-backend:

```
sudo systemctl start sensu-backend
```

Adding sensu agents to the cluster

Each Sensu agent should have the following entries in `/etc/sensu/agent.yml` to ensure they are aware of all cluster members. This allows the agent to reconnect to a working backend if the backend it is currently connected to goes into an unhealthy state.

```
##
# backend-url configuration for all agents connecting to cluster over ws
##

backend-url:
  - "ws://10.0.0.1:8081"
  - "ws://10.0.0.2:8081"
  - "ws://10.0.0.3:8081"
```

You should now have a highly available Sensu cluster! You can verify its health and try other cluster management commands using `sensuctl`.

Sensuctl

`Sensuctl` has several commands to help you manage and monitor your cluster. See `sensuctl cluster -h` for additional help usage.

Cluster health

Get cluster health status and etcd alarm information.

sensuctl cluster health

ID	Name	Error	Healthy
a32e8f613b529ad4	backend-1		true
c3d9f4b8d0dd1ac9	backend-2	dial tcp 10.0.0.2:2379: connect: connection refused	false
c8f63ae435a5e6bf	backend-3		true

Add a cluster member

Add a new member node to an existing cluster.

```
sensuctl cluster member-add backend-4 https://10.0.0.4:2380

added member 2f7ae42c315f8c2d to cluster

ETCD_NAME="backend-4"
ETCD_INITIAL_CLUSTER="backend-4=https://10.0.0.4:2380,backend-1=https://10.0.0.1:2380,backend-2=https://10.0.0.2:2380,backend-3=https://10.0.0.3:2380"
ETCD_INITIAL_CLUSTER_STATE="existing"
```

List cluster members

List the ID, name, peer urls, and client urls of all nodes in a cluster.

sensuctl cluster member-list

ID	Name	Peer URLs	Client URLs
----	------	-----------	-------------

```
a32e8f613b529ad4 backend-1 https://10.0.0.1:2380 https://10.0.0.1:2379
c3d9f4b8d0dd1ac9 backend-2 https://10.0.0.2:2380 https://10.0.0.2:2379
c8f63ae435a5e6bf backend-3 https://10.0.0.3:2380 https://10.0.0.3:2379
2f7ae42c315f8c2d backend-4 https://10.0.0.4:2380 https://10.0.0.4:2379
```

Remove a cluster member

Remove a faulty or decommissioned member node from a cluster.

```
sensuctl cluster member-remove 2f7ae42c315f8c2d

Removed member 2f7ae42c315f8c2d from cluster
```

Replace a faulty cluster member

Here's how to replace a faulty cluster member to restore a cluster's health.

First, run `sensuctl cluster health` to identify the faulty cluster member. For a faulty cluster member, the `Error` column will include an error message and the `Healthy` column will list `false`.

In this example, cluster member `backend-4` is faulty:

```
sensuctl cluster health
```

ID	Name	Error	Healthy
a32e8f613b529ad4	backend-1		true
c3d9f4b8d0dd1ac9	backend-2		true
c8f63ae435a5e6bf	backend-3		true
2f7ae42c315f8c2d	backend-4	dial tcp 10.0.0.4:2379: connect: connection refused	false

Second, delete the faulty cluster member. To continue this example, you will delete cluster member `backend-4` using its ID field:


```
sensuctl cluster member-remove 2f7ae42c315f8c2d
```

```
Removed member 2f7ae42c315f8c2d from cluster
```

Third, add a newly created member to the cluster. You can use the same name and IP address as the faulty member you deleted, with one change to the configuration: specify the `etcd-initial-cluster-state` as `existing`.

```
etcd-advertise-client-urls: "http://10.0.0.4:2379"
etcd-listen-client-urls: "http://10.0.0.4:2379"
etcd-listen-peer-urls: "http://0.0.0.0:2380"
etcd-initial-cluster: "backend-1=http://10.0.0.1:2380,backend-2=http://10.0.0.2:2380,backend-3=http://10.0.0.3:2380,backend-4=http://10.0.0.4:2380"
etcd-initial-advertise-peer-urls: "http://10.0.0.4:2380"
etcd-initial-cluster-state: "existing"
etcd-initial-cluster-token: ""
etcd-name: "backend-4"
```

If replacing the faulty cluster member does not resolve the problem, please see the [etcd operations guide](#) for more information.

Update a cluster member

Update the peer URLs of a member in a cluster.

```
sensuctl cluster member-update c8f63ae435a5e6bf https://10.0.0.4:2380
```

```
Updated member with ID c8f63ae435a5e6bf in cluster
```

Security

Creating self-signed certificates

We will use the `cfssl` tool to generate our self-signed certificates.

The first step is to create a **Certificate Authority (CA)**. In order to keep things simple, we will generate all our clients and peer certificates using this CA, but you might eventually want to create distinct CA.

```
echo '{"CN":"CA","key":{"algo":"rsa","size":2048}}' | cfssl gencert -initca - |
cfssljson -bare ca -
echo '{"signing":{"default":{"expiry":"43800h","usages":["signing","key
encipherment","server auth","client auth"]}}}' > ca-config.json
```

Then, using that CA, we can generate certificates and keys for each peer (backend server) by specifying their **Common Name (CN)** and their **hosts**. A `*.pem`, `*.csr` and `*.pem` will be created for each backend.

```
export ADDRESS=10.0.0.1,backend-1
export NAME=backend-1
echo '{"CN":"'${NAME}',"hosts":[""],"key":{"algo":"rsa","size":2048}}' | cfssl
gencert -config=ca-config.json -ca=ca.pem -ca-key=ca-key.pem -hostname="$ADDRESS" -
profile=peer - | cfssljson -bare $NAME

export ADDRESS=10.0.0.2,backend-2
export NAME=backend-2
echo '{"CN":"'${NAME}',"hosts":[""],"key":{"algo":"rsa","size":2048}}' | cfssl
gencert -config=ca-config.json -ca=ca.pem -ca-key=ca-key.pem -hostname="$ADDRESS" -
profile=peer - | cfssljson -bare $NAME

export ADDRESS=10.0.0.3,backend-3
export NAME=backend-3
echo '{"CN":"'${NAME}',"hosts":[""],"key":{"algo":"rsa","size":2048}}' | cfssl
gencert -config=ca-config.json -ca=ca.pem -ca-key=ca-key.pem -hostname="$ADDRESS" -
profile=peer - | cfssljson -bare $NAME
```

We will also create generate a *client* certificate that can be used by clients to connect to the etcd client URL. This time, we don't need to specify an address but simply a **Common Name (CN)** (here `client`). The files `client-key.pem`, `client.csr` and `client.pem` will be created.

```
export NAME=client
echo '{"CN":"'${NAME}',"hosts":[""],"key":{"algo":"rsa","size":2048}}' | cfssl
gencert -config=ca-config.json -ca=ca.pem -ca-key=ca-key.pem -hostname="" -
profile=client - | cfssljson -bare $NAME
```

See [etcd's guide to generating self signed certificates](#) for detailed instructions.

Once done, you should have the following files created. The `*.csr` files will not be used in this guide.

```
backend-1-key.pem
backend-1.csr
backend-1.pem
backend-2-key.pem
backend-2.csr
backend-2.pem
backend-3-key.pem
backend-3.csr
backend-3.pem
ca-config.json
ca-key.pem
ca.csr
ca.pem
client-key.pem
client.csr
client.pem
```

Client-to-server transport security with HTTPS

Below are example configuration snippets from `/etc/sensu/backend.yml` on three Sensu backends named `backend-1`, `backend-2` and `backend-3` with IP addresses `10.0.0.1`, `10.0.0.2` and `10.0.0.3` respectively. This configuration assumes that your client certificates are in `/etc/sensu/certs/` and your CA certificate is in `/usr/local/share/ca-certificates/sensu/`.

```
##
# etcd peer ssl configuration for backend-1/10.0.0.1
##
```

```

etcd-peer-cert-file: "/etc/sensu/certs/backend-1.pem"
etcd-peer-key-file: "/etc/sensu/certs/backend-1-key.pem"
etcd-peer-trusted-ca-file: "/usr/local/share/ca-certificates/sensu/ca.pem"

##
# etcd peer ssl configuration for backend-2/10.0.0.2
##

etcd-peer-cert-file: "/etc/sensu/certs/backend-2.pem"
etcd-peer-key-file: "/etc/sensu/certs/backend-2-key.pem"
etcd-peer-trusted-ca-file: "/usr/local/share/ca-certificates/sensu/ca.pem"

##
# etcd peer ssl configuration for backend-3/10.0.0.3
##

etcd-peer-cert-file: "/etc/sensu/certs/backend-3.pem"
etcd-peer-key-file: "/etc/sensu/certs/backend-3-key.pem"
etcd-peer-trusted-ca-file: "/usr/local/share/ca-certificates/sensu/ca.pem"

```

Validating with curl:

```

curl --cacert /usr/local/share/ca-certificates/sensu/ca.pem \
https://127.0.0.1:2379/v2/keys/foo -XPUT -d value=bar

```

Client-to-server authentication with HTTPS client certificates

Below are example configuration snippets from `/etc/sensu/backend.yml` on three Sensu backends named `backend-1`, `backend-2` and `backend-3` with IP addresses `10.0.0.1`, `10.0.0.2` and `10.0.0.3` respectively. This configuration assumes your client certificates are in `/etc/sensu/certs/` and your CA certificate is in `/usr/local/share/ca-certificates/sensu/`.

```

##
# etcd peer ssl configuration for backend-1/10.0.0.1
##

etcd-peer-cert-file: "/etc/sensu/certs/backend-1.pem"

```

```

etcd-peer-key-file: "/etc/sensu/certs/backend-1-key.pem"
etcd-peer-trusted-ca-file: "/usr/local/share/ca-certificates/sensu/ca.pem"
etcd-client-cert-auth: true

##
# etcd peer ssl configuration for backend-2/10.0.0.2
##

etcd-peer-cert-file: "/etc/sensu/certs/backend-2.pem"
etcd-peer-key-file: "/etc/sensu/certs/backend-2-key.pem"
etcd-peer-trusted-ca-file: "/usr/local/share/ca-certificates/sensu/ca.pem"
etcd-client-cert-auth: true

##
# etcd peer ssl configuration for backend-3/10.0.0.3
##

etcd-peer-cert-file: "/etc/sensu/certs/backend-3.pem"
etcd-peer-key-file: "/etc/sensu/certs/backend-3-key.pem"
etcd-peer-trusted-ca-file: "/usr/local/share/ca-certificates/sensu/ca.pem"
etcd-client-cert-auth: true

```

Validating with curl, with a different certificate and key:

```

curl --cacert /usr/local/share/ca-certificates/sensu/ca.pem \
--cert /etc/sensu/certs/client.pem \
--key /etc/sensu/certs/client-key.pem \
-L https://127.0.0.1:2379/v2/keys/foo -XPUT -d value=bar

```

Peer communication authentication with HTTPS client certificates

Below are example configuration snippets from `/etc/sensu/backend.yml` on three Sensu backends named `backend-1`, `backend-2` and `backend-3` with IP addresses `10.0.0.1`, `10.0.0.2` and `10.0.0.3` respectively.

NOTE: If you ran through the first part of the guide, you will need to update the store configuration for all backends to use https instead of http.

backend-1

```
##
# store configuration for backend-1/10.0.0.1
##

etcd-listen-client-urls: "https://10.0.0.1:2379"
etcd-listen-peer-urls: "https://0.0.0.0:2380"
etcd-initial-cluster: "backend-1=https://10.0.0.1:2380,backend-2=https://10.0.0.2:2380,backend-3=https://10.0.0.3:2380"
etcd-initial-advertise-peer-urls: "https://10.0.0.1:2380"
etcd-initial-cluster-state: "new"
etcd-initial-cluster-token: "sensu"
etcd-name: "backend-1"

##
# etcd peer ssl configuration for backend-1/10.0.0.1
##

etcd-peer-cert-file: "/etc/sensu/certs/backend-1.pem"
etcd-peer-key-file: "/etc/sensu/certs/backend-1-key.pem"
etcd-peer-trusted-ca-file: "/usr/local/share/ca-certificates/sensu/ca.pem"
etcd-peer-client-cert-auth: true
```

backend-2

```
##
# store configuration for backend-2/10.0.0.2
##

etcd-listen-client-urls: "https://10.0.0.2:2379"
etcd-listen-peer-urls: "https://0.0.0.0:2380"
etcd-initial-cluster: "backend-1=https://10.0.0.1:2380,backend-2=https://10.0.0.2:2380,backend-3=https://10.0.0.3:2380"
etcd-initial-advertise-peer-urls: "https://10.0.0.2:2380"
etcd-initial-cluster-state: "new"
etcd-initial-cluster-token: "sensu"
etcd-name: "backend-2"
```

```
##
# etcd peer ssl configuration for backend-2/10.0.0.2
##

etcd-peer-cert-file: "/etc/sensu/certs/backend-2.pem"
etcd-peer-key-file: "/etc/sensu/certs/backend-2-key.pem"
etcd-peer-trusted-ca-file: "/usr/local/share/ca-certificates/sensu/ca.pem"
etcd-peer-client-cert-auth: true
```

backend-3

```
##
# store configuration for backend-3/10.0.0.3
##

etcd-listen-client-urls: "https://10.0.0.3:2379"
etcd-listen-peer-urls: "https://0.0.0.0:2380"
etcd-initial-cluster: "backend-1=https://10.0.0.1:2380,backend-2=https://10.0.0.2:2380,backend-3=https://10.0.0.3:2380"
etcd-initial-advertise-peer-urls: "https://10.0.0.3:2380"
etcd-initial-cluster-state: "new"
etcd-initial-cluster-token: "sensu"
etcd-name: "backend-3"

##
# etcd peer ssl configuration for backend-3/10.0.0.3
##

etcd-peer-cert-file: "/etc/sensu/certs/backend-3.pem"
etcd-peer-key-file: "/etc/sensu/certs/backend-3-key.pem"
etcd-peer-trusted-ca-file: "/usr/local/share/ca-certificates/sensu/ca.pem"
etcd-peer-client-cert-auth: true
```

Sensu agent with HTTPS

Below is a sample configuration for an agent that would connect to the cluster using `wss` from `/etc/sensu/agent.yml` .

```
##  
# backend-url configuration for all agents connecting to cluster over wss  
##  
  
backend-url:  
  - "wss://10.0.0.1:8081"  
  - "wss://10.0.0.2:8081"  
  - "wss://10.0.0.3:8081"
```

Using an external etcd cluster

Using Sensu with an external etcd cluster requires etcd 3.3.2 or newer. To stand up an external etcd cluster, you can follow etcd's [clustering guide](#) using the same store configuration.

In this example, we will enable client-to-server and peer communication authentication using self-signed TLS certificates. Below is how you would start etcd for `backend-1` from our three node configuration example above.

```
etcd \  
--listen-client-urls "https://10.0.0.1:2379" \  
--advertise-client-urls "https://10.0.0.1:2379" \  
--listen-peer-urls "https://10.0.0.1:2380" \  
--initial-cluster "backend-1=https://10.0.0.1:2380,backend-2=https://10.0.0.2:2380,backend-3=https://10.0.0.3:2380" \  
--initial-advertise-peer-urls "https://10.0.0.1:2380" \  
--initial-cluster-state "new" \  
--name "backend-1" \  
--trusted-ca-file=./ca.pem \  
--cert-file=./backend-1.pem \  
--key-file=./backend-1-key.pem \  
--client-cert-auth \  
--peer-trusted-ca-file=./ca.pem \  
--peer-cert-file=./backend-1.pem \  
--peer-key-file=./backend-1-key.pem \  
--peer-client-cert-auth \  
--auto-compaction-mode revision \  
--auto-compaction-retention 2
```


NOTE: The `auto-compaction-mode` and `auto-compaction-retention` flags are of particular significance. Without these settings your database may quickly reach etcd's maximum database size limit.

In order to inform Sensu that you'd like to use this external etcd data source, add the `sensu-backend` flag `--no-embed-etcd` to the original configuration, along with the path to a client certificate created using our CA.

```
sensu-backend start \  
--etcd-trusted-ca-file=./ca.pem \  
--etcd-cert-file=./client.pem \  
--etcd-key-file=./client-key.pem \  
--etcd-advertise-client-  
urls=https://10.0.0.1:2379,https://10.0.0.2:2379,https://10.0.0.3:2379 \  
--no-embed-etcd
```

Troubleshooting

Failures modes

See [the etcd failure modes documentation](#) for more information.

Disaster recovery

See [the etcd recovery guide](#) for more information.

Securing Sensu

Contents

As with any piece of software, it is critical to minimize any attack surface exposed by the software. Ssensu is no different. The following component pieces need to be secured in order for Ssensu to be considered production ready:

[etcd peer communication](#)

[API and dashboard](#)

[Ssensu agent to server communication](#)

We'll cover securing each one of those pieces, starting with etcd peer communication.

Securing etcd peer communication

Let's start by covering how to secure etcd peer communication via the configuration at `/etc/sensu/backend.yml`. Let's look at the parameters you'll need to configure:

```
##  
# backend store configuration  
##  
etcd-listen-client-urls: "https://localhost:2379"  
etcd-listen-peer-urls: "https://localhost:2380"  
etcd-initial-advertise-peer-urls: "https://localhost:2380"  
etcd-cert-file: "/path/to/your/cert"  
etcd-key-file: "/path/to/your/key"  
etcd-trusted-ca-file: "/path/to/your/ca/file"  
etcd-peer-cert-file: "/path/to/your/peer/cert"  
etcd-peer-key-file: "/path/to/your/peer/key"  
etcd-peer-client-cert-auth: "true"  
etcd-peer-trusted-ca-file: "/path/to/your/peer/ca/file"
```

Securing the API and the dashboard

Let's go over how to secure the API and dashboard. Please note that by changing the parameters below, the server will now communicate over TLS and expect agents connecting to it to use the WebSocket secure protocol. In order for communication to continue, both this section and the [following section](#) must be completed.

Both the Sensu Go API and the dashboard use a common stanza in `/etc/sensu/backend.yml` to provide the certificate, key, and CA file needed to provide secure communication. Let's look at the attributes you'll need to configure:

```
##
# backend ssl configuration
##
cert-file: "/path/to/ssl/cert.pem"
key-file: "/path/to/ssl/key.pem"
trusted-ca-file: "/path/to/trusted-certificate-authorities.pem"
insecure-skip-tls-verify: false
```

Providing the above `cert-file` and `key-file` parameters will cause the API to serve HTTP requests over SSL/TLS (https). As a result, you will also need to specify `https://` schema for the `api-url` parameter:

```
##
# backend api configuration
##
api-url: "https://localhost:8080"
```

You can also specify a certificate and key for the dashboard separately from the API using the `dashboard-cert-file` and `dashboard-key-file` parameters as shown in the following example.

```
##
# backend ssl configuration
##
cert-file: "/path/to/ssl/cert.pem"
key-file: "/path/to/ssl/key.pem"
trusted-ca-file: "/path/to/trusted-certificate-authorities.pem"
```

```
insecure-skip-tls-verify: false
dashboard-cert-file: "/path/to/ssl/cert.pem"
dashboard-key-file: "/path/to/ssl/key.pem"
```

In the example above, we provide the path to the cert, key and CA file. After restarting the `sensu-backend` service, the parameters are loaded and you are able to access the dashboard at <https://localhost:3000>. Configuring these attributes will also ensure that agents are able to communicate securely. Let's move on to securing agent to server communication.

Securing Sensu agent to server communication

We'll now discuss securing agent to server communication. Please note: by changing the agent configuration to communicate via WebSocket Secure protocol, the agent will no longer communicate over a plaintext connection. If the server is not secured as described in the [section above](#), communication between the agent and server will not function.

By default, an agent uses the insecure `ws://` transport. Let's look at the example from `/etc/sensu/agent.yml` :

```
---
##
# agent configuration
##
backend-url:
  - "ws://127.0.0.1:8081"
```

In order to use WebSockets over SSL/TLS (wss), change the `backend-url` value to the `wss://` schema:

```
---
##
# agent configuration
##
backend-url:
  - "wss://127.0.0.1:8081"
```

The agent will then connect Sensu servers over wss. Do note that by changing the configuration to wss, plaintext communication will not be possible.

It is also possible to provide a trusted CA as part of the agent configuration by passing `--trusted-ca-file` if starting the agent via `sensu-agent start`.

You may include it as part of the agent configuration in `/etc/sensu/agent.yml` as:

```
trusted-ca-file: "/path/to/trusted-certificate-authorities.pem"
```

NOTE: If creating a Sensu cluster, every cluster member needs to be present in the configuration. See the [Sensu Go clustering guide](#) for more information on how to configure agents for a clustered configuration.

Hopefully you've found this useful! If you find any issues or have any questions, feel free to reach out in our [Community Slack](#), or [open an issue](#) on Github.

Troubleshooting

Contents

- [Service logging](#)
- [Log levels](#)
- [Log file locations](#)
- [Sensu backend startup errors](#)
- [Permission issues](#)
- [Handlers and filters](#)
- [Assets](#)

Service logging

Logs produced by Sensu services – i.e. sensu-backend and sensu-agent – are often the best place to start when troubleshooting a variety of issues.

Log levels

Each log message is associated with a log level, indicative of the relative severity of the event being logged:

Log level	Description
panic	Severe errors causing the service to shut down in an unexpected state
fatal	Fatal errors causing the service to shut down (status 0)
error	Non-fatal service error messages
warn	Warning messages indicating potential issues
info	Informational messages representing service actions
debug	Detailed service operation messages to help troubleshoot issues

These log levels can be configured by specifying the desired log level as the value of `log-level` in the service configuration file (e.g. `agent.yml` or `backend.yml` configuration files), or as an argument to the `--log-level` command line flag:

```
sensu-agent start --log-level debug
```

Changes to log level via configuration file or command line arguments require restarting the service. For guidance on restarting a service, please consult the Operating section of the [agent](#) or [backend](#) reference, respectively.

Log file locations

Linux

Sensu services print [structured log messages](#) to standard output. In order to capture these log messages to disk or another logging facility, Sensu services make use of capabilities provided by the underlying operating system's service management. For example, logs are sent to the journald when systemd is the service manager, whereas log messages are redirected to `/var/log/sensu` when running under sysvinit schemes. If you are running systemd as your service manager and would rather have logs written to `/var/log/sensu/`, see the guide to [forwarding logs from journald to syslog](#).

In the table below, the common targets for logging and example commands for following those logs are described. The name of the desired service, e.g. `backend` or `agent` may be substituted for `${service}` variable.

Platform	Version	Target	Command to follow log
RHEL/Centos	>= 7	journald	<pre>journalctl --follow --unit sensu-\${service}</pre>
RHEL/Centos	<= 6	log file	<pre>tail --follow /var/log/sensu/sensu-\${service}</pre>

Ubuntu	>= 15.04	journald	<pre>journalctl --follow --unit sensu-\${service}</pre>
Ubuntu	<= 14.10	log file	<pre>tail --follow /var/log/sensu/sensu-\${service}</pre>
Debian	>= 8	journald	<pre>journalctl --follow --unit sensu-\${service}</pre>
Debian	<= 7	log file	<pre>tail --follow /var/log/sensu/sensu-\${service}</pre>

NOTE: Platform versions described above are for reference only and do not supercede the documented supported platforms.

Narrow your search to a specific timeframe

Use the `journald` keyword `since` to refine the basic `journalctl` commands and narrow your search by timeframe. Here are a few examples.

Retrieve all the logs for Sensu since yesterday:

```
journalctl -u sensu-backend.service --since yesterday | tee sensu-backend-$(date +%Y-%m-%d).log
```

Retrieve all the logs for Sensu since a specific time:

```
journalctl -u sensu-backend.service --since 09:00 --until "1 hour ago" | tee sensu-backend-$(date +%Y-%m-%d).log
```


Retrieve all the logs for Sensu for a specific date range:

```
journalctl -u sensu-backend.service --since "2015-01-10" --until "2015-01-11 03:00"  
| tee sensu-backend-$(date +%Y-%m-%d).log
```

Windows

The Sensu agent stores service logs to the location specified by the `log-file` configuration flag (default: `%ALLUSERSPROFILE%\sensu\log\sensu-agent.log`, `C:\ProgramData\sensu\log\sensu-agent.log` on standard Windows installations). For more information about managing the Sensu agent for Windows, see the [agent reference](#). You can also view agent events using the Windows Event Viewer, under Windows Logs, as events with source SensuAgent.

If you're running a [binary-only distribution of the Sensu agent for Windows](#), you can follow the service log printed to standard output using the following command.

```
Get-Content - Path "C:\scripts\test.txt" -Wait
```

Sensu backend startup errors

The following errors are expected when starting up a Sensu backend with the default configuration.

```
{"component":"etcd","level":"warning","msg":"simple token is not cryptographically  
signed","pkg":"auth","time":"2019-11-04T10:26:31-05:00"}  
{"component":"etcd","level":"warning","msg":"set the initial cluster version to  
3.3","pkg":"etcdserver/membership","time":"2019-11-04T10:26:31-05:00"}  
{"component":"etcd","level":"warning","msg":"serving insecure client requests on  
127.0.0.1:2379, this is strongly discouraged!","pkg":"embed","time":"2019-11-  
04T10:26:33-05:00"}
```

The `serving insecure client requests` error is an expected warning from etcd. TLS configuration is recommended but not required. For more information, see [etcd security documentation](#).

Permission issues

Files and folders within `/var/cache/sensu/` and `/var/lib/sensu/` need to be owned by the sensu user and group. You will see a logged error similar to the following if there is a permission issue with either the sensu-backend or the sensu-agent:

```
{"component":"agent","error":"open /var/cache/sensu/sensu-agent/assets.db:
permission denied","level":"fatal","msg":"error executing sensu-agent","time":"2019-
02-21T22:01:04Z"}
{"component":"backend","level":"fatal","msg":"error starting etcd: mkdir
/var/lib/sensu: permission denied","time":"2019-03-05T20:24:01Z"}
```

You can use a recursive `chown` to resolve permission issues with the sensu-backend:

```
sudo chown -R sensu:sensu /var/cache/sensu/sensu-backend
```

or the sensu-agent:

```
sudo chown -R sensu:sensu /var/cache/sensu/sensu-agent
```

Troubleshooting handlers and filters

Whether implementing new workflows or modifying existing ones, its sometimes necessary to troubleshoot various stages of the event pipeline. In many cases generating events using the [agent API](#) will save you time and effort over modifying existing check configurations.

Here's an example using curl with the API of a local sensu-agent process to generate test-event check results:

```
curl -X POST \
-H 'Content-Type: application/json' \
-d '{
```

```
"check": {
  "metadata": {
    "name": "test-event"
  },
  "status": 2,
  "output": "this is a test event targeting the email_ops handler",
  "handlers": [ "email_ops" ]
}
}' \
http://127.0.0.1:3031/events
```

Additionally, it's frequently helpful to see the full event object being passed to your workflows. We recommend using a debug handler like this one to write an event to disk as JSON data:

YML

```
type: Handler
api_version: core/v2
metadata:
  name: debug
spec:
  type: pipe
  command: cat > /var/log/sensu/debug-event.json
  timeout: 2
```

JSON

```
{
  "type": "Handler",
  "api_version": "core/v2",
  "metadata": {
    "name": "debug"
  },
  "spec": {
    "type": "pipe",
    "command": "cat > /var/log/sensu/debug-event.json",
    "timeout": 2
  }
}
```

With this handler definition installed in your Sensu backend, you can add the `debug` to the list of handlers in your test event:

```
curl -X POST \
-H 'Content-Type: application/json' \
-d '{
  "check": {
    "metadata": {
      "name": "test-event"
    },
    "status": 2,
    "output": "this is a test event targeting the email_ops handler",
    "handlers": [ "email_ops", "debug" ]
  }
}' \
http://127.0.0.1:3031/events
```

The event data should be written to `/var/log/sensu/debug-event.json` for inspection. The contents of this file will be overwritten by every event sent to the `debug` handler.

NOTE: When multiple Sensu backends are configured in a cluster, event processing is distributed across all members. You may need to check the filesystem of each Sensu backend to locate the debug output for your test event.

Troubleshooting assets

Asset filters allow for scoping an asset to a particular operating system or architecture. You can see an example of those in the [asset reference documentation](#). If an asset filter is improperly applied, this can prevent the asset from being downloaded by the desired entity and will result in error messages both on the agent and the backend illustrating that the command was not found:

Agent log entry

```
{
  "asset": "check-disk-space",
  "component": "asset-manager",
  "entity": "sensu-centos",
```

```
"filters": [  
  "true == false"  
],  
"level": "debug",  
"msg": "entity not filtered, not installing asset",  
"time": "2019-09-12T18:28:05Z"  
}
```

Backend event

```
{  
  "timestamp": 1568148292,  
  "check": {  
    "command": "check-disk-space",  
    "handlers": [],  
    "high_flap_threshold": 0,  
    "interval": 10,  
    "low_flap_threshold": 0,  
    "publish": true,  
    "runtime_assets": [  
      "sensu-plugins-disk-checks"  
    ],  
    "subscriptions": [  
      "caching_servers"  
    ],  
    "proxy_entity_name": "",  
    "check_hooks": null,  
    "stdin": false,  
    "subdue": null,  
    "ttl": 0,  
    "timeout": 0,  
    "round_robin": false,  
    "duration": 0.001795508,  
    "executed": 1568148292,  
    "history": [  
      {  
        "status": 127,  
        "executed": 1568148092  
      }  
    ],  
  },  
}
```

```

"issued": 1568148292,
"output": "sh: check-disk-space: command not found\n",
"state": "failing",
"status": 127,
"total_state_change": 0,
"last_ok": 0,
"occurrences": 645,
"occurrences_watermark": 645,
"output_metric_format": "",
"output_metric_handlers": null,
"env_vars": null,
"metadata": {
  "name": "failing-disk-check",
  "namespace": "default"
}
},
"metadata": {
  "namespace": "default"
}
}

```

In the event you see a message like this, it's worth going back and reviewing your asset definition as this will be your clue that the entity wasn't able to download the required asset due to filter restrictions. If you can't remember where you stored the information on disk, you can find it via:

```
sensuctl asset info sensu-plugins-disk-checks --format yaml
```

or

```
sensuctl asset info sensu-plugins-disk-checks --format json
```

One common filter issue is conflating operating systems with the family they're a part of. For example, though Ubuntu is part of the Debian family of Linux distributions, Ubuntu != Debian. A practical example would look like:

```

...
- entity.system.platform == 'debian'

```

```
- entity.system.arch == 'amd64'
```

Which would not allow an Ubuntu system to run the asset. Instead, the filter should look like:

```
...  
- entity.system.platform_family == 'debian'  
- entity.system.arch == 'amd64'
```

or

```
- entity.system.platform == 'ubuntu'  
- entity.system.arch == 'amd64'
```

Which would allow the asset to be downloaded onto the target entity.

Dashboard overview

Contents

[Accessing the dashboard](#)

[Signing in](#)

[Namespaces](#)


[Managing checks](#)

[Managing entities](#)

[Managing handlers](#)

[Themes](#)

The Sensu backend includes the **Sensu dashboard**: a unified view of your events, entities, and checks with user-friendly tools to reduce alert fatigue.



Sensu dashboard homepage

Accessing the dashboard


After [starting the Sensu backend](#), you can access the dashboard in your browser by visiting <http://localhost:3000>. You may need to replace `localhost` with the hostname or IP address where the Sensu backend is running.

Signing in

Sign in to the dashboard with your [sensuctl](#) username and password. See the [role-based access control reference](#) for [default user credentials](#) and instructions for [creating new users](#).

Namespaces

The dashboard displays events, entities, checks, and silences for a single namespace at a time. By default, the dashboard displays the `default` namespace. To switch namespaces, select the menu icon in the upper-left corner, and choose a namespace from the dropdown.



Sensu dashboard namespace switcher

Managing checks

LICENSED TIER: Unlock check management in the Sensu Go dashboard with a Sensu license. To activate your license, see the [getting started guide](#).

You can create, edit, and delete Sensu checks using the dashboard checks page.

Managing entities

You can delete Sensu entities using the dashboard entities page.

Managing handlers

LICENSED TIER: Unlock handler management in the Sensu Go dashboard with a Sensu license. To activate your license, see the [getting started guide](#).

You can create, edit, and delete Sensu handlers using the dashboard handlers page.

Themes

Use the preferences menu to change the theme or switch to the dark theme.

Dashboard filtering

Contents

The Sensu dashboard provides basic filters to build customized views of Ssensu resources. When applied, filters create a unique link, so you can bookmark and share your favorite filter combinations.

On the **events page**, filter by entity, check, status, and silenced/unsilenced. You can also sort events by severity, last OK, newest, and oldest.

On the **entities page**, filter by entity class and subscription.

On the **checks page**, filter by subscription and published/unpublished.

On the **handlers page**, filter by handler type.

On the **silences page**, filter by check and subscription. You can also sort silences by start date.

Advanced filtering

LICENSED TIER: Unlock advanced filtering in the Ssensu Go dashboard with a Ssensu license. To activate your license, see the [getting started guide](#).

Ssensu supports advanced dashboard filtering using a wider range of attributes, including custom labels. Select the filter bar to start building custom views using suggested attributes and values.

Label selectors

To filter by custom labels on the entities, checks, handlers, and silences pages, use the `labelSelector` filter and the `==` operator.

To display, on the **entities page**, only entities with a `region: us-west-1` label:

```
labelSelector: region == "us-west-1"
```

Field selectors

Field selectors let you fine-tune filters using the complete set of attributes supported by API filtering. For a complete list of supported attributes and operators, see the [API docs](#).

To display, on the **events page**, only events with the subscription `webserver` :

```
fieldSelector: webserver in event.check.subscriptions
```

To display, on the **checks page**, only checks using the `slack` asset:

```
fieldSelector: slack in check.handlers
```

API overview

Contents

[URL format](#)

[Data format](#)

[Versioning](#)

[Access control](#)

[Pagination](#)

[Filtering](#)

[Label selector](#)

[Field selector](#)

[Supported operators](#)

[Combining selectors and statements](#)

[Request size](#)

Sensu Go 5.10 includes API v2.

The Sensu backend REST API provides access to Sensu workflow configurations and monitoring event data. For the Sensu agent API, see the [agent reference](#).

URL format

Sensu API endpoints use the standard URL format

`/api/{group}/{version}/namespaces/{namespace}` where:

`{group}` is the API group. All currently existing Sensu API endpoints are of group `core`.

`{version}` is the API version. Sensu Go 5.10 uses API v2.

`{namespace}` is the namespace name. The examples in these API docs use the `default` namespace. The Sensu API requires that the authenticated user have the correct access permissions for the namespace specified in the URL. If the authenticated user has the correct cluster-wide permissions, you can leave out the `/namespaces/{namespace}` portion of the URL to access Sensu resources across namespaces. See the [RBAC reference](#) for more information about configuring Sensu users and access controls.

Data format

The API uses JSON formatted requests and responses. In terms of [sensuctl output types](#), the Sensu API uses the `json` format, not `wrapped-json`.

Versioning

The Sensu Go API is versioned according to the format `v{majorVersion}{stabilityLevel}{iterationNumber}`, in which `v2` is stable version 2. The Sensu API guarantees backward compatibility for stable versions of the API.

Sensu makes no guarantee that an alpha or beta API will be maintained for any period of time. Alpha versions should be considered under active development and may not be published for every release. Beta APIs, while more stable than alpha versions, offer similarly short-lived lifespans and also provide no guarantee of programmatic conversions when the API is updated.

Access control

With the exception of the [health](#) and [metrics APIs](#), the Sensu API requires authentication using a JWT access token. You can generate access tokens and refresh tokens using the [authentication API](#) and your Sensu username and password. These docs use `$SENSU_TOKEN` to represent a valid access token in API requests.

Authentication quick start

To set up a local API testing environment, save your Sensu credentials and token as environment variables:

```
# Requires curl and jq
export SENSU_USER=admin && SENSU_PASS=P@ssw0rd!

export SENSU_TOKEN=`curl -XGET -u "$SENSU_USER:$SENSU_PASS" -s
http://localhost:8080/auth | jq -r ".access_token"`
```

Basic authentication using the authentication API

The `/auth` API endpoint lets you generate short-lived API tokens using your Sensu username and password.

1. Retrieve an access token for your user. For example, to generate an access token using the default admin credentials:

```
curl -u 'admin:P@ssw0rd!' http://localhost:8080/auth
```

The access token should be included in the output, along with a refresh token:

```
{
  "access_token": "eyJhbGciOiJIUzI1NiIs... ",
  "expires_at": 1544582187,
  "refresh_token": "eyJhbGciOiJIUzI1NiIs... "
}
```

2. Copy the access token into the authentication header of the API request. For example:

```
curl -H "Authorization: Bearer eyJhbGciOiJIUzI1NiIs... " \
http://127.0.0.1:8080/api/core/v2/namespaces/default/events
```

3. Access tokens last for around 15 minutes. When your token expires, you should see a 401 Unauthorized response from the API. To generate a new access token, use the `/auth/token` API endpoint, including the expired access token in the authorization header and the refresh token in the request body:

```
curl -H "Authorization: Bearer eyJhbGciOiJIUzI1NiIs... " \
-H 'Content-Type: application/json' \
-d '{"refresh_token": "eyJhbGciOiJIUzI1NiIs..."}' \
http://127.0.0.1:8080/auth/token
```

The new access token should be included in the output:

```
{
```

```
"access_token": "eyJhbGciOiJIUzI1NiIs...",
"expires_at": 1561055277,
"refresh_token": "eyJhbGciOiJIUzI1NiIs..."
}
```

Generating an API token using sensuctl

You can also generate an API access token using the `sensuctl` command-line tool. The user credentials that you use to log in to `sensuctl` determine your permissions to get, list, create, update, and delete resources using the Sensu API.

1. Install and log in to sensuctl.
2. Retrieve an access token for your user:

```
cat ~/.config/sensu/sensuctl/cluster|grep access_token
```

The access token should be included in the output:

```
"access_token": "eyJhbGciOiJIUzI1NiIs...",
```

3. Copy the access token into the authentication header of the API request. For example:

```
curl -H "Authorization: Bearer eyJhbGciOiJIUzI1NiIs..." \
http://127.0.0.1:8080/api/core/v2/namespaces/default/events
```

4. Access tokens last for around 15 minutes. If your token expires, you should see a 401 Unauthorized response from the API. To regenerate a valid access token, first run any `sensuctl` command (like `sensuctl event list`) then repeat step 2.

Pagination

The Sensu API supports response pagination for all GET endpoints that return an array. You can request a paginated response using the `limit` and `continue` query parameters.

For example, the following request limits the response to a maximum of two objects.

```
curl http://127.0.0.1:8080/api/core/v2/namespaces?limit=2 -H "Authorization: Bearer $SENSU_TOKEN"
```

The response includes the available objects up to the specified limit and, if there are more objects available, a continue token. For example, the following response indicates that there are more than two namespaces available and provides a continue token to request the next page of objects.

```
HTTP/1.1 200 OK
Content-Type: application/json
Sensu-Continue: L2RlZmF1bHQvY2N4MWM2L2h1bGxvLXdvcmxkAA
[
  {
    "name": "default"
  },
  {
    "name": "development"
  }
]
```

You can then use the continue token to request the next page of objects. The following example requests the next two available namespaces following the request in the example above.

```
curl http://127.0.0.1:8080/api/core/v2/namespaces?
limit=2&continue=L2RlZmF1bHQvY2N4MWM2L2h1bGxvLXdvcmxkAA -H "Authorization: Bearer $SENSU_TOKEN"
```

If the request does not return a continue token, there are no further objects to return. For example, the following response indicates that there is only one additional namespace available.

```
HTTP/1.1 200 OK
Content-Type: application/json
[
```

```
{  
  "name": "ops"  
}  
]
```

Filtering

LICENSED TIER: Unlock API filtering in Sensu Go with a Sensu license. To activate your license, see the [getting started guide](#).

The Sensu API supports filtering for all GET endpoints that return an array. You can filter resources based on their labels with a label selector using the `labelSelector` query parameter and on certain pre-determined fields with a field selector using the `fieldSelector` query parameter.

For example, the following request filters the response to only include resources that have a label entry `region` with the value `us-west-1`. We will use the flag `--data-urlencode` in curl so it encodes the query parameter for us, in conjunction with the `-G` flag so it appends the data to the URL.

```
curl -H "Authorization: Bearer $SENSU_TOKEN"  
http://127.0.0.1:8080/api/core/v2/checks -G \  
--data-urlencode 'labelSelector=region == "us-west-1"'
```

NOTE: For examples of using label and field selectors in the Sensu dashboard, see the [dashboard docs](#).

Label selector

A label selector can use any label attributes to group a set of resources. All resources support labels within the metadata object. For example, see [entities metadata attributes](#).

Field selector

A field selector can use certain fields of resources to organize and select subsets of resources. Here's the list of available fields.

Resource	Fields
Asset	asset.name asset.namespace asset.filters
Check	check.name check.namespace check.handlers check.publish check.round_robin check.runtime_assets check.subscriptions
ClusterRole	clusterrole.name
ClusterRoleBinding	clusterrolebinding.name clusterrolebinding.role_ref.name clusterrolebinding.role_ref.type
Entity	entity.name entity.namespace entity.deregister entity.entity_class entity.subscriptions
Event	event.name event.namespace event.check.handlers event.check.publish event.check.round_robin event.check.runtime_assets event.check.status event.check.subscriptions event.entity.deregister event.entity.entity_class event.entity.subscriptions
Extension	extension.name extension.namespace
Filter	filter.name filter.namespace filter.action filter.runtime_assets
Handler	handler.name handler.namespace handler.filters handler.handlers handler.mutator handler.type
Hook	hook.name hook.namespace
Mutator	mutator.name mutator.namespace mutator.runtime_assets
Namespace	namespace.name
Role	role.name role.namespace
RoleBinding	rolebinding.name rolebinding.namespace rolebinding.role_ref.name rolebinding.role_ref.type
Silenced	silenced.name silenced.namespace silenced.check silenced.creator silenced.expire_on_resolve silenced.subscription
User	user.username user.disabled user.groups

Supported operators

There are two *equality-based* operators supported, `==` (equality) and `!=` (inequality). For example, the following statements are possible:

```
check.publish == true
check.namespace != "default"
```

Additionally, there are two *set-based* operators to deal with lists of values, `in` and `notin`. For example, the following statements are possible:

```
linux in check.subscriptions
slack notin check.handlers
check.namespace in [dev,production]
```


Combining selectors and statements

A field or label selector can be made of multiple statements which are separated with the logical operator `&&` (*AND*). For example, the following curl request looks up checks that are configured to be published **and** have the `slack` handler:

```
curl -H "Authorization: Bearer $SENSU_TOKEN"
http://127.0.0.1:8080/api/core/v2/checks -G \
--data-urlencode 'fieldSelector=check.publish == true && slack in check.handlers'
```

In addition to selectors with multiple statements, both field and label selectors can be used at the same time:

```
curl -H "Authorization: Bearer $SENSU_TOKEN"
http://127.0.0.1:8080/api/core/v2/checks -G \
--data-urlencode 'fieldSelector=slack in check.handlers' \
--data-urlencode 'labelSelector=region != "us-west-1"'
```



Request size

API request bodies are limited to 0.512 MB in size.

Assets API

Contents

The `/assets` API endpoint

`/assets` (GET)

`/assets` (POST)

The `/assets/:asset` API endpoint

`/assets/:asset` (GET)

`/assets/:asset` (PUT)

The `/assets` API endpoint

`/assets` (GET)

The `/assets` API endpoint provides HTTP GET access to asset data.

EXAMPLE

The following example demonstrates a request to the `/assets` API, resulting in a JSON Array containing asset definitions.

```
curl http://127.0.0.1:8080/api/core/v2/namespaces/default/assets -H "Authorization: Bearer $SENSU_TOKEN"

[
  {
    "url": "http://example.com/asset1.tar.gz",
    "sha512":
"4f926bf4328fbad2b9cac873d117f771914f4b837c9c85584c38ccf55a3ef3c2e8d154812246e5dda4a
87450576b2c58ad9ab40c9e2edc31b288d066b195b21b",
    "metadata": {
      "name": "check_script1",
      "namespace": "default",
      "labels": null,
```

```
    "annotations": null
  }
}
]
```

API Specification

/assets (GET)

description	Returns the list of assets.
-------------	-----------------------------

example url	http://hostname:8080/api/core/v2/namespaces/default/assets
-------------	---

pagination	This endpoint supports pagination using the <code>limit</code> and <code>continue</code> query parameters. See the API overview for details.
------------	--

response type	Array
---------------	-------

response codes	Success: 200 (OK) Error: 500 (Internal Server Error)
----------------	---

output	
--------	--

```
[
  {
    "url": "http://example.com/asset1.tar.gz",
    "sha512":
"4f926bf4328fbad2b9cac873d117f771914f4b837c9c85584c38ccf55a
3ef3c2e8d154812246e5dda4a87450576b2c58ad9ab40c9e2edc31b288d
066b195b21b",
    "metadata": {
      "name": "check_script1",
      "namespace": "default",
      "labels": null,
      "annotations": null
    }
  },
  {
    "url": "http://example.com/asset2.tar.gz",
    "sha512":
"37c9c85584c38ccf55a3ef3c2e8d154812246e5dda4a84f926bf4328fb"
```

```
ad2b9cac873d11450576b2c58ad9ab40c9e2edc31b288d066b195b21b7f771914f4b87",
  "metadata": {
    "name": "check_script2",
    "namespace": "default",
    "labels": null,
    "annotations": null
  }
}
```

`/assets` (POST)

`/assets` (POST)

description Create a Sensu asset.

example URL <http://hostname:8080/api/core/v2/namespaces/default/assets>

payload

```
{
  "url": "http://example.com/asset1.tar.gz",
  "sha512":
    "4f926bf4328fbad2b9cac873d117f771914f4b837c9c85584c38ccf55a3ef3c2e8d154812246e5dda4a87450576b2c58ad9ab40c9e2edc31b288d066b195b21b",
  "metadata": {
    "name": "check_script1",
    "namespace": "default",
    "labels": null,
    "annotations": null
  }
}
```

response codes

Success: 204 (No Content)
Resource already exists: 409 (Conflict)
Malformed: 400 (Bad Request)
Error: 500 (Internal Server Error)

The `/assets/:asset` API endpoint

`/assets/:asset` (GET)

The `/assets/:asset` API endpoint provides HTTP GET access to asset data for specific `:asset` definitions, by asset `name`.

EXAMPLE

In the following example, querying the `/assets/:asset` API returns a JSON Map containing the requested `:asset` definition (in this example: for the `:asset` named `check_script`).

```
curl http://127.0.0.1:8080/api/core/v2/namespaces/default/assets/check_script -H
"Authorization: Bearer $SENSU_TOKEN"
{
  "url": "http://example.com/asset.tar.gz",
  "sha512":
"4f926bf4328fbad2b9cac873d117f771914f4b837c9c85584c38ccf55a3ef3c2e8d154812246e5dda4a
87450576b2c58ad9ab40c9e2edc31b288d066b195b21b",
  "filters": [
    "system.os == 'linux'",
    "system.arch == 'amd64'"
  ],
  "metadata": {
    "name": "check_script",
    "namespace": "default",
    "labels": null,
    "annotations": null
  }
}
```

API Specification

`/assets/:asset`

(GET)

description	Returns an asset.
-------------	-------------------

example url	http://hostname:8080/api/core/v2/namespaces/default/assets/check_script
-------------	---

response type	Map
---------------	-----

response codes	Success: 200 (OK) Missing: 404 (Not Found) Error: 500 (Internal Server Error)
----------------	--

output

```
{
  "url": "http://example.com/asset.tar.gz",
  "sha512":
    "4f926bf4328fbad2b9cac873d117f771914f4b837c9c85584c38ccf55a
    3ef3c2e8d154812246e5dda4a87450576b2c58ad9ab40c9e2edc31b288d
    066b195b21b",
  "filters": [
    "system.os == 'linux'",
    "system.arch == 'amd64'"
  ],
  "metadata": {
    "name": "check_script",
    "namespace": "default",
    "labels": null,
    "annotations": null
  }
}
```

`/assets/:asset` (PUT)

API Specification

`/assets/:asset`
(PUT)

description	Create or update a Sensus asset.
example URL	http://hostname:8080/api/core/v2/namespaces/default/assets/check_script
payload	<pre>{ "url": "http://example.com/asset1.tar.gz", "sha512": "4f926bf4328fbad2b9cac873d117f771914f4b837c9c85584c38ccf55a 3ef3c2e8d154812246e5dda4a87450576b2c58ad9ab40c9e2edc31b288d 066b195b21b", "metadata": { "name": "check_script1", "namespace": "default", "labels": null, "annotations": null } }</pre>
response codes	Successfully created or updated: 204 (No Content) Malformed: 400 (Bad Request) Error: 500 (Internal Server Error)

Authentication API

Contents

The `/auth` API endpoint

`/auth` (GET)

The `/auth/test` API endpoint

`/auth/test` (GET)

The `/auth/token` API endpoint

`/auth/token` (POST)

The `/auth` API endpoint

`/auth` (GET)

The `/auth` API endpoint provides HTTP GET access to create an access token using basic authentication.

EXAMPLE

In the following example, querying the `/auth` API with a given username and password returns a 200 OK response, indicating that the credentials are valid, along with an access and a refresh token.

```
curl -u myusername:mypassword http://127.0.0.1:8080/auth
```

```
HTTP/1.1 200 OK
```

```
{
  "access_token": "eyJhbGciOiJIUzI1NiIs... ",
  "expires_at": 1544582187,
  "refresh_token": "eyJhbGciOiJIUzI1NiIs..."
}
```

/auth (GET)

description Generates an access token to the API using basic authentication. Access tokens last for around 15 minutes. When your token expires, you should see a 401 Unauthorized response from the API. To generate a new access token, use the `/auth/token` API endpoint.

example url `http://hostname:8080/api/core/v2/auth`

output

```
{
  "access_token": "eyJhbGciOiJIUzI1NiIs... ",
  "expires_at": 1544582187,
  "refresh_token": "eyJhbGciOiJIUzI1NiIs..."
}
```

response codes

- Valid credentials:** 200 (OK)
- Invalid credentials:** 401 (Unauthorized)
- Error:** 500 (Internal Server Error)

The `/auth/test` API endpoint

`/auth/test` (GET)

The `/auth/test` API endpoint provides HTTP GET access to test user credentials.

EXAMPLE

In the following example, querying the `/auth/test` API with a given username and password returns a 200 OK response, indicating that the credentials are valid.

```
curl -u myusername:mypassword http://127.0.0.1:8080/auth/test
```

HTTP/1.1 200 OK

API Specification

/auth/test (GET)

description	Tests a given username and password.
example url	http://hostname:8080/api/core/v2/auth/test
response codes	Valid credentials: 200 (OK) Invalid credentials: 401 (Unauthorized) Error: 500 (Internal Server Error)

The `/auth/token` API endpoint

`/auth/token` (POST)

The `/auth/test` API endpoint provides HTTP POST access to renew an access token.

EXAMPLE

In the following example, an HTTP POST request is submitted to the `/auth/token` API to generate a valid access token. The request includes the refresh token in the request body and returns a successful HTTP 200 OK response along with the new access token.

```
curl -H "Authorization: Bearer eyJhbGciOiJIUzI1NiIs..." \
-H 'Content-Type: application/json' \
-d '{"refresh_token": "eyJhbGciOiJIUzI1NiIs..."}' \
http://127.0.0.1:8080/auth/token
```

HTTP/1.1 200 OK

```
{
  "access_token": "eyJhbGciOiJIUzI1NiIs...",
  "expires_at": 1544582187,
```

```
"refresh_token": "eyJhbGciOiJIUzI1NiIs..."  
}
```

API Specification

/auth/token (POST)

description	Generates a new access token using a refresh token and an expired access token
-------------	--

example url	http://hostname:8080/api/core/v2/auth
-------------	---

example payload	<pre>{ "refresh_token": "eyJhbGciOiJIUzI1NiIs..." }</pre>
-----------------	---

output	<pre>{ "access_token": "eyJhbGciOiJIUzI1NiIs...", "expires_at": 1544582187, "refresh_token": "eyJhbGciOiJIUzI1NiIs..." }</pre>
--------	--

response codes	Success: 200 (OK) Malformed: 400 (Bad Request) Error: 500 (Internal Server Error)
----------------	--

Authentication providers API

Contents

The `authproviders` API endpoints (licensed tier)

`/authproviders` (GET)

The `authproviders/:name` API endpoints (licensed tier)

`authproviders/:name` (GET)

`authproviders/:name` (PUT)

`authproviders/:name` (DELETE)

LICENSED TIER: Unlock authentication providers in Sensu Go with a Sensu license. To activate your license, see the [getting started guide](#).

The `/authproviders` API endpoints

`/authproviders` (GET)

The `/authproviders` API endpoint provides HTTP GET access to authentication provider configuration in Sensu.

API Specification

`/authproviders`
(GET)

description	Returns the list of active authentication providers.
example url	http://hostname:8080/api/enterprise/authentication/v2/authproviders
pagination	This endpoint supports pagination using the <code>limit</code> and <code>continue</code> query parameters. See the API overview for details.
response type	Array

response codes

Success: 200 (OK)

Error: 500 (Internal Server Error)

output

```
[
  {
    "Type": "ldap",
    "api_version": "authentication/v2",
    "spec": {
      "servers": [
        {
          "host": "127.0.0.1",
          "binding": {
            "user_dn": "cn=binder,dc=acme,dc=org",
            "password": "P@ssw0rd!"
          },
          "group_search": {
            "base_dn": "dc=acme,dc=org"
          },
          "user_search": {
            "base_dn": "dc=acme,dc=org"
          }
        }
      ]
    },
    "metadata": {
      "name": "openldap"
    }
  }
]
```

The `/authproviders/:name` API endpoints

`/authproviders/:name` (GET)

The `/authproviders/:name` API endpoint provides HTTP GET access to authentication provider configuration for a specific `:name`.

API Specification

/authproviders/:name (GET)

description Returns the configuration for an authentication provider given the configured provider name.

example url <http://hostname:8080/api/enterprise/authentication/v2/authproviders/openldap>

response type Map

response codes
Success: 200 (OK)
Missing: 404 (Not Found)
Error: 500 (Internal Server Error)

output

```
{
  "Type": "ldap",
  "api_version": "authentication/v2",
  "spec": {
    "servers": [
      {
        "host": "127.0.0.1",
        "binding": {
          "user_dn": "cn=binder,dc=acme,dc=org",
          "password": "P@ssw0rd!"
        },
        "group_search": {
          "base_dn": "dc=acme,dc=org"
        },
        "user_search": {
          "base_dn": "dc=acme,dc=org"
        }
      }
    ]
  },
  "metadata": {
    "name": "openldap"
  }
}
```

```
}
```

`/authproviders/:name` (PUT)

The `/authproviders/:name` API endpoint provides HTTP PUT access to create or update an authentication provider configuration given `:name`.

API Specification

`/authproviders/:name` (PUT)

description	Create or update an authentication provider configuration given the name. See the <u>authentication guide</u> for more information about supported providers.
-------------	---

example url	http://hostname:8080/api/enterprise/authentication/v2/authproviders/openldap
-------------	---

payload

```
{
  "Type": "ldap",
  "api_version": "authentication/v2",
  "spec": {
    "servers": [
      {
        "host": "127.0.0.1",
        "binding": {
          "user_dn": "cn=binder,dc=acme,dc=org",
          "password": "P@ssw0rd!"
        },
        "group_search": {
          "base_dn": "dc=acme,dc=org"
        },
        "user_search": {
          "base_dn": "dc=acme,dc=org"
        }
      }
    ]
  }
}
```

```
    ]
  },
  "metadata": {
    "name": "openldap"
  }
}
```

payload parameters

All attributes shown in the example payload are required. For more information about configuring authentication providers, see the [authentication guide](#).

response codes

Success: 200 (OK)
Malformed: 400 (Bad Request)
Error: 500 (Internal Server Error)

`/authproviders/:name` (DELETE)

The `/authproviders/:name` API endpoint provides HTTP DELETE access to delete an authentication provider configuration from Sensu given the `:name`.

EXAMPLE

The following example shows a request to delete the configuration for the authentication provider `openldap`, resulting in a successful HTTP 204 No Content response.

```
curl -X DELETE \
-H "Authorization: Bearer $SENSU_TOKEN" \
http://127.0.0.1:8080/api/core/v2/namespaces/default/authproviders/openldap

HTTP/1.1 204 No Content
```

API Specification

`/authproviders/:name`
(DELETE)

description	Deletes an authentication provide configuration from Sensu given the name.
example url	<u>http://hostname:8080/api/enterprise/authentication/v2/authproviders/openldap</u>
response codes	Success: 204 (No Content) Missing: 404 (Not Found) Error: 500 (Internal Server Error)

Checks API

Contents

The `/checks` API endpoint

`/checks` (GET)

`/checks` (POST)

The `/checks/:check` API endpoint

`/checks/:check` (GET)

`/checks/:check` (PUT)

`/checks/:check` (DELETE)

The `/checks/:check/execute` API endpoint

`/checks/:check/execute` (POST)

The `/checks/:check/hooks/:type` API endpoint

`/checks/:check/hooks/:type` (PUT)

The `/checks/:check/hooks/:type/hook/:hook` API endpoint

`/checks/:check/hooks/:type/hook/:hook` (DELETE)

The `/checks` API endpoint

`/checks` (GET)

The `/checks` API endpoint provides HTTP GET access to check data.

EXAMPLE

The following example demonstrates a request to the `/checks` API, resulting in a JSON Array containing check definitions.

```
curl -H "Authorization: Bearer $SENSU_TOKEN"  
http://127.0.0.1:8080/api/core/v2/namespaces/default/checks
```

```
HTTP/1.1 200 OK
```

```
[
```

```
{
  "command": "check-cpu.sh -w 75 -c 90",
  "handlers": [
    "slack"
  ],
  "interval": 60,
  "publish": true,
  "subscriptions": [
    "linux"
  ],
  "metadata": {
    "name": "check-cpu",
    "namespace": "default"
  }
}
```

API Specification

/checks (GET)

description	Returns the list of checks.
-------------	-----------------------------

example url	http://hostname:8080/api/core/v2/namespaces/default/checks
-------------	---

pagination	This endpoint supports pagination using the <code>limit</code> and <code>continue</code> query parameters. See the API overview for details.
------------	--

response type	Array
---------------	-------

response codes	Success: 200 (OK) Error: 500 (Internal Server Error)
----------------	---

output	
--------	--

```
[
  {
    "command": "check-cpu.sh -w 75 -c 90",
    "handlers": [
      "slack"
    ],
```

```

    "interval": 60,
    "publish": true,
    "subscriptions": [
      "linux"
    ],
    "metadata": {
      "name": "check-cpu",
      "namespace": "default"
    }
  },
  {
    "command": "http_check.sh https://sensu.io",
    "handlers": [
      "slack"
    ],
    "interval": 15,
    "proxy_entity_name": "sensu.io",
    "publish": true,
    "subscriptions": [
      "site"
    ],
    "metadata": {
      "name": "check-sensu-site",
      "namespace": "default"
    }
  }
]

```

`/checks` (POST)

EXAMPLE

In the following example, an HTTP POST request is submitted to the `/checks` API to create a `check-cpu` check. The request includes the check definition in the request body and returns a successful HTTP 204 No Content response.

```

curl -X POST \
-H "Authorization: Bearer $SENSU_TOKEN" \

```



```
-H 'Content-Type: application/json' \  
-d '{  
  "command": "check-cpu.sh -w 75 -c 90",  
  "subscriptions": [  
    "linux"  
  ],  
  "interval": 60,  
  "publish": true,  
  "handlers": [  
    "slack"  
  ],  
  "metadata": {  
    "name": "check-cpu",  
    "namespace": "default"  
  }  
}' \  
http://127.0.0.1:8080/api/core/v2/namespaces/default/checks  
  
HTTP/1.1 204 No Content
```

API Specification

/checks (POST)

description	Create a Sensu check.
-------------	-----------------------

example URL	http://hostname:8080/api/core/v2/namespaces/default/checks
-------------	---

example payload	
-----------------	--

```
{  
  "command": "check-cpu.sh -w 75 -c 90",  
  "subscriptions": [  
    "linux"  
  ],  
  "interval": 60,  
  "publish": true,  
  "handlers": [  
    "slack"  
  ],  
  "metadata": {
```

```
    "name": "check-cpu",
    "namespace": "default"
  }
}
```

payload parameters Required check attributes: `interval` (integer) or `cron` (string), and a `metadata` scope containing `name` (string) and `namespace` (string). For more information about creating checks, see the [check reference](#).

response codes **Success:** 204 (No Content)
Malformed: 400 (Bad Request)
Error: 500 (Internal Server Error)

The `/checks/:check` API endpoint

`/checks/:check` (GET)

The `/checks/:check` API endpoint provides HTTP GET access to [check data](#) for specific `:check` definitions, by check `name`.

EXAMPLE

In the following example, querying the `/checks/:check` API returns a JSON Map containing the requested `:check` [definition](#) (in this example: for the `:check` named `check-cpu`).

```
curl -H "Authorization: Bearer $SENSU_TOKEN" \
http://127.0.0.1:8080/api/core/v2/namespaces/default/checks/check-cpu

HTTP/1.1 200 OK
{
  "command": "check-cpu.sh -w 75 -c 90",
  "handlers": [
    "slack"
  ],
  "interval": 60,
  "publish": true,
```

```
"subscriptions": [
  "linux"
],
"metadata": {
  "name": "check-cpu",
  "namespace": "default"
}
}
```

API Specification

/checks/:check (GET)

description	Returns a check.
example url	http://hostname:8080/api/core/v2/namespaces/default/checks/check-cpu
response type	Map
response codes	Success: 200 (OK) Missing: 404 (Not Found) Error: 500 (Internal Server Error)

output

```
{
  "command": "check-cpu.sh -w 75 -c 90",
  "handlers": [
    "slack"
  ],
  "interval": 60,
  "publish": true,
  "subscriptions": [
    "linux"
  ],
  "metadata": {
    "name": "check-cpu",
    "namespace": "default"
  }
}
```

`/checks/:check` (PUT)

EXAMPLE

In the following example, an HTTP PUT request is submitted to the `/checks/:check` API to update the `check-cpu` check, resulting in a 204 (No Content) HTTP response code.

```
curl -X PUT \
-H "Authorization: Bearer $SENSU_TOKEN" \
-H 'Content-Type: application/json' \
-d '{
  "command": "check-cpu.sh -w 75 -c 90",
  "handlers": [
    "slack"
  ],
  "interval": 60,
  "publish": true,
  "subscriptions": [
    "linux"
  ],
  "metadata": {
    "name": "check-cpu",
    "namespace": "default"
  }
}' \
http://127.0.0.1:8080/api/core/v2/namespaces/default/checks/check-cpu

HTTP/1.1 204 No Content
```

API Specification

`/checks/:check`
(PUT)

description

Create or update a Sensu check given the name of the check as a URL

parameter.

example URL	http://hostname:8080/api/core/v2/namespaces/default/checks/check-cpu
-------------	---

payload

```
{
  "command": "check-cpu.sh -w 75 -c 90",
  "handlers": [
    "slack"
  ],
  "interval": 60,
  "publish": true,
  "subscriptions": [
    "linux"
  ],
  "metadata": {
    "name": "check-cpu",
    "namespace": "default"
  }
}
```

payload parameters	Required check attributes: <code>interval</code> (integer) or <code>cron</code> (string), and a <code>metadata</code> scope containing <code>name</code> (string) and <code>namespace</code> (string). For more information about creating checks, see the check reference .
--------------------	--

response codes	Successfully created or updated: 204 (No Content) Malformed: 400 (Bad Request) Error: 500 (Internal Server Error)
----------------	--

`/checks/:check` (DELETE)

The `/checks/:check` API endpoint provides HTTP DELETE access to delete a check from Sensu given the check name.

EXAMPLE

The following example shows a request to delete the check named `check-cpu`, resulting in a successful HTTP 204 No Content response.

```
curl -X DELETE \
-H "Authorization: Bearer $SENSU_TOKEN" \
http://127.0.0.1:8080/api/core/v2/namespaces/default/checks/check-cpu

HTTP/1.1 204 No Content
```

API Specification

/checks/:check (DELETE)

description	Removes a check from Sensu given the check name.
example url	http://hostname:8080/api/core/v2/namespaces/default/checks/check-cpu
response codes	Success: 204 (No Content) Missing: 404 (Not Found) Error: 500 (Internal Server Error)

The `/checks/:check/execute` API endpoint

`/checks/:check/execute` (POST)

The `/checks/:check/execute` API endpoint provides HTTP POST access to create an ad-hoc check execution request, allowing you to execute a check on demand.

EXAMPLE

In the following example, an HTTP POST request is submitted to the `/checks/:check/execute` API to execute the `check-sensu-site` check. The request includes the check name in the request body and returns a successful HTTP 202 Accepted response and an `issued` timestamp.

```
curl -X POST \
-H "Authorization: Bearer $SENSU_TOKEN" \
```

```
-H 'Content-Type: application/json' \
-d '{"check": "check-sensu-site"}' \
http://127.0.0.1:8080/api/core/v2/namespaces/default/checks/check-sensu-site/execute

HTTP/1.1 202 Accepted
{"issued":1543861798}
```

PRO TIP: Include the `subscriptions` attribute with the request body to override the subscriptions configured in the check definition. This gives you the flexibility to execute a check on any Sensu entity or group of entities on demand.

API Specification

/checks/:check/execute (POST)

description	Creates an adhoc request to execute a check given the check name.
-------------	---

example URL	http://hostname:8080/api/core/v2/namespaces/default/checks/check-sensu-site/execute
-------------	---

payload	
---------	--

```
{
  "check": "check-sensu-site",
  "subscriptions": [
    "entity:i-424242"
  ]
}
```

payload parameters	<code>check</code> (required): the name of the check to execute, and <code>subscriptions</code> (optional): an array of subscriptions to publish the check request to. When provided with the request, the <code>subscriptions</code> attribute overrides any subscriptions configured in the check definition.
--------------------	--

response codes	Success: 200 (OK) Malformed: 400 (Bad Request) Error: 500 (Internal Server Error)
----------------	--

The `/checks/:check/hooks/:type` API endpoint

`/checks/:check/hooks/:type` (PUT)

The `/checks/:check/hooks/:type` API endpoint provides HTTP PUT access to assign a hook to a check.

EXAMPLE

In the following example, an HTTP PUT request is submitted to the `/checks/:check/hooks/:type` API, assigning the `process_tree` hook to the `check-cpu` check in the event of a `critical` type check result, resulting in a successful 204 (No Content) HTTP response code.

```
curl -X PUT \
-H "Authorization: Bearer $SENSU_TOKEN" \
-H 'Content-Type: application/json' \
-d '{
  "critical": [
    "process_tree"
  ]
}' \
http://127.0.0.1:8080/api/core/v2/namespaces/default/checks/check-cpu/hooks/critical

HTTP/1.1 204 No Content
```

API Specification

`checks/:check/hooks/:type` (PUT)

description	Assigns a hook to a check given the check name and <u>check response type</u> .
-------------	---

example URL	<u><code>http://hostname:8080/api/core/v2/namespaces/default/checks/check-cpu/hooks/critical</code></u>
-------------	---

example payload	
-----------------	--


```
{
  "critical": [
    "example-hook1",
    "example-hook2"
  ]
}
```

payload parameters

This endpoint requires a JSON map of check response types (for example: `critical` , `warning`), each containing an array of hook names.

response codes

Success: 204 (No Content)
Malformed: 400 (Bad Request)
Error: 500 (Internal Server Error)

The `/checks/:check/hooks/:type/hook/:hook` API endpoint

`/checks/:check/hooks/:type/hook/:hook` (DELETE)

This endpoint provides HTTP DELETE access to a remove a hook from a check.

EXAMPLE

The following example shows a request to remove the `process_tree` hook from the `check-cpu` check, resulting in a successful 204 (No Content) HTTP response code.

```
curl -X DELETE \
-H "Authorization: Bearer $SENSU_TOKEN" \
http://127.0.0.1:8080/api/core/v2/namespaces/default/checks/check-
cpu/hooks/critical/hook/process_tree

HTTP/1.1 204 No Content
```

/checks/:check/ho
oks/
:type/hook/:hook
(DELETE)

description	Removes a single hook from a check given the check name, check response type, and hook name. See the checks reference for available types.
-------------	--

example url	http://hostname:8080/api/core/v2/namespaces/default/checks/check-cpu/hooks/critical/hook/process_tree
-------------	---

response codes	Success: 204 (No Content) Missing: 404 (Not Found) Error: 500 (Internal Server Error)
----------------	--

Cluster API

Contents

The `/cluster/members` API endpoint

`/cluster/members` (GET)

`/cluster/members` (POST)

The `/cluster/members/:member` API endpoint

`/cluster/members/:member` (PUT)

`/cluster/members/:member` (DELETE)

The `/cluster/id` API endpoint

`/cluster/id` (GET)

The `/cluster/members` API endpoint

`/cluster/members` (GET)

The `/cluster/members` API endpoint provides HTTP GET access to Sensu cluster data.

EXAMPLE

The following example demonstrates a request to the `/cluster/members` API, resulting in a JSON Map containing a Sensu cluster definition.

```
curl -H "Authorization: Bearer $SENSU_TOKEN" \
http://127.0.0.1:8080/api/core/v2/cluster/members
```

```
HTTP/1.1 200 OK
```

```
{
  "header": {
    "cluster_id": 4255616304056076734,
    "member_id": 9882886658148554927,
    "raft_term": 2
  },
```

```

"members": [
  {
    "ID": 9882886658148554927,
    "name": "default",
    "peerURLs": [
      "http://127.0.0.1:2380"
    ],
    "clientURLs": [
      "http://127.0.0.1:2379"
    ]
  }
]
}

```

API Specification

/cluster/members (GET)

description	Returns the etcd cluster definition.
-------------	--------------------------------------

example url	http://hostname:8080/api/core/v2/cluster/members
-------------	---

response type	Map
---------------	-----

response codes	Success: 200 (OK) Error: 500 (Internal Server Error)
----------------	---

example output

```

{
  "header": {
    "cluster_id": 4255616304056076734,
    "member_id": 9882886658148554927,
    "raft_term": 2
  },
  "members": [
    {
      "ID": 9882886658148554927,
      "name": "default",
      "peerURLs": [

```

```
        "http://127.0.0.1:2380"
      ],
      "clientURLs": [
        "http://127.0.0.1:2379"
      ]
    }
  ]
}
```

`/cluster/members` (POST)

The `/cluster/members` API endpoint provides HTTP POST access to create a Sensu cluster member.

EXAMPLE

```
curl -X POST \
-H "Authorization: Bearer $SENSU_TOKEN" \
http://127.0.0.1:8080/api/core/v2/cluster/members?peer-addr=http://127.0.0.1:2380

HTTP/1.1 200 OK
{
  "header": {
    "cluster_id": 4255616304056077000,
    "member_id": 9882886658148555000,
    "raft_term": 2
  },
  "members": [
    {
      "ID": 9882886658148555000,
      "name": "default",
      "peerURLs": [
        "http://127.0.0.1:2380"
      ],
      "clientURLs": [
        "http://localhost:2379"
      ]
    }
  ]
}
```

```
]
}
```

API Specification

/cluster/members/:member (POST)

description	Creates a cluster member.
example url	http://hostname:8080/api/core/v2/cluster/members?peer-addr=http://127.0.0.1:2380
query parameters	<code>peer-addr</code> (required): A comma-delimited list of peer addresses
response codes	Success: 200 (OK) Missing: 404 (Not Found) Error: 500 (Internal Server Error)

The `/cluster/members/:member` API endpoint

`/cluster/members/:member` (PUT)

EXAMPLE

```
curl -X PUT \
-H "Authorization: Bearer $SENSU_TOKEN" \
http://127.0.0.1:8080/api/core/v2/cluster/members/8927110dc66458af?peer-addr=http://127.0.0.1:2380
```

```
HTTP/1.1 200 OK
```

```
{
  "header": {
    "cluster_id": 4255616304056077000,
    "member_id": 9882886658148555000,
```

```

    "raft_term": 2
  },
  "members": [
    {
      "ID": 9882886658148555000,
      "name": "default",
      "peerURLs": [
        "http://127.0.0.1:2380"
      ],
      "clientURLs": [
        "http://localhost:2379"
      ]
    }
  ]
}

```

API Specification

/cluster/members/: member (PUT)

description	Creates a cluster member.
-------------	---------------------------

example url	http://hostname:8080/api/core/v2/cluster/members/8927110dc66458af?peer-addr=http://127.0.0.1:2380
-------------	---

url parameters	<code>8927110dc66458af</code> (required): Required hex-encoded uint64 cluster member ID generated using <code>sensuctl cluster member-list</code>
----------------	---

query parameters	<code>peer-addr</code> (required): A comma-delimited list of peer addresses
------------------	---

response codes	Success: 200 (OK) Missing: 404 (Not Found) Error: 500 (Internal Server Error)
----------------	--

/cluster/members/:member (DELETE)

The `/cluster/members/:member` API endpoint provides HTTP DELETE access to remove a Sensu

cluster member.

EXAMPLE

The following example shows a request to remove the Sensu cluster member with the ID `8927110dc66458af` , resulting in a successful HTTP 204 No Content response.

```
curl -X DELETE \
-H "Authorization: Bearer $SENSU_TOKEN" \
http://127.0.0.1:8080/api/core/v2/namespaces/default/cluster/members/8927110dc66458af

HTTP/1.1 204 No Content
```

API Specification

<div>/cluster/ members/:member (DELETE)</div>	
description	Removes a member from a Sensu cluster given the member ID.
example url	http://hostname:8080/api/core/v2/cluster/members/8927110dc66458af
url parameters	<code>8927110dc66458af</code> (required): Required hex-encoded uint64 cluster member ID generated using <code>sensuctl cluster member-list</code>
response codes	Success: 204 (No Content) Missing: 404 (Not Found) Error: 500 (Internal Server Error)

The `/cluster/id` API endpoint

`/cluster/id` (GET)

The `/cluster/id` API endpoint provides HTTP GET access to the Sensu cluster ID.

EXAMPLE

The following example demonstrates a request to the `/cluster/id` API, resulting in a string containing the Sensu cluster ID.

```
curl -H "Authorization: Bearer $SENSU_TOKEN" \
http://127.0.0.1:8080/api/core/v2/cluster/members

HTTP/1.1 200 OK
"23481e76-5844-4d07-b714-6e2ffbbbf9315"
```

API Specification

/cluster/id (GET)	
description	Returns the unique Sensu cluster ID.
example url	http://hostname:8080/api/core/v2/cluster/id
response type	String
response codes	Success: 200 (OK) Error: 500 (Internal Server Error)
example output	"23481e76-5844-4d07-b714-6e2ffbbbf9315"

Cluster role bindings API

Contents

The `/clusterrolebindings` API endpoint

`/clusterrolebindings` (GET)

`/clusterrolebindings` (POST)

The `/clusterrolebindings/:clusterrolebinding` API endpoint

`/clusterrolebindings/:clusterrolebinding` (GET)

`/clusterrolebindings/:clusterrolebinding` (PUT)

`/clusterrolebindings/:clusterrolebinding` (DELETE)

The `/clusterrolebindings` API endpoint

`/clusterrolebindings` (GET)

The `/clusterrolebindings` API endpoint provides HTTP GET access to cluster role binding data.

EXAMPLE

The following example demonstrates a request to the `/clusterrolebindings` API, resulting in a JSON Array containing cluster role binding definitions.

```
curl http://127.0.0.1:8080/api/core/v2/clusterrolebindings -H "Authorization: Bearer $SENSU_TOKEN"
```

```
HTTP/1.1 200 OK
```

```
[
  {
    "subjects": [
      {
        "type": "Group",
        "name": "cluster-admins"
      }
    ]
  }
]
```

```

    ],
    "role_ref": {
      "type": "ClusterRole",
      "name": "cluster-admin"
    },
    "metadata": {
      "name": "cluster-admin"
    }
  },
  {
    "subjects": [
      {
        "type": "Group",
        "name": "system:agents"
      }
    ],
    "role_ref": {
      "type": "ClusterRole",
      "name": "system:agent"
    },
    "metadata": {
      "name": "system:agent"
    }
  }
]

```

API Specification

/clusterrolebindings (GET)

description	Returns the list of cluster role bindings.
-------------	--

example url	http://hostname:8080/api/core/v2/clusterrolebindings
-------------	---

pagination	This endpoint supports pagination using the <code>limit</code> and <code>continue</code> query parameters. See the API overview for details.
------------	--

response type	Array
---------------	-------

response codes

Success: 200 (OK)

Error: 500 (Internal Server Error)

output

```
[
  {
    "subjects": [
      {
        "type": "Group",
        "name": "cluster-admins"
      }
    ],
    "role_ref": {
      "type": "ClusterRole",
      "name": "cluster-admin"
    },
    "metadata": {
      "name": "cluster-admin"
    }
  }
]
```

`/clusterrolebindings` (POST)

The `/clusterrolebindings` API endpoint provides HTTP POST access to create a cluster role binding.

EXAMPLE

In the following example, an HTTP POST request is submitted to the `/clusterrolebindings` API to create a cluster role binding that assigns the `cluster-admin` cluster role to the user `bob`. The request includes the cluster role binding definition in the request body and returns a successful HTTP 204 No Content response.

```
curl -X POST \
-H "Authorization: Bearer $SENSU_TOKEN" \
-H 'Content-Type: application/json' \
-d '{
```

```
"subjects": [
  {
    "type": "User",
    "name": "bob"
  }
],
"role_ref": {
  "type": "ClusterRole",
  "name": "cluster-admin"
},
"metadata": {
  "name": "bob-binder"
}
}' \
http://127.0.0.1:8080/api/core/v2/clusterrolebindings

HTTP/1.1 204 No Content
```

API Specification

/clusterrolebindings (POST)

description	Create a Sensu cluster role binding.
-------------	--------------------------------------

example URL	http://hostname:8080/api/core/v2/clusterrolebindings
-------------	---

payload	
---------	--

```
{
  "subjects": [
    {
      "type": "User",
      "name": "bob"
    }
  ],
  "role_ref": {
    "type": "ClusterRole",
    "name": "cluster-admin"
  },
  "metadata": {
```

```
      "name": "bob-binder"
    }
  }
}
```

response codes

Success: 204 (No Content)

Malformed: 400 (Bad Request)

Error: 500 (Internal Server Error)

The `/clusterrolebindings/:clusterrolebinding` API endpoint

`/clusterrolebindings/:clusterrolebinding` (GET)

The `/clusterrolebindings/:clusterrolebinding` API endpoint provides HTTP GET access to cluster role binding data for specific `:clusterrolebinding` definitions, by cluster role binding `name`.

EXAMPLE

In the following example, querying the `/clusterrolebindings/:clusterrolebinding` API returns a JSON Map containing the requested `:clusterrolebinding` definition (in this example: for the `:clusterrolebinding` named `bob-binder`).

```
curl http://127.0.0.1:8080/api/core/v2/clusterrolebindings/bob-binder -H
"Authorization: Bearer $SENSU_TOKEN"
```

```
HTTP/1.1 200 OK
```

```
{
  "subjects": [
    {
      "type": "User",
      "name": "bob"
    }
  ],
  "role_ref": {
    "type": "ClusterRole",
    "name": "cluster-admin"
  },
}
```

```
"metadata": {  
  "name": "bob-binder"  
}  
}
```

API Specification

/clusterrolebinding
s/:clusterrolebinding (GET)

description Returns a cluster role binding.

example url <http://hostname:8080/api/core/v2/clusterrolebindings/bob-binder>

response type Map

response codes
Success: 200 (OK)
Missing: 404 (Not Found)
Error: 500 (Internal Server Error)

output

```
{  
  "subjects": [  
    {  
      "type": "User",  
      "name": "bob"  
    }  
  ],  
  "role_ref": {  
    "type": "ClusterRole",  
    "name": "cluster-admin"  
  },  
  "metadata": {  
    "name": "bob-binder"  
  }  
}
```

`/clusterrolebindings/:clusterrolebinding` (PUT)

The `/clusterrolebindings/:clusterrolebinding` API endpoint provides HTTP PUT access to create or update a cluster role binding, by cluster role binding `name` .

EXAMPLE

In the following example, an HTTP PUT request is submitted to the `/clusterrolebindings/:clusterrolebinding` API to create a cluster role binding that assigns the `cluster-admin` cluster role to users in the group `ops` .The request includes the cluster role binding definition in the request body and returns a successful HTTP 204 No Content response.

```
curl -X PUT \
-H "Authorization: Bearer $SENSU_TOKEN" \
-H 'Content-Type: application/json' \
-d '{
  "subjects": [
    {
      "type": "Group",
      "name": "ops"
    }
  ],
  "role_ref": {
    "type": "ClusterRole",
    "name": "cluster-admin"
  },
  "metadata": {
    "name": "ops-group-binder"
  }
}' \
http://127.0.0.1:8080/api/core/v2/clusterrolebindings/ops-group-binder

HTTP/1.1 204 No Content
```

API Specification

`/clusterrolebinding`
`s/:clusterrolebindin`

g (PUT)

description Create or update a Sensu cluster role binding.

example URL <http://hostname:8080/api/core/v2/clusterrolebindings/ops-group-binder>

payload

```
{
  "subjects": [
    {
      "type": "Group",
      "name": "ops"
    }
  ],
  "role_ref": {
    "type": "ClusterRole",
    "name": "cluster-admin"
  },
  "metadata": {
    "name": "ops-group-binder"
  }
}
```

response codes

- Successfully created or updated:** 204 (No Content)
- Malformed:** 400 (Bad Request)
- Error:** 500 (Internal Server Error)

`/clusterrolebindings/:clusterrolebinding` (DELETE)

The `/clusterrolebindings/:clusterrolebinding` API endpoint provides HTTP DELETE access to delete a cluster role binding from Sensu given the cluster role binding name.

EXAMPLE

The following example shows a request to delete the cluster role binding `ops-binding`, resulting in a successful HTTP 204 No Content response.

```
curl -X DELETE \  
-H "Authorization: Bearer $SENSU_TOKEN" \  
http://127.0.0.1:8080/api/core/v2/clusterrolebindings/ops-binding  
  
HTTP/1.1 204 No Content
```

API Specification

/clusterrolebinding
s/:clusterrolebindin
g (DELETE)

description	Removes a cluster role binding from Sensu given the cluster role binding name.
-------------	--

example url	http://hostname:8080/api/core/v2/clusterrolebindings/ops-binding
-------------	---

response codes	Success: 204 (No Content) Missing: 404 (Not Found) Error: 500 (Internal Server Error)
----------------	--

Cluster roles API

Contents

The `/clusterroles` API endpoint

`/clusterroles` (GET)

`/clusterroles` (POST)

The `/clusterroles/:clusterrole` API endpoint

`/clusterroles/:clusterrole` (GET)

`/clusterroles/:clusterrole` (PUT)

`/clusterroles/:clusterrole` (DELETE)

The `/clusterroles` API endpoint

`/clusterroles` (GET)

The `/clusterroles` API endpoint provides HTTP GET access to cluster role data.

EXAMPLE

The following example demonstrates a request to the `/clusterroles` API, resulting in a JSON Array containing cluster role definitions.

```
curl http://127.0.0.1:8080/api/core/v2/clusterroles -H "Authorization: Bearer $SENSU_TOKEN"
```

```
HTTP/1.1 200 OK
```

```
[
  {
    "rules": [
      {
        "verbs": [
          "*"
        ]
      }
    ],
  },
]
```

```
    "resources": [
      "assets",
      "checks",
      "entities",
      "extensions",
      "events",
      "filters",
      "handlers",
      "hooks",
      "mutators",
      "silenced",
      "roles",
      "rolebindings"
    ],
    "resource_names": null
  },
  {
    "verbs": [
      "get",
      "list"
    ],
    "resources": [
      "namespaces"
    ],
    "resource_names": null
  }
],
"metadata": {
  "name": "admin"
}
},
{
  "rules": [
    {
      "verbs": [
        "*"
      ],
      "resources": [
        "*"
      ],
      "resource_names": null
    }
  ]
}
```

```

    ],
    "metadata": {
      "name": "cluster-admin"
    }
  }
]

```

API Specification

/clusterroles (GET)

description Returns the list of cluster roles.

example url <http://hostname:8080/api/core/v2/clusterroles>

pagination This endpoint supports pagination using the `limit` and `continue` query parameters. See the [API overview](#) for details.

response type Array

response codes **Success:** 200 (OK)
Error: 500 (Internal Server Error)

output

```

[
  {
    "rules": [
      {
        "verbs": [
          "*"
        ],
        "resources": [
          "*"
        ],
        "resource_names": null
      }
    ],
    "metadata": {
      "name": "cluster-admin"
    }
  }
]

```

```
}  
]
```

`/clusterroles` (POST)

`/clusterroles` (POST)

description Create a Sensu cluster role.

example URL <http://hostname:8080/api/core/v2/clusterroles>

payload

```
{  
  "metadata": {  
    "name": "global-event-reader"  
  },  
  "rules": [  
    {  
      "verbs": [  
        "get",  
        "list"  
      ],  
      "resources": [  
        "events"  
      ],  
      "resource_names": null  
    }  
  ]  
}
```

response codes

Success: 204 (No Content)
Malformed: 400 (Bad Request)
Error: 500 (Internal Server Error)

The `/clusterroles/:clusterrole` API endpoint

`/clusterroles/:clusterrole` (GET)

The `/clusterroles/:clusterrole` API endpoint provides HTTP GET access to cluster role data for specific `:clusterrole` definitions, by cluster role `name`.

EXAMPLE

In the following example, querying the `/clusterroles/:clusterrole` API returns a JSON Map containing the requested `:clusterrole` definition (in this example: for the `:clusterrole` named `global-event-reader`).

```
curl http://127.0.0.1:8080/api/core/v2/clusterroles/global-event-reader -H
"Authorization: Bearer $SENSU_TOKEN"
```

```
HTTP/1.1 200 OK
```

```
{
  "metadata": {
    "name": "global-event-reader"
  },
  "rules": [
    {
      "verbs": [
        "get",
        "list"
      ],
      "resources": [
        "events"
      ],
      "resource_names": null
    }
  ]
}
```

API Specification

/clusterroles/:clusterrole (GET)

description Returns a cluster role.

example url <http://hostname:8080/api/core/v2/clusterroles/global-event-reader>

response type Map

response codes
Success: 200 (OK)
Missing: 404 (Not Found)
Error: 500 (Internal Server Error)

output

```
{
  "metadata": {
    "name": "global-event-reader"
  },
  "rules": [
    {
      "verbs": [
        "get",
        "list"
      ],
      "resources": [
        "events"
      ],
      "resource_names": null
    }
  ]
}
```

/clusterroles/:clusterrole (PUT)

API Specification

/clusterroles/:clusterrole (PUT)

description	Create or update a Sensu cluster role.
example URL	http://hostname:8080/api/core/v2/clusterroles/global-event-reader
payload	<pre> { "metadata": { "name": "global-event-reader" }, "rules": [{ "verbs": ["get", "list"], "resources": ["events"], "resource_names": null }] }</pre>
response codes	Successfully created or updated: 204 (No Content) Malformed: 400 (Bad Request) Error: 500 (Internal Server Error)

`/clusterroles/:clusterrole` (DELETE)

The `/clusterroles/:clusterrole` API endpoint provides HTTP DELETE access to delete a cluster role from Sensu given the cluster role name.

EXAMPLE

The following example shows a request to delete the cluster role `global-event-reader`, resulting in a successful HTTP 204 No Content response.

```
curl -X DELETE \
-H "Authorization: Bearer $SENSU_TOKEN" \
http://127.0.0.1:8080/api/core/v2/clusterroles/global-event-reader

HTTP/1.1 204 No Content
```

API Specification

/clusterroles/:clusterrole (DELETE)

description	Removes a cluster role from Sensu given the cluster role name.
example url	http://hostname:8080/api/core/v2/clusterroles/global-event-reader
response codes	Success: 204 (No Content) Missing: 404 (Not Found) Error: 500 (Internal Server Error)

Entities API

Contents

The `/entities` API endpoint

`/entities` (GET)

`/entities` (POST)

The `/entities/:entity` API endpoint

`/entities/:entity` (GET)

`/entities/:entity` (PUT)

`/entities/:entity` (DELETE)

The `/entities` API endpoint

`/entities` (GET)

The `/entities` API endpoint provides HTTP GET access to entity data.

EXAMPLE

The following example demonstrates a request to the `/entities` API, resulting in a JSON Array containing entity definitions.

```
curl http://127.0.0.1:8080/api/core/v2/namespaces/default/entities -H
"Authorization: Bearer $SENSU_TOKEN"
[
  {
    "entity_class": "agent",
    "system": {
      "hostname": "sensu-centos",
      "os": "linux",
      "platform": "centos",
      "platform_family": "rhel",
      "platform_version": "7.4.1708",
```

```
"network": {
  "interfaces": [
    {
      "name": "lo",
      "addresses": [
        "127.0.0.1/8",
        "::1/128"
      ]
    },
    {
      "name": "enp0s3",
      "mac": "08:00:27:11:ad:d2",
      "addresses": [
        "10.0.2.15/24",
        "fe80::f50c:b029:30a5:3e26/64"
      ]
    },
    {
      "name": "enp0s8",
      "mac": "08:00:27:9f:5d:f3",
      "addresses": [
        "172.28.128.3/24",
        "fe80::a00:27ff:fe9f:5df3/64"
      ]
    }
  ],
  "arch": "amd64"
},
"subscriptions": [
  "entity:sensu-centos"
],
"last_seen": 1543349936,
"deregister": false,
"deregistration": {},
"user": "agent",
"redact": [
  "password",
  "passwd",
  "pass",
  "api_key",
  "api_token",
```

```

    "access_key",
    "secret_key",
    "private_key",
    "secret"
  ],
  "metadata": {
    "name": "sensu-centos",
    "namespace": "default",
    "labels": null,
    "annotations": null
  }
}
]

```

API Specification

/entities (GET)

description Returns the list of entities.

example url <http://hostname:8080/api/core/v2/namespaces/default/entities>

pagination This endpoint supports pagination using the `limit` and `continue` query parameters. See the [API overview](#) for details.

response type Array

response codes **Success:** 200 (OK)
Error: 500 (Internal Server Error)

output

```

[
  {
    "entity_class": "agent",
    "system": {
      "hostname": "sensu-centos",
      "os": "linux",
      "platform": "centos",
      "platform_family": "rhel",
      "platform_version": "7.4.1708",

```

```
"network": {
  "interfaces": [
    {
      "name": "lo",
      "addresses": [
        "127.0.0.1/8",
        "::1/128"
      ]
    },
    {
      "name": "enp0s3",
      "mac": "08:00:27:11:ad:d2",
      "addresses": [
        "10.0.2.15/24",
        "fe80::f50c:b029:30a5:3e26/64"
      ]
    },
    {
      "name": "enp0s8",
      "mac": "08:00:27:9f:5d:f3",
      "addresses": [
        "172.28.128.3/24",
        "fe80::a00:27ff:fe9f:5df3/64"
      ]
    }
  ],
  "arch": "amd64"
},
"subscriptions": [
  "entity:sensu-centos"
],
"last_seen": 1543349936,
"deregister": false,
"deregistration": {},
"user": "agent",
"redact": [
  "password",
  "passwd",
  "pass",
  "api_key",
  "api_token",
```

```
        "access_key",
        "secret_key",
        "private_key",
        "secret"
    ],
    "metadata": {
        "name": "sensu-centos",
        "namespace": "default",
        "labels": null,
        "annotations": null
    }
}
```

`/entities` (POST)

`/entities` (POST)

description	Create a Sensu entity.
-------------	------------------------

example URL	http://hostname:8080/api/core/v2/namespaces/default/entities
-------------	---

payload	
---------	--

```
{
  "entity_class": "proxy",
  "subscriptions": [
    "web"
  ],
  "deregister": false,
  "deregistration": {},
  "metadata": {
    "name": "sensu-centos",
    "namespace": "default",
    "labels": null,
    "annotations": null
  }
}
```

response codes

Success: 204 (No Content)

Malformed: 400 (Bad Request)

Error: 500 (Internal Server Error)

The `/entities/:entity` API endpoint

`/entities/:entity` (GET)

The `/entities/:entity` API endpoint provides HTTP GET access to entity data for specific `:entity` definitions, by entity `name`.

EXAMPLE

In the following example, querying the `/entities/:entity` API returns a JSON Map containing the requested `:entity` definition (in this example: for the `:entity` named `sensu-centos`).

```
curl http://127.0.0.1:8080/api/core/v2/namespaces/default/entities/sensu-centos -H
"Authorization: Bearer $SENSU_TOKEN"
{
  "entity_class": "agent",
  "system": {
    "hostname": "sensu-centos",
    "os": "linux",
    "platform": "centos",
    "platform_family": "rhel",
    "platform_version": "7.4.1708",
    "network": {
      "interfaces": [
        {
          "name": "lo",
          "addresses": [
            "127.0.0.1/8",
            "::1/128"
          ]
        },
        {
          "name": "enp0s3",
```



```
        "mac": "08:00:27:11:ad:d2",
        "addresses": [
            "10.0.2.15/24",
            "fe80::f50c:b029:30a5:3e26/64"
        ]
    },
    {
        "name": "enp0s8",
        "mac": "08:00:27:9f:5d:f3",
        "addresses": [
            "172.28.128.3/24",
            "fe80::a00:27ff:fe9f:5df3/64"
        ]
    }
]
},
"arch": "amd64"
},
"subscriptions": [
    "entity:sensu-centos"
],
"last_seen": 1543349936,
"deregister": false,
"deregistration": {},
"user": "agent",
"redact": [
    "password",
    "passwd",
    "pass",
    "api_key",
    "api_token",
    "access_key",
    "secret_key",
    "private_key",
    "secret"
],
"metadata": {
    "name": "sensu-centos",
    "namespace": "default",
    "labels": null,
    "annotations": null
}
```

```
}
```

API Specification

/entities/:entity (GET)

description	Returns a entity.
-------------	-------------------

example url	http://hostname:8080/api/core/v2/namespaces/default/entities/sensu-centos
-------------	---

response type	Map
---------------	-----

response codes	Success: 200 (OK) Missing: 404 (Not Found) Error: 500 (Internal Server Error)
----------------	--

output

```
{
  "entity_class": "agent",
  "system": {
    "hostname": "sensu-centos",
    "os": "linux",
    "platform": "centos",
    "platform_family": "rhel",
    "platform_version": "7.4.1708",
    "network": {
      "interfaces": [
        {
          "name": "lo",
          "addresses": [
            "127.0.0.1/8",
            "::1/128"
          ]
        },
        {
          "name": "enp0s3",
          "mac": "08:00:27:11:ad:d2",
          "addresses": [
```

```
        "10.0.2.15/24",
        "fe80::f50c:b029:30a5:3e26/64"
    ]
},
{
    "name": "enp0s8",
    "mac": "08:00:27:9f:5d:f3",
    "addresses": [
        "172.28.128.3/24",
        "fe80::a00:27ff:fe9f:5df3/64"
    ]
}
],
},
"arch": "amd64"
},
"subscriptions": [
    "entity:sensu-centos"
],
"last_seen": 1543349936,
"deregister": false,
"deregistration": {},
"user": "agent",
"redact": [
    "password",
    "passwd",
    "pass",
    "api_key",
    "api_token",
    "access_key",
    "secret_key",
    "private_key",
    "secret"
],
"metadata": {
    "name": "sensu-centos",
    "namespace": "default",
    "labels": null,
    "annotations": null
}
}
```

`/entities/:entity` (PUT)

API Specification

`/entities/:entity` (PUT)

description	Create or update a Sensu entity.
-------------	----------------------------------

example URL	http://hostname:8080/api/core/v2/namespaces/default/entities/sensu-centos
-------------	---

payload	
---------	--

```
{
  "entity_class": "proxy",
  "subscriptions": [
    "web"
  ],
  "deregister": false,
  "deregistration": {},
  "metadata": {
    "name": "sensu-centos",
    "namespace": "default",
    "labels": null,
    "annotations": null
  }
}
```

response codes	Successfully created or updated: 204 (No Content) Malformed: 400 (Bad Request) Error: 500 (Internal Server Error)
----------------	--

`/entities/:entity` (DELETE)

The `/entities/:entity` API endpoint provides HTTP DELETE access to delete an entity from Sensu given the entity name.

EXAMPLE

The following example shows a request to delete the entity `server1` , resulting in a successful HTTP 204 No Content response.

```
curl -X DELETE \
-H "Authorization: Bearer $SENSU_TOKEN" \
http://127.0.0.1:8080/api/core/v2/namespaces/default/entities/server1

HTTP/1.1 204 No Content
```

API Specification

/entities/:entity (DELETE)	
description	Removes a entity from Sensu given the entity name.
example url	http://hostname:8080/api/core/v2/namespaces/default/entities/server1
response codes	Success: 204 (No Content) Missing: 404 (Not Found) Error: 500 (Internal Server Error)

Events API

Contents

The `/events` API endpoint

`/events` (GET)

`/events` (POST)

The `/events/:entity` API endpoint

`/events/:entity` (GET)

The `/events/:entity/:check` API endpoint

`/events/:entity/:check` (GET)

`/events/:entity/:check` (PUT)

`/events/:entity/:check` (DELETE)

The `/events` API endpoint

`/events` (GET)

The `/events` API endpoint provides HTTP GET access to event data.

EXAMPLE

The following example demonstrates a request to the `/events` API, resulting in a JSON Array containing event definitions.

```
curl -H "Authorization: Bearer $SENSU_TOKEN" \
http://127.0.0.1:8080/api/core/v2/namespaces/default/events

HTTP/1.1 200 OK
[
  {
    "timestamp": 1542667666,
    "entity": {
      "entity_class": "agent",
```

```
"system": {
  "hostname": "webserver01",
  "...": "...",
  "arch": "amd64"
},
"subscriptions": [
  "testing",
  "entity:webserver01"
],
"metadata": {
  "name": "check-nginx",
  "namespace": "default",
  "labels": null,
  "annotations": null
}
},
"check": {
  "check_hooks": null,
  "duration": 2.033888684,
  "command": "http_check.sh http://localhost:80",
  "handlers": [
    "slack"
  ],
  "high_flap_threshold": 0,
  "interval": 20,
  "low_flap_threshold": 0,
  "publish": true,
  "runtime_assets": [],
  "subscriptions": [
    "testing"
  ],
  "proxy_entity_name": "",
  "check_hooks": null,
  "stdin": false,
  "ttl": 0,
  "timeout": 0,
  "duration": 0.010849143,
  "output": "",
  "state": "failing",
  "status": 1,
  "total_state_change": 0,
  "last_ok": 0,
```

```

    "occurrences": 1,
    "occurrences_watermark": 1,
    "output_metric_format": "",
    "output_metric_handlers": [],
    "env_vars": null,
    "metadata": {
      "name": "check-nginx",
      "namespace": "default",
      "labels": null,
      "annotations": null
    }
  }
}
]

```

API Specification

/events (GET)

description Returns the list of events.

example url <http://hostname:8080/api/core/v2/namespaces/default/events>

pagination This endpoint supports pagination using the `limit` and `continue` query parameters. See the [API overview](#) for details.

response type Array

response codes **Success:** 200 (OK)
Error: 500 (Internal Server Error)

output

```

[
  {
    "timestamp": 1542667666,
    "entity": {
      "entity_class": "agent",
      "system": {
        "hostname": "webserver01",
        "...": "...",

```



```
    "arch": "amd64"
  },
  "subscriptions": [
    "testing",
    "entity:webserver01"
  ],
  "metadata": {
    "name": "check-nginx",
    "namespace": "default",
    "labels": null,
    "annotations": null
  }
},
"check": {
  "check_hooks": null,
  "duration": 2.033888684,
  "command": "http_check.sh http://localhost:80",
  "handlers": [
    "slack"
  ],
  "high_flap_threshold": 0,
  "interval": 20,
  "low_flap_threshold": 0,
  "publish": true,
  "runtime_assets": [],
  "subscriptions": [
    "testing"
  ],
  "proxy_entity_name": "",
  "check_hooks": null,
  "stdin": false,
  "ttl": 0,
  "timeout": 0,
  "duration": 0.010849143,
  "output": "",
  "state": "failing",
  "status": 1,
  "total_state_change": 0,
  "last_ok": 0,
  "occurrences": 1,
  "occurrences_watermark": 1,
  "output_metric_format": "",
```

```
    "output_metric_handlers": [],
    "env_vars": null,
    "metadata": {
      "name": "check-nginx",
      "namespace": "default",
      "labels": null,
      "annotations": null
    }
  }
}
```

`/events` (POST)

The `/events` API endpoint provides HTTP POST access to create an event and send it to the Sensu pipeline.

EXAMPLE

In the following example, an HTTP POST request is submitted to the `/events` API to create an event. The request includes information about the check and entity represented by the event and returns a successful HTTP 204 No Content response.

```
curl -X POST \
-H "Authorization: Bearer $SENSU_TOKEN" \
-H 'Content-Type: application/json' \
-d '{
  "entity": {
    "entity_class": "proxy",
    "metadata": {
      "name": "server1",
      "namespace": "default"
    }
  },
  "check": {
    "output": "Server error",
    "state": "failing",
    "status": 2,
```

```
"handlers": ["slack"],
"interval": 60,
"metadata": {
  "name": "server-health"
}
}
}' \
http://127.0.0.1:8080/api/core/v2/namespaces/default/events

HTTP/1.1 204 No Content
```

API Specification

/events (POST)

description Create a Sensu event for a new entity and check combination. To create an event for an existing entity and check combination or to update an existing event, use the [/events/:entity/:check](#) PUT endpoint.

example URL <http://hostname:8080/api/core/v2/namespaces/default/events>

payload

```
{
  "entity": {
    "entity_class": "proxy",
    "metadata": {
      "name": "server1",
      "namespace": "default"
    }
  },
  "check": {
    "output": "Server error",
    "state": "failing",
    "status": 2,
    "handlers": ["slack"],
    "interval": 60,
    "metadata": {
      "name": "server-health"
    }
  }
}
```

```
}
```

payload parameters	See the payload parameters section for the /events/:entity/:check PUT endpoint.
--------------------	---

response codes	Success: 204 (No Content) Malformed: 400 (Bad Request) Conflict: 409 (Event already exists for the entity and check) Error: 500 (Internal Server Error)
----------------	--

The `/events/:entity` API endpoint

`/events/:entity` (GET)

The `/events/:entity` API endpoint provides HTTP GET access to [event data](#) specific to an `:entity`, by entity `name`.

EXAMPLE

In the following example, querying the `/events/:entity` API returns a list of Sensu events for the `sensu-go-sandbox` entity and a successful HTTP 200 OK response.

```
curl -H "Authorization: Bearer $SENSU_TOKEN" \  
http://127.0.0.1:8080/api/core/v2/namespaces/default/events/sensu-go-sandbox
```

```
HTTP/1.1 200 OK
```

```
[  
  {  
    "timestamp": 1543871497,  
    "entity": {  
      "entity_class": "agent",  
      "system": {  
        "hostname": "webserver01",  
        "...": "...",  
        "arch": "amd64"  
      },  
    },  
  },  
]
```

```
"subscriptions": [
  "linux",
  "entity:sensu-go-sandbox"
],
"last_seen": 1543858763,
"metadata": {
  "name": "sensu-go-sandbox",
  "namespace": "default"
}
},
"check": {
  "command": "check-cpu.sh -w 75 -c 90",
  "duration": 1.054253257,
  "executed": 1543871496,
  "history": [
    {
      "status": 0,
      "executed": 1543870296
    }
  ],
  "issued": 1543871496,
  "output": "CPU OK - Usage:.50\n",
  "state": "passing",
  "status": 0,
  "total_state_change": 0,
  "last_ok": 1543871497,
  "occurrences": 1,
  "metadata": {
    "name": "check-cpu",
    "namespace": "default"
  }
},
"metadata": {
  "namespace": "default"
}
},
{
  "timestamp": 1543871524,
  "entity": {
    "entity_class": "agent",
    "system": {
      "hostname": "webserver01",
```

```
    "...": "...",
    "arch": "amd64"
  },
  "subscriptions": [
    "linux",
    "entity:sensu-go-sandbox"
  ],
  "last_seen": 1543871523,
  "metadata": {
    "name": "sensu-go-sandbox",
    "namespace": "default"
  }
},
"check": {
  "handlers": [
    "keepalive"
  ],
  "executed": 1543871524,
  "history": [
    {
      "status": 0,
      "executed": 1543871124
    }
  ],
  "issued": 1543871524,
  "output": "",
  "state": "passing",
  "status": 0,
  "total_state_change": 0,
  "last_ok": 1543871524,
  "occurrences": 1,
  "metadata": {
    "name": "keepalive",
    "namespace": "default"
  }
},
"metadata": {}
}
```

```
]
```

<div>/events/:entity (GET)</div>	
description	Returns a list of events for the specified entity.
example url	http://hostname:8080/api/core/v2/namespaces/default/events/sensu-go-sandbox
pagination	This endpoint supports pagination using the <code>limit</code> and <code>continue</code> query parameters. See the API overview for details.
response type	Array
response codes	Success: 200 (OK) Missing: 404 (Not Found) Error: 500 (Internal Server Error)

output	<pre>[{ "timestamp": 1543871524, "entity": { "entity_class": "agent", "system": { "hostname": "webserver01", "...": "...", "arch": "amd64" }, "subscriptions": ["linux", "entity:sensu-go-sandbox"], "last_seen": 1543871523, "metadata": { "name": "sensu-go-sandbox", "namespace": "default" } }, "check": { "handlers": [</pre>
--------	---

```

        "keepalive"
      ],
      "executed": 1543871524,
      "history": [
        {
          "status": 0,
          "executed": 1543871124
        }
      ],
      "issued": 1543871524,
      "output": "",
      "state": "passing",
      "status": 0,
      "total_state_change": 0,
      "last_ok": 1543871524,
      "occurrences": 1,
      "metadata": {
        "name": "keepalive",
        "namespace": "default"
      }
    },
    "metadata": {}
  }
]

```

The `/events/:entity/:check` API endpoint

`/events/:entity/:check` (GET)

API Specification

`/events/:entity/:check`
(GET)

description

Returns an event for a given entity and check.

example url	http://hostname:8080/api/core/v2/namespaces/default/events/sensu-go-sandbox/check-cpu
response type	Map
response codes	Success: 200 (OK) Missing: 404 (Not Found) Error: 500 (Internal Server Error)
output	<pre>{ "timestamp": 1543871524, "entity": { "entity_class": "agent", "system": { "hostname": "webserver01", "...": "...", "arch": "amd64" }, "subscriptions": ["linux", "entity:sensu-go-sandbox"], "last_seen": 1543871523, "metadata": { "name": "sensu-go-sandbox", "namespace": "default" } }, "check": { "handlers": ["keepalive"], "executed": 1543871524, "history": [{ "status": 0, "executed": 1543871124 }], "issued": 1543871524, "output": "", } }</pre>

```

    "state": "passing",
    "status": 0,
    "total_state_change": 0,
    "last_ok": 1543871524,
    "occurrences": 1,
    "metadata": {
      "name": "keepalive",
      "namespace": "default"
    }
  },
  "metadata": {}
}

```

`/events/:entity/:check` (PUT)

The `/events/:entity/:check` API endpoint provides HTTP PUT access to create or update an event and send it to the Sensu pipeline.

EXAMPLE

In the following example, an HTTP PUT request is submitted to the `/events/:entity/:check` API to create an event for the `server1` entity and the `server-health` check and process it using the `slack` event handler. The event includes a status code of `1`, indicating a warning, and an output message of “Server error”.

```

curl -X PUT \
-H "Authorization: Bearer $SENSU_TOKEN" \
-H 'Content-Type: application/json' \
-d '{
  "entity": {
    "entity_class": "proxy",
    "metadata": {
      "name": "server1",
      "namespace": "default"
    }
  },
  "check": {
    "output": "Server error",

```

```
"status": 1,
"handlers": ["slack"],
"interval": 60,
"metadata": {
  "name": "server-health"
}
}
}' \
http://127.0.0.1:8080/api/core/v2/namespaces/default/events/server1/server-health
```

The request returns a 204 (No Content) HTTP response code and the resulting event definition.

```
HTTP/1.1 204 No Content
```

You can use `sensuctl` or the [Sensu dashboard](#) to see the event.

```
sensuctl event list
```

You should see the event with the status and output specified in the request.

Entity	Check	Output	Status	Silenced	Timestamp
server1	server-health	Server error	1	false	2019-03-14 16:56:09 +0000 UTC

API Specification

`/events/:entity/:check (PUT)`

description Creates an event for a given entity and check.

example url <http://hostname:8080/api/core/v2/namespaces/default/events/server1/server-health>

payload

```
{
  "entity": {
    "entity_class": "proxy",
    "metadata": {
      "name": "server1",
      "namespace": "default"
    }
  },
  "check": {
    "output": "Server error",
    "status": 1,
    "handlers": ["slack"],
    "interval": 60,
    "metadata": {
      "name": "server-health"
    }
  }
}
```

payload parameters

See the [payload parameters](#) section below.

response codes

Successfully created or updated: 204 (No Content)

Missing: 404 (Not Found)

Error: 500 (Internal Server Error)

Payload parameters

The `/events/:entity/:check` PUT endpoint requires a request payload containing an `entity` scope and a `check` scope. The `entity` scope contains information about the component of your infrastructure represented by the event. At a minimum, Sensu requires the `entity` scope to contain the `entity_class` (`agent` or `proxy`) and the entity `name` and `namespace` within a `metadata` scope. For more information about entity attributes, see the [entity specification](#).

The `check` scope contains information about the event status and how the event was created. At a minimum, Sensu requires the `check` scope to contain a `name` within a `metadata` scope and either an `interval` or `cron` attribute. For more information about check attributes, see the [check specification](#).

Example request with minimum required event attributes

```
curl -X PUT \
-H "Authorization: Bearer $SENSU_TOKEN" \
-H 'Content-Type: application/json' \
-d '{
  "entity": {
    "entity_class": "proxy",
    "metadata": {
      "name": "server1",
      "namespace": "default"
    }
  },
  "check": {
    "interval": 60,
    "metadata": {
      "name": "server-health"
    }
  }
}' \
http://127.0.0.1:8080/api/core/v2/namespaces/default/events/server1/server-health
```

The minimum required attributes shown above let you create an event using the `/events/:entity/:check` PUT endpoint, however the request can include any attributes defined in the [event specification](#). To create useful, actionable events, we recommend adding check attributes such as the event `status` (`0` for OK, `1` for warning, `2` for critical), an `output` message, and one or more event `handlers`. For more information about these attributes and their available values, see the [event specification](#).

Example request with minimum recommended event attributes

```
curl -X PUT \
-H "Authorization: Bearer $SENSU_TOKEN" \
-H 'Content-Type: application/json' \
-d '{
  "entity": {
    "entity_class": "proxy",
    "metadata": {
      "name": "server1",
```

```

        "namespace": "default"
    }
},
"check": {
    "output": "Server error",
    "status": 1,
    "handlers": ["slack"],
    "interval": 60,
    "metadata": {
        "name": "server-health"
    }
}
}' \
http://127.0.0.1:8080/api/core/v2/namespaces/default/events/server1/server-health

```

Creating metric events

In addition to the `entity` and `check` scopes, Sensu events can include a `metrics` scope containing metrics in Sensu metric format. See the [events reference](#) and for more information about Sensu metric format.

Example request including metrics

```

curl -X PUT \
-H "Authorization: Bearer $SENSU_TOKEN" \
-H 'Content-Type: application/json' \
-d '{
    "entity": {
        "entity_class": "proxy",
        "metadata": {
            "name": "server1",
            "namespace": "default"
        }
    },
    "check": {
        "status": 0,
        "output_metric_handlers": ["influxdb"],
        "interval": 60,
        "metadata": {
            "name": "server-metrics"
        }
    }
}'

```

```
}
},
"metrics": {
  "handlers": [
    "influxdb"
  ],
  "points": [
    {
      "name": "server1.server-metrics.time_total",
      "tags": [],
      "timestamp": 1552506033,
      "value": 0.005
    },
    {
      "name": "server1.server-metrics.time_namelookup",
      "tags": [],
      "timestamp": 1552506033,
      "value": 0.004
    }
  ]
}
}' \
http://127.0.0.1:8080/api/core/v2/namespaces/default/events/server1/server-metrics
```

`/events/:entity/:check` (DELETE)

EXAMPLE

The following example shows a request to delete the event produced by the `sensu-go-sandbox` entity and `check-cpu` check, resulting in a successful HTTP 204 No Content response.

```
curl -X DELETE \
-H "Authorization: Bearer $SENSU_TOKEN" \
http://127.0.0.1:8080/api/core/v2/namespaces/default/events/sensu-go-sandbox/check-cpu

HTTP/1.1 204 No Content
```

API Specification

/events/:entity/:check (DELETE)	
description	Deletes the event created by the specified entity using the specified check
example url	http://hostname:8080/api/core/v2/namespaces/default/events/sensu-go-sandbox/check-cpu
response codes	Success: 204 (No Content) Missing: 404 (Not Found) Error: 500 (Internal Server Error)

Filters API

Contents

The `/filters` API endpoint

`/filters` (GET)

`/filters` (POST)

The `/filters/:filter` API endpoint

`/filters/:filter` (GET)

`/filters/:filter` (PUT)

`/filters/:filter` (DELETE)

The `/filters` API endpoint

`/filters` (GET)

The `/filters` API endpoint provides HTTP GET access to filter data.

EXAMPLE

The following example demonstrates a request to the `/filters` API, resulting in a JSON Array containing filter definitions.

```
curl http://127.0.0.1:8080/api/core/v2/namespaces/default/filters -H "Authorization: Bearer $TOKEN"

[
  {
    "metadata": {
      "name": "state_change_only",
      "namespace": "default",
      "labels": null,
      "annotations": null
    },
    "action": "allow",
```

```

    "expressions": [
      "event.check.occurrences == 1"
    ],
    "runtime_assets": []
  }
]

```

API Specification

/filters (GET)

description Returns the list of filters.

example url <http://hostname:8080/api/core/v2/namespaces/default/filters>

pagination This endpoint supports pagination using the `limit` and `continue` query parameters. See the [API overview](#) for details.

response type Array

response codes **Success:** 200 (OK)
Error: 500 (Internal Server Error)

output

```

[
  {
    "metadata": {
      "name": "state_change_only",
      "namespace": "default",
      "labels": null,
      "annotations": null
    },
    "action": "allow",
    "expressions": [
      "event.check.occurrences == 1"
    ],
    "runtime_assets": []
  },
  {
    "metadata": {

```

```
    "name": "development_filter",
    "namespace": "default",
    "labels": null,
    "annotations": null
  },
  "action": "deny",
  "expressions": [
    "event.entity.metadata.namespace == 'production'"
  ],
  "runtime_assets": []
}
```

`/filters` (POST)

`/filters` (POST)

description	Create a Sensu filter.
-------------	------------------------

example URL	http://hostname:8080/api/core/v2/namespaces/default/filters
-------------	---

payload	
---------	--

```
{
  "metadata": {
    "name": "development_filter",
    "namespace": "default",
    "labels": null,
    "annotations": null
  },
  "action": "deny",
  "expressions": [
    "event.entity.metadata.namespace == 'production'"
  ],
  "runtime_assets": []
}
```

response codes	
----------------	--

Success: 204 (No Content) Malformed: 400 (Bad Request)

The `/filters/:filter` API endpoint

`/filters/:filter` (GET)

The `/filters/:filter` API endpoint provides HTTP GET access to filter data for specific `:filter` definitions, by filter `name`.

EXAMPLE

In the following example, querying the `/filters/:filter` API returns a JSON Map containing the requested `:filter` definition (in this example: for the `:filter` named `state_change_only`).

```
curl http://127.0.0.1:8080/api/core/v2/namespaces/default/filters/state_change_only -H "Authorization: Bearer $TOKEN"
{
  "metadata": {
    "name": "state_change_only",
    "namespace": "default",
    "labels": null,
    "annotations": null
  },
  "action": "allow",
  "expressions": [
    "event.check.occurrences == 1"
  ],
  "runtime_assets": []
}
```

API Specification

`/filters/:filter` (GET)

description	Returns a filter.
-------------	-------------------

example url	http://hostname:8080/api/core/v2/namespaces/default/filters/state_change_only
response type	Map
response codes	Success: 200 (OK) Missing: 404 (Not Found) Error: 500 (Internal Server Error)

output

```
{
  "metadata": {
    "name": "state_change_only",
    "namespace": "default",
    "labels": null,
    "annotations": null
  },
  "action": "allow",
  "expressions": [
    "event.check.occurrences == 1"
  ],
  "runtime_assets": []
}
```

`/filters/:filter` (PUT)

API Specification

`/filters/:filter` (PUT)

description	Create or update a Sensu filter.
example URL	http://hostname:8080/api/core/v2/namespaces/default/filters/development_filter

payload

```
{
  "metadata": {
```

```
    "name": "development_filter",
    "namespace": "default",
    "labels": null,
    "annotations": null
  },
  "action": "deny",
  "expressions": [
    "event.entity.metadata.namespace == 'production'"
  ],
  "runtime_assets": []
}
```

response codes

Successfully created or updated: 204 (No Content)

Malformed: 400 (Bad Request)

Error: 500 (Internal Server Error)

`/filters/:filter` (DELETE)

The `/filters/:filter` API endpoint provides HTTP DELETE access to delete a filter from Sensu given the filter name.

EXAMPLE

The following example shows a request to delete the filter `production-only`, resulting in a successful HTTP 204 No Content response.

```
curl -X DELETE \
-H "Authorization: Bearer $SENSU_TOKEN" \
http://127.0.0.1:8080/api/core/v2/namespaces/default/filters/production-only

HTTP/1.1 204 No Content
```

API Specification

/filters/:filter (DELETE)

description	Removes a filter from Sensu given the filter name.
-------------	--

example url	http://hostname:8080/api/core/v2/namespaces/default/filters/production-only
-------------	---

response codes	Success: 204 (No Content) Missing: 404 (Not Found) Error: 500 (Internal Server Error)
----------------	--

Handlers API

Contents

The `/handlers` API endpoint

`/handlers` (GET)

`/handlers` (POST)

The `/handlers/:handler` API endpoint

`/handlers/:handler` (GET)

`/handlers/:handler` (PUT)

`/handlers/:handler` (DELETE)

The `/handlers` API endpoint

`/handlers` (GET)

The `/handlers` API endpoint provides HTTP GET access to handler data.

EXAMPLE

The following example demonstrates a request to the `/handlers` API, resulting in a JSON Array containing handler definitions.

```
curl http://127.0.0.1:8080/api/core/v2/namespaces/default/handlers -H
"Authorization: Bearer $SENSU_TOKEN"
[
  {
    "metadata": {
      "name": "slack",
      "namespace": "default",
      "labels": null,
      "annotations": null
    },
    "command": "sensu-slack-handler --channel '#monitoring'",
```



```

    "env_vars": [

      "SLACK_WEBHOOK_URL=https://hooks.slack.com/services/T00000000/B00000000/XXXXXXXXXXXXX
XXXXXXXXXXXXX"

    ],
    "filters": [
      "is_incident",
      "not_silenced"
    ],
    "handlers": [],
    "runtime_assets": [],
    "timeout": 0,
    "type": "pipe"
  }
]

```

API Specification

/handlers (GET)

description	Returns the list of handlers.
-------------	-------------------------------

example url	http://hostname:8080/api/core/v2/namespaces/default/handlers
-------------	---

pagination	This endpoint supports pagination using the <code>limit</code> and <code>continue</code> query parameters. See the API overview for details.
------------	--

response type	Array
---------------	-------

response codes	Success: 200 (OK) Error: 500 (Internal Server Error)
----------------	---

output	
--------	--

```

[
  {
    "metadata": {
      "name": "slack",
      "namespace": "default",
      "labels": null,
      "annotations": null
    }
  }
]

```

```

    },
    "command": "sensu-slack-handler --channel
'#monitoring'",
    "env_vars": [

"SLACK_WEBHOOK_URL=https://hooks.slack.com/services/T000000
00/B000000000/XXXXXXXXXXXXXXXXXXXXXXXXXXXX"

    ],
    "filters": [
        "is_incident",
        "not_silenced"
    ],
    "handlers": [],
    "runtime_assets": [],
    "timeout": 0,
    "type": "pipe"
},
{
    "metadata": {
        "name": "influx-db",
        "namespace": "default",
        "labels": null,
        "annotations": null
    },
    "command": "sensu-influxdb-handler -d sensu",
    "env_vars": [

"INFLUXDB_ADDR=http://influxdb.default.svc.cluster.local:808
6",

        "INFLUXDB_USER=sensu",
        "INFLUXDB_PASSWORD=password"
    ],
    "filters": [],
    "handlers": [],
    "runtime_assets": [],
    "timeout": 0,
    "type": "pipe"
}
]

```

`/handlers` (POST)

`/handlers` (POST)

description Create a Sensu handler.

example URL <http://hostname:8080/api/core/v2/namespaces/default/handlers>

payload

```
{
  "metadata": {
    "name": "influx-db",
    "namespace": "default",
    "labels": null,
    "annotations": null
  },
  "command": "sensu-influxdb-handler -d sensu",
  "env_vars": [
    "INFLUXDB_ADDR=http://influxdb.default.svc.cluster.local:8086",
    "INFLUXDB_USER=sensu",
    "INFLUXDB_PASSWORD=password"
  ],
  "filters": [],
  "handlers": [],
  "runtime_assets": [],
  "timeout": 0,
  "type": "pipe"
}
```

response codes

Success: 204 (No Content)

Malformed: 400 (Bad Request)

Error: 500 (Internal Server Error)

The `/handlers/:handler` API endpoint

`/handlers/:handler` (GET)

The `/handlers/:handler` API endpoint provides HTTP GET access to handler data for specific `:handler` definitions, by handler `name`.

EXAMPLE

In the following example, querying the `/handlers/:handler` API returns a JSON Map containing the requested `:handler` definition (in this example: for the `:handler` named `slack`).

```
curl http://127.0.0.1:8080/api/core/v2/namespaces/default/handlers/slack -H
"Authorization: Bearer $SENSU_TOKEN"
{
  "metadata": {
    "name": "slack",
    "namespace": "default",
    "labels": null,
    "annotations": null
  },
  "command": "sensu-slack-handler --channel '#monitoring'",
  "env_vars": [

    "SLACK_WEBHOOK_URL=https://hooks.slack.com/services/T00000000/B00000000/XXXXXXXXXXXX
XXXXXXXXXXXX"

  ],
  "filters": [
    "is_incident",
    "not_silenced"
  ],
  "handlers": [],
  "runtime_assets": [],
  "timeout": 0,
  "type": "pipe"
}
```

API Specification

`/handlers/:handler`

(GET)

description Returns a handler.

example url <http://hostname:8080/api/core/v2/namespaces/default/handlers/slack>

response type Map

response codes
Success: 200 (OK)
Missing: 404 (Not Found)
Error: 500 (Internal Server Error)

output

```
{
  "metadata": {
    "name": "slack",
    "namespace": "default",
    "labels": null,
    "annotations": null
  },
  "command": "sensu-slack-handler --channel '#monitoring'",
  "env_vars": [

    "SLACK_WEBHOOK_URL=https://hooks.slack.com/services/T000000000/B000000000/XXXXXXXXXXXXXXXXXXXXXXXXXXXX"

  ],
  "filters": [
    "is_incident",
    "not_silenced"
  ],
  "handlers": [],
  "runtime_assets": [],
  "timeout": 0,
  "type": "pipe"
}
```

/handlers/:handler (PUT)

/handlers/:handler (PUT)

description Create or update a Sensu handler.

example URL <http://hostname:8080/api/core/v2/namespaces/default/handlers/influx-db>

payload

```
{
  "metadata": {
    "name": "influx-db",
    "namespace": "default",
    "labels": null,
    "annotations": null
  },
  "command": "sensu-influxdb-handler -d sensu",
  "env_vars": [

    "INFLUXDB_ADDR=http://influxdb.default.svc.cluster.local:8086",
    "INFLUXDB_USER=sensu",
    "INFLUXDB_PASSWORD=password"
  ],
  "filters": [],
  "handlers": [],
  "runtime_assets": [],
  "timeout": 0,
  "type": "pipe"
}
```

response codes **Successfully created or updated:** 204 (No Content)
Malformed: 400 (Bad Request)
Error: 500 (Internal Server Error)

/handlers/:handler (DELETE)

The `/handlers/:handler` API endpoint provides HTTP DELETE access to delete a handler from Sensu given the handler name.

EXAMPLE

The following example shows a request to delete the handler `slack` , resulting in a successful HTTP 204 No Content response.

```
curl -X DELETE \
-H "Authorization: Bearer $SENSU_TOKEN" \
http://127.0.0.1:8080/api/core/v2/namespaces/default/handlers/slack

HTTP/1.1 204 No Content
```

API Specification

/handlers/:handler (DELETE)	
description	Removes a handler from Sensu given the handler name.
example url	http://hostname:8080/api/core/v2/namespaces/default/handlers/slack
response codes	Success: 204 (No Content) Missing: 404 (Not Found) Error: 500 (Internal Server Error)

Health API

Contents

The `/health` API endpoint

`/health` (GET)

The `/health` API endpoint provides HTTP GET access to health data for your Sensu instance.

EXAMPLE

The following example demonstrates a request to the `/health` API, resulting in a JSON map containing Sensu health data.

```
curl http://127.0.0.1:8080/health

HTTP/1.1 200 OK
{
  "Alarms": null,
  "ClusterHealth": [
    {
      "MemberID": 9882886658148554927,
      "Name": "default",
      "Err": "",
      "Healthy": true
    }
  ],
  "Header": {
    "cluster_id": 4255616304056076734,
    "member_id": 9882886658148554927,
    "raft_term": 26
  }
}
```



```
}
```

API Specification

/health (GET)

description	Returns health information about the Sensu instance
-------------	---

example url	http://hostname:8080/health
-------------	---

response type	Map
---------------	-----

response codes	Success: 200 (OK) Error: 500 (Internal Server Error)
----------------	---

output

```
{
  "Alarms": null,
  "ClusterHealth": [
    {
      "MemberID": 9882886658148554927,
      "Name": "default",
      "Err": "",
      "Healthy": true
    }
  ],
  "Header": {
    "cluster_id": 4255616304056076734,
    "member_id": 9882886658148554927,
    "raft_term": 26
  }
}
```

Hooks API

Contents

The `/hooks` API endpoint

`/hooks` (GET)

`/hooks` (POST)

The `/hooks/:hook` API endpoint

`/hooks/:hook` (GET)

`/hooks/:hook` (PUT)

`/hooks/:hook` (DELETE)

The `/hooks` API endpoint

`/hooks` (GET)

The `/hooks` API endpoint provides HTTP GET access to hook data.

EXAMPLE

The following example demonstrates a request to the `/hooks` API, resulting in a JSON Array containing hook definitions.

```
curl http://127.0.0.1:8080/api/core/v2/namespaces/default/hooks -H "Authorization: Bearer $SENSU_TOKEN"

[
  {
    "metadata": {
      "name": "process-tree",
      "namespace": "default",
      "labels": null,
      "annotations": null
    },
    "command": "ps aux",
```

```
    "timeout": 10,  
    "stdin": false  
  }  
]
```

API Specification

/hooks (GET)

description	Returns the list of hooks.
-------------	----------------------------

example url	http://hostname:8080/api/core/v2/namespaces/default/hooks
-------------	---

pagination	This endpoint supports pagination using the <code>limit</code> and <code>continue</code> query parameters. See the API overview for details.
------------	--

response type	Array
---------------	-------

response codes	Success: 200 (OK) Error: 500 (Internal Server Error)
----------------	---

output	
--------	--

```
[  
  {  
    "metadata": {  
      "name": "process-tree",  
      "namespace": "default",  
      "labels": null,  
      "annotations": null  
    },  
    "command": "ps aux",  
    "timeout": 10,  
    "stdin": false  
  },  
  {  
    "metadata": {  
      "name": "nginx-log",  
      "namespace": "default",  
      "labels": null,  
      "annotations": null  
    }  
  }  
]
```

```

    },
    "command": "tail -n 100 /var/log/nginx/error.log",
    "timeout": 10,
    "stdin": false
  }
]

```

`/hooks` (POST)

`/hooks` (POST)

description Create a Sensu hook.

example URL <http://hostname:8080/api/core/v2/namespaces/default/hooks>

payload

```

{
  "metadata": {
    "name": "process-tree",
    "namespace": "default",
    "labels": null,
    "annotations": null
  },
  "command": "ps aux",
  "timeout": 10,
  "stdin": false
}

```

response codes

- Success:** 204 (No Content)
- Malformed:** 400 (Bad Request)
- Error:** 500 (Internal Server Error)

The `/hooks/:hook` API endpoint

`/hooks/:hook` (GET)

The `/hooks/:hook` API endpoint provides HTTP GET access to hook data for specific `:hook` definitions, by hook `name`.

EXAMPLE

In the following example, querying the `/hooks/:hook` API returns a JSON Map containing the requested `:hook` definition (in this example: for the `:hook` named `process-tree`).

```
curl http://127.0.0.1:8080/api/core/v2/namespaces/default/hooks/process-tree -H
"Authorization: Bearer $SENSU_TOKEN"
{
  "metadata": {
    "name": "process-tree",
    "namespace": "default",
    "labels": null,
    "annotations": null
  },
  "command": "ps aux",
  "timeout": 10,
  "stdin": false
}
```

API Specification

`/hooks/:hook` (GET)

description	Returns a hook.
-------------	-----------------

example url	<u>http://hostname:8080/api/core/v2/namespaces/default/hooks/process-tree</u>
-------------	--

response type	Map
---------------	-----

response codes	Success: 200 (OK) Missing: 404 (Not Found)
----------------	---

Error: 500 (Internal Server Error)

output

```
{
  "metadata": {
    "name": "process-tree",
    "namespace": "default",
    "labels": null,
    "annotations": null
  },
  "command": "ps aux",
  "timeout": 10,
  "stdin": false
}
```

/hooks/:hook (PUT)

API Specification

/hooks/:hook
(PUT)

description Create or update a Sensu hook.

example URL <http://hostname:8080/api/core/v2/namespaces/default/hooks/process-tree>

payload

```
{
  "metadata": {
    "name": "process-tree",
    "namespace": "default",
    "labels": null,
    "annotations": null
  },
  "command": "ps aux",
  "timeout": 10,
  "stdin": false
}
```

```
}
```

response codes

Successfully created or updated: 204 (No Content)

Malformed: 400 (Bad Request)

Error: 500 (Internal Server Error)

`/hooks/:hook` (DELETE)

The `/hooks/:hook` API endpoint provides HTTP DELETE access to delete a check hook from Sensu given the hook name.

EXAMPLE

The following example shows a request to delete the hook `process-tree`, resulting in a successful HTTP 204 No Content response.

```
curl -X DELETE \
-H "Authorization: Bearer $SENSU_TOKEN" \
http://127.0.0.1:8080/api/core/v2/namespaces/default/hooks/process-tree

HTTP/1.1 204 No Content
```

API Specification

`/hooks/:hook` (DELETE)

description

Removes a hook from Sensu given the hook name.

example url

<http://hostname:8080/api/core/v2/namespaces/default/hooks/process-tree>

response codes

Success: 204 (No Content)

Missing: 404 (Not Found)

Error: 500 (Internal Server Error)

License management API

Contents

The `/license` API endpoints

`/license` (GET)

`/license` (PUT)

The `/license` API endpoints

For more information about license-activated features designed for enterprises, see the [getting started guide](#).

`/license` (GET)

The `/license` API endpoint provides HTTP GET access to the active license configuration.

API Specification

/license (GET)	
description	Returns the active enterprise license configuration. To download your license, log in to your Sensu account or contact the Sensu sales team for a free trial .
example url	http://hostname:8080/api/enterprise/licensing/v2/license
response type	Map
response codes	Success: 200 (OK) Error: 500 (Internal Server Error)

`/license`

(PUT)

The `/license` API endpoint provides HTTP PUT access to activate an enterprise license.

API Specification

/license (PUT)	
description	Activates an enterprise license, or updates an existing license configuration. To download your license, log in to your Sensu account or contact the Sensu sales team for a free trial .
example url	http://hostname:8080/api/enterprise/licensing/v2/license
payload	License definition
response codes	Success: 201 (Created) Malformed: 400 (Bad Request) Error: 500 (Internal Server Error)

Metrics API

Contents

The `/metrics` API endpoint

`/metrics` (GET)

The `/metrics` API endpoint provides HTTP GET access to internal Sensu metrics in [Prometheus](#) format, including embedded etcd, memory usage, garbage collection, and gRPC metrics.

EXAMPLE

The following example demonstrates a request to the `/metrics` API, resulting in plaintext output containing internal Sensu metrics.

```
curl http://127.0.0.1:8080/metrics
```

```
HTTP/1.1 200 OK
```

```
# HELP etcd_debugging_mvcc_db_compaction_keys_total Total number of db keys compacted.
```

```
# TYPE etcd_debugging_mvcc_db_compaction_keys_total counter
```

```
etcd_debugging_mvcc_db_compaction_keys_total 2386
```

```
# HELP etcd_debugging_mvcc_db_compaction_pause_duration_milliseconds Bucketed histogram of db compaction pause duration.
```

```
# TYPE etcd_debugging_mvcc_db_compaction_pause_duration_milliseconds histogram
```

```
etcd_debugging_mvcc_db_compaction_pause_duration_milliseconds_bucket{le="1"} 0
```

```
etcd_debugging_mvcc_db_compaction_pause_duration_milliseconds_bucket{le="2"} 0
```

```
...
```

API Specification

/metrics (GET)

description	Returns internal Sensu metrics in Prometheus format, including embedded etcd, memory usage, garbage collection, and gRPC metrics.
-------------	---

example url	http://hostname:8080/metrics
-------------	---

response type	<u>Prometheus-formatted</u> plaintext
---------------	---------------------------------------

response codes	Success: 200 (OK) Error: 500 (Internal Server Error)
----------------	---

output

```
# HELP etcd_debugging_mvcc_db_compaction_keys_total Total
number of db keys compacted.
# TYPE etcd_debugging_mvcc_db_compaction_keys_total counter
etcd_debugging_mvcc_db_compaction_keys_total 2386
# HELP
etcd_debugging_mvcc_db_compaction_pause_duration_millisecon
ds Bucketed histogram of db compaction pause duration.
# TYPE
etcd_debugging_mvcc_db_compaction_pause_duration_millisecon
ds histogram
etcd_debugging_mvcc_db_compaction_pause_duration_millisecon
ds_bucket{le="1"} 0
etcd_debugging_mvcc_db_compaction_pause_duration_millisecon
ds_bucket{le="2"} 0
...
```

Mutators API

Contents

The `/mutators` API endpoint

`/mutators` (GET)

`/mutators` (POST)

The `/mutators/:mutator` API endpoint

`/mutators/:mutator` (GET)

`/mutators/:mutator` (PUT)

`/mutators/:mutator` (DELETE)

The `/mutators` API endpoint

`/mutators` (GET)

The `/mutators` API endpoint provides HTTP GET access to mutator data.

EXAMPLE

The following example demonstrates a request to the `/mutators` API, resulting in a JSON Array containing mutator definitions.

```
curl http://127.0.0.1:8080/api/core/v2/namespaces/default/mutators -H
"Authorization: Bearer $SENSU_TOKEN"
[
  {
    "metadata": {
      "name": "example-mutator",
      "namespace": "default",
      "labels": null,
      "annotations": null
    },
    "command": "example_mutator.go",
```

```
"timeout": 0,
"env_vars": [],
"runtime_assets": []
}
]
```

API Specification

/mutators (GET)

description	Returns the list of mutators.
-------------	-------------------------------

example url	http://hostname:8080/api/core/v2/namespaces/default/mutators
-------------	---

pagination	This endpoint supports pagination using the <code>limit</code> and <code>continue</code> query parameters. See the API overview for details.
------------	--

response type	Array
---------------	-------

response codes	Success: 200 (OK) Error: 500 (Internal Server Error)
----------------	---

output	
--------	--

```
[
  {
    "metadata": {
      "name": "example-mutator",
      "namespace": "default",
      "labels": null,
      "annotations": null
    },
    "command": "example_mutator.go",
    "timeout": 0,
    "env_vars": [],
    "runtime_assets": []
  }
]
```

`/mutators` (POST)

`/mutators` (POST)

description Create a Sensus mutator.

example URL <http://hostname:8080/api/core/v2/namespaces/default/mutators>

payload

```
{
  "metadata": {
    "name": "example-mutator",
    "namespace": "default",
    "labels": null,
    "annotations": null
  },
  "command": "example_mutator.go",
  "timeout": 0,
  "env_vars": [],
  "runtime_assets": []
}
```

response codes

- Success:** 204 (No Content)
- Malformed:** 400 (Bad Request)
- Error:** 500 (Internal Server Error)

The `/mutators/:mutator` API endpoint

`/mutators/:mutator` (GET)

The `/mutators/:mutator` API endpoint provides HTTP GET access to mutator data for specific `:mutator` definitions, by mutator `name`.

EXAMPLE

In the following example, querying the `/mutators/:mutator` API returns a JSON Map containing the

requested `:mutator` definition (in this example: for the `:mutator` named `example-mutator`).

```
curl http://127.0.0.1:8080/api/core/v2/namespaces/default/mutators/example-mutator -
H "Authorization: Bearer $SENSU_TOKEN"
{
  "metadata": {
    "name": "example-mutator",
    "namespace": "default",
    "labels": null,
    "annotations": null
  },
  "command": "example_mutator.go",
  "timeout": 0,
  "env_vars": [],
  "runtime_assets": []
}
```

API Specification

/mutators/:mutator
(GET)

description	Returns a mutator.
example url	http://hostname:8080/api/core/v2/namespaces/default/mutators/mutator-name
response type	Map
response codes	Success: 200 (OK) Missing: 404 (Not Found) Error: 500 (Internal Server Error)

output	<pre>{ "metadata": { "name": "example-mutator", "namespace": "default", "labels": null,</pre>
--------	---


```
    "annotations": null
  },
  "command": "example_mutator.go",
  "timeout": 0,
  "env_vars": [],
  "runtime_assets": []
}
```

`/mutators/:mutator` (PUT)

API Specification

/mutators/:mutator (PUT)

description	Create or update a Sensu mutator.
-------------	-----------------------------------

example URL	http://hostname:8080/api/core/v2/namespaces/default/mutators/example-mutator
-------------	---

payload	
---------	--

```
{
  "metadata": {
    "name": "example-mutator",
    "namespace": "default",
    "labels": null,
    "annotations": null
  },
  "command": "example_mutator.go",
  "timeout": 0,
  "env_vars": [],
  "runtime_assets": []
}
```

response codes	
----------------	--

	Successfully created or updated: 204 (No Content) Malformed: 400 (Bad Request) Error: 500 (Internal Server Error)
--	--

`/mutators/:mutator` (DELETE)

The `/mutators/:mutator` API endpoint provides HTTP DELETE access to delete a mutator from Sensu given the mutator name.

EXAMPLE

The following example shows a request to delete the mutator `example-mutator`, resulting in a successful HTTP 204 No Content response.

```
curl -X DELETE \
-H "Authorization: Bearer $SENSU_TOKEN" \
http://127.0.0.1:8080/api/core/v2/namespaces/default/mutators/example-mutator

HTTP/1.1 204 No Content
```

API Specification

`/mutators/:mutator` (DELETE)

description	Removes a mutator from Sensu given the mutator name.
example url	<u>http://hostname:8080/api/core/v2/namespaces/default/mutators/example-mutator</u>
response codes	Success: 204 (No Content) Missing: 404 (Not Found) Error: 500 (Internal Server Error)

Namespaces API

Contents

The `/namespaces` API endpoint

`/namespaces` (GET)

`/namespaces` (POST)

The `/namespaces/:namespace` API endpoint

`/namespaces/:namespace` (PUT)

`/namespaces/:namespace` (DELETE)

The `/namespaces` API endpoint

`/namespaces` (GET)

The `/namespaces` API endpoint provides HTTP GET access to namespace data.

EXAMPLE

The following example demonstrates a request to the `/namespaces` API, resulting in a JSON Array containing namespace definitions.

```
curl http://127.0.0.1:8080/api/core/v2/namespaces -H "Authorization: Bearer $SENSU_TOKEN"

[
  {
    "name": "default"
  },
  {
    "name": "development"
  }
]
```

API Specification

/namespaces (GET)	
description	Returns the list of namespaces.
example url	http://hostname:8080/api/core/v2/namespaces
pagination	This endpoint supports pagination using the <code>limit</code> and <code>continue</code> query parameters. See the API overview for details.
response type	Array
response codes	Success: 200 (OK) Error: 500 (Internal Server Error)
output	<pre>[{ "name": "default" }, { "name": "development" }]</pre>

/namespaces (POST)

/namespaces (POST)	
description	Create a Sensu namespace.
example URL	http://hostname:8080/api/core/v2/namespaces
payload	<pre>{</pre>

```
"name": "development"
}
```

response codes

Success: 204 (No Content)

Malformed: 400 (Bad Request)

Error: 500 (Internal Server Error)

The `/namespaces/:namespace` API endpoint

`/namespaces/:namespace` (PUT)

API Specification

`/namespaces/:namespace` (PUT)

description

Create or update a Sensu namespace.

example URL

<http://hostname:8080/api/core/v2/namespaces/development>

payload

```
{
  "name": "development"
}
```

response codes

Successfully created or updated: 204 (No Content)

Malformed: 400 (Bad Request)

Error: 500 (Internal Server Error)

`/namespaces/:namespace` (DELETE)

The `/namespaces/:namespace` API endpoint provides HTTP DELETE access to delete a namespace from Sensu given the namespace name.

EXAMPLE

The following example shows a request to delete the namespace `development` , resulting in a successful HTTP 204 No Content response.

```
curl -X DELETE \
-H "Authorization: Bearer $SENSU_TOKEN" \
http://127.0.0.1:8080/api/core/v2/namespaces/development

HTTP/1.1 204 No Content
```

API Specification

/namespaces/:namespace (DELETE)	
description	Removes a namespace from Sensu given the namespace name.
example url	http://hostname:8080/api/core/v2/namespaces/development
response codes	Success: 204 (No Content) Missing: 404 (Not Found) Error: 500 (Internal Server Error)

Role bindings API

Contents

The `/rolebindings` API endpoint

`/rolebindings` (GET)

`/rolebindings` (POST)

The `/rolebindings/:rolebinding` API endpoint

`/rolebindings/:rolebinding` (GET)

`/rolebindings/:rolebinding` (PUT)

`/rolebindings/:rolebinding` (DELETE)

The `/rolebindings` API endpoint

`/rolebindings` (GET)

The `/rolebindings` API endpoint provides HTTP GET access to role binding data.

EXAMPLE

The following example demonstrates a request to the `/rolebindings` API, resulting in a JSON Array containing role binding definitions.

```
curl http://127.0.0.1:8080/api/core/v2/namespaces/default/rolebindings -H
"Authorization: Bearer $SENSU_TOKEN"
```

```
HTTP/1.1 200 OK
```

```
[
  {
    "subjects": [
      {
        "type": "Group",
        "name": "readers"
      }
    ]
  }
]
```

```

    ],
    "role_ref": {
      "type": "Role",
      "name": "read-only"
    },
    "metadata": {
      "name": "readers-group-binding",
      "namespace": "default"
    }
  }
]

```

API Specification

/rolebindings (GET)

description Returns the list of role bindings.

example url <http://hostname:8080/api/core/v2/namespaces/default/rolebindings>

pagination This endpoint supports pagination using the `limit` and `continue` query parameters. See the [API overview](#) for details.

response type Array

response codes **Success:** 200 (OK)
Error: 500 (Internal Server Error)

output

```

[
  {
    "subjects": [
      {
        "type": "Group",
        "name": "readers"
      }
    ],
    "role_ref": {
      "type": "Role",

```



```
        "name": "read-only"
      },
      "metadata": {
        "name": "readers-group-binding",
        "namespace": "default"
      }
    }
  ]
}
```

`/rolebindings` (POST)

`/rolebindings` (POST)

description Create a Sensu role binding.

example URL <http://hostname:8080/api/core/v2/namespaces/default/rolebindings>

payload

```
{
  "subjects": [
    {
      "type": "Group",
      "name": "readers"
    }
  ],
  "role_ref": {
    "type": "Role",
    "name": "read-only"
  },
  "metadata": {
    "name": "readers-group-binding",
    "namespace": "default"
  }
}
```

response codes

Success: 204 (No Content)
Malformed: 400 (Bad Request)

The `/rolebindings/:rolebinding` API endpoint

`/rolebindings/:rolebinding` (GET)

The `/rolebindings/:rolebinding` API endpoint provides HTTP GET access to role binding data for specific `:rolebinding` definitions, by role binding `name`.

EXAMPLE

In the following example, querying the `/rolebindings/:rolebinding` API returns a JSON Map containing the requested `:rolebinding` definition (in this example: for the `:rolebinding` named `readers-group-binding`).

```
curl http://127.0.0.1:8080/api/core/v2/namespaces/default/rolebindings/readers-group-binding -H "Authorization: Bearer $SENSU_TOKEN"
```

```
HTTP/1.1 200 OK
```

```
{
  "subjects": [
    {
      "type": "Group",
      "name": "readers"
    }
  ],
  "role_ref": {
    "type": "Role",
    "name": "read-only"
  },
  "metadata": {
    "name": "readers-group-binding",
    "namespace": "default"
  }
}
```

/rolebindings/:rolebinding (GET)

description	Returns a role binding.
example url	http://hostname:8080/api/core/v2/namespaces/default/rolebindings/readers-group-binding
response type	Map
response codes	Success: 200 (OK) Missing: 404 (Not Found) Error: 500 (Internal Server Error)

output

```
{
  "subjects": [
    {
      "type": "Group",
      "name": "readers"
    }
  ],
  "role_ref": {
    "type": "Role",
    "name": "read-only"
  },
  "metadata": {
    "name": "readers-group-binding",
    "namespace": "default"
  }
}
```

/rolebindings/:rolebinding (PUT)

/rolebindings/:rolebinding (PUT)

description Create or update a Sensu role binding.

example URL <http://hostname:8080/api/core/v2/namespaces/default/rolebindings/readers-group-binding>

payload

```
{
  "subjects": [
    {
      "type": "Group",
      "name": "readers"
    }
  ],
  "role_ref": {
    "type": "Role",
    "name": "read-only"
  },
  "metadata": {
    "name": "readers-group-binding",
    "namespace": "default"
  }
}
```

response codes **Successfully created or updated:** 204 (No Content)
Malformed: 400 (Bad Request)
Error: 500 (Internal Server Error)

/rolebindings/:rolebinding (DELETE)

The `/rolebindings/:rolebinding` API endpoint provides HTTP DELETE access to delete a role binding from Sensu given the role binding name.

EXAMPLE

The following example shows a request to delete the role binding `dev-binding`, resulting in a

successful HTTP 204 No Content response.

```
curl -X DELETE \
-H "Authorization: Bearer $SENSU_TOKEN" \
http://127.0.0.1:8080/api/core/v2/namespaces/default/rolebindings/dev-binding

HTTP/1.1 204 No Content
```

API Specification

/rolebindings/:role binding (DELETE)	
description	Removes a role binding from Sensu given the role binding name.
example url	<u>http://hostname:8080/api/core/v2/namespaces/default/rolebindings/dev-binding</u>
response codes	Success: 204 (No Content) Missing: 404 (Not Found) Error: 500 (Internal Server Error)

Roles API

Contents

The `/roles` API endpoint

`/roles` (GET)

`/roles` (POST)

The `/roles/:role` API endpoint

`/roles/:role` (GET)

`/roles/:role` (PUT)

`/roles/:role` (DELETE)

The `/roles` API endpoint

`/roles` (GET)

The `/roles` API endpoint provides HTTP GET access to role data.

EXAMPLE

The following example demonstrates a request to the `/roles` API, resulting in a JSON Array containing role definitions.

```
curl http://127.0.0.1:8080/api/core/v2/namespaces/default/roles -H "Authorization: Bearer $SENSU_TOKEN"
```

```
HTTP/1.1 200 OK
```

```
[
  {
    "rules": [
      {
        "verbs": [
          "read"
        ]
      }
    ],
  },
]
```

```

        "resources": [
            "*"
        ],
        "resource_names": null
    }
],
"metadata": {
    "name": "read-only",
    "namespace": "default"
}
}
]

```

API Specification

/roles (GET)

description	Returns the list of roles.
example url	http://hostname:8080/api/core/v2/namespaces/default/roles
pagination	This endpoint supports pagination using the <code>limit</code> and <code>continue</code> query parameters. See the API overview for details.
response type	Array
response codes	Success: 200 (OK) Error: 500 (Internal Server Error)

output

```

[
  {
    "rules": [
      {
        "verbs": [
          "read"
        ],
        "resources": [
          "*"
        ],

```

```
        "resource_names": null
      }
    ],
    "metadata": {
      "name": "read-only",
      "namespace": "default"
    }
  }
]
```

`/roles` (POST)

`/roles` (POST)

description	Create a Sensu role.
-------------	----------------------

example URL	http://hostname:8080/api/core/v2/namespaces/default/roles
-------------	---

payload	
---------	--

```
{
  "rules": [
    {
      "verbs": [
        "get",
        "list"
      ],
      "resources": [
        "events"
      ],
      "resource_names": []
    }
  ],
  "metadata": {
    "name": "event-reader",
    "namespace": "default"
  }
}
```


response codes

Success: 204 (No Content)

Malformed: 400 (Bad Request)

Error: 500 (Internal Server Error)

The `/roles/:role` API endpoint

`/roles/:role` (GET)

The `/roles/:role` API endpoint provides HTTP GET access to role data for specific `:role` definitions, by role `name`.

EXAMPLE

In the following example, querying the `/roles/:role` API returns a JSON Map containing the requested `:role` definition (in this example: for the `:role` named `read-only`).

```
curl http://127.0.0.1:8080/api/core/v2/namespaces/default/roles/read-only -H
"Authorization: Bearer $SENSU_TOKEN"
```

```
HTTP/1.1 200 OK
```

```
{
  "rules": [
    {
      "verbs": [
        "read"
      ],
      "resources": [
        "*"
      ],
      "resource_names": null
    }
  ],
  "metadata": {
    "name": "read-only",
    "namespace": "default"
  }
}
```

API Specification

/roles/:role (GET)	
description	Returns a role.
example url	http://hostname:8080/api/core/v2/namespaces/default/roles/read-only
response type	Map
response codes	Success: 200 (OK) Missing: 404 (Not Found) Error: 500 (Internal Server Error)

output	<pre>{ "rules": [{ "verbs": ["read"], "resources": ["*"], "resource_names": null }], "metadata": { "name": "read-only", "namespace": "default" } }</pre>
--------	--

/roles/:role (PUT)

API Specification

/roles/:role (PUT)

description Create or update a Sensu role.

example URL <http://hostname:8080/api/core/v2/namespaces/default/roles/event-reader>

payload

```
{
  "rules": [
    {
      "verbs": [
        "get",
        "list"
      ],
      "resources": [
        "events"
      ],
      "resource_names": []
    }
  ],
  "metadata": {
    "name": "event-reader",
    "namespace": "default"
  }
}
```

response codes

Successfully created or updated: 204 (No Content)

Malformed: 400 (Bad Request)

Error: 500 (Internal Server Error)

/roles/:role (DELETE)

The `/roles/:role` API endpoint provides HTTP DELETE access to delete a role from Sensu given the role name.

EXAMPLE

The following example shows a request to delete the role `read-only` , resulting in a successful HTTP 204 No Content response.

```
curl -X DELETE \
-H "Authorization: Bearer $SENSU_TOKEN" \
http://127.0.0.1:8080/api/core/v2/namespaces/default/roles/read-only

HTTP/1.1 204 No Content
```

API Specification

/roles/:role (DELETE)	
description	Removes a role from Sensu given the role name.
example url	http://hostname:8080/api/core/v2/namespaces/default/roles/read-only
response codes	Success: 204 (No Content) Missing: 404 (Not Found) Error: 500 (Internal Server Error)

Silencing API

Contents

The `/silenced` API endpoint

`/silenced` (GET)

`/silenced` (POST)

The `/silenced/:silenced` API endpoint

`/silenced/:silenced` (GET)

`/silenced/:silenced` (PUT)

`/silenced/:silenced` (DELETE)

The `/silenced/subscriptions/:subscription` API endpoint

`/silenced/subscriptions/:subscription` (GET)

The `/silenced/checks/:check` API endpoint

`/silenced/checks/:check` (GET)

The `/silenced` API endpoint

`/silenced` (GET)

The `/silenced` API endpoint provides HTTP GET access to silencing entry data.

EXAMPLE

The following example demonstrates a request to the `/silenced` API, resulting in a JSON Array containing silencing entry definitions.

```
curl -H "Authorization: Bearer $SENSU_TOKEN" \
http://127.0.0.1:8080/api/core/v2/namespaces/default/silenced

HTTP/1.1 200 OK
[
  {
    "metadata": {
```

```

    "name": "linux:check-cpu",
    "namespace": "default",
    "labels": null,
    "annotations": null
  },
  "expire": -1,
  "expire_on_resolve": false,
  "creator": "admin",
  "subscription": "linux",
  "begin": 1542671205
}
]

```

API Specification

/silenced (GET)

description Returns the list of silences.

example url <http://hostname:8080/api/core/v2/namespaces/default/silenced>

pagination This endpoint supports pagination using the `limit` and `continue` query parameters. See the [API overview](#) for details.

response type Array

response codes **Success:** 200 (OK)
Error: 500 (Internal Server Error)

output

```

[
  {
    "metadata": {
      "name": "linux:check-cpu",
      "namespace": "default",
      "labels": null,
      "annotations": null
    },
    "expire": -1,
    "expire_on_resolve": false,

```

```
    "creator": "admin",
    "subscription": "linux",
    "begin": 1542671205
  }
]
```

`/silenced` (POST)

`/silenced` (POST)

description Create a Sensu silencing entry.

example URL <http://hostname:8080/api/core/v2/namespaces/default/silenced>

payload

```
{
  "metadata": {
    "name": "linux:check-cpu",
    "namespace": "default",
    "labels": null,
    "annotations": null
  },
  "expire": -1,
  "expire_on_resolve": false,
  "creator": "admin",
  "subscription": "linux",
  "begin": 1542671205
}
```

response codes

Success: 204 (No Content)
Malformed: 400 (Bad Request)
Error: 500 (Internal Server Error)

The `/silenced/:silenced` API endpoint

`/silenced/:silenced` (GET)

The `/silenced/:silenced` API endpoint provides HTTP GET access to silencing entry data for specific `:silenced` definitions, by silencing entry `name`.

EXAMPLE

In the following example, querying the `/silenced/:silenced` API returns a JSON Map containing the requested silencing entry definition (in this example: for the silencing entry named `linux:check-cpu`). Silencing entry names are generated from the combination of a subscription name and check name.

```
curl -H "Authorization: Bearer $SENSU_TOKEN" \
http://127.0.0.1:8080/api/core/v2/namespaces/default/silenced/linux:check-cpu

HTTP/1.1 200 OK
{
  "metadata": {
    "name": "linux:check-cpu",
    "namespace": "default",
    "labels": null,
    "annotations": null
  },
  "expire": -1,
  "expire_on_resolve": false,
  "creator": "admin",
  "subscription": "linux",
  "begin": 1542671205
}
```

API Specification

`/silenced/:silenced` (GET)

description	Returns a silencing entry.
-------------	----------------------------

example url	http://hostname:8080/api/core/v2/namespaces/default/silenced/linux:check-cpu
-------------	---

response type	Map
response codes	Success: 200 (OK) Missing: 404 (Not Found) Error: 500 (Internal Server Error)
output	<pre> { "metadata": { "name": "linux:check-cpu", "namespace": "default", "labels": null, "annotations": null }, "expire": -1, "expire_on_resolve": false, "creator": "admin", "subscription": "linux", "begin": 1542671205 }</pre>

`/silenced/:silenced` (PUT)

API Specification

<div> <div>/silenced/:silenced</div> <div>(PUT)</div> </div>	
description	Create or update a Sensu silencing entry.
example URL	http://hostname:8080/api/core/v2/namespaces/default/silenced/linux:check-cpu
payload	<pre> { "metadata": { "name": "linux:check-cpu", "namespace": "default",</pre>

```
    "labels": null,  
    "annotations": null  
  },  
  "expire": -1,  
  "expire_on_resolve": false,  
  "creator": "admin",  
  "subscription": "linux",  
  "begin": 1542671205  
}
```

response codes

Successfully created or updated: 204 (No Content)

Malformed: 400 (Bad Request)

Error: 500 (Internal Server Error)

`/silenced/:silenced` (DELETE)

The `/silenced/:silenced` API endpoint provides HTTP DELETE access to delete a silencing entry by silencing entry `name`.

EXAMPLE

In the following example, querying the `/silenced/:silenced` API to delete the the silencing entry named `linux:check-cpu` results in a successful 204 No Content response.

```
curl -X DELETE \  
-H "Authorization: Bearer $SENSU_TOKEN" \  
http://127.0.0.1:8080/api/core/v2/namespaces/default/silenced/linux:check-cpu  
  
HTTP/1.1 204 No Content
```

API Specification

`/silenced/:silenced`
(DELETE)

description	Removes a silencing entry from Sensu given the silencing entry name.
example url	http://hostname:8080/api/core/v2/namespaces/default/silenced/linux:check-cpu
response codes	Success: 204 (No Content) Missing: 404 (Not Found) Error: 500 (Internal Server Error)

The `/silenced/subscriptions/:subscription` API endpoint

`/silenced/subscriptions/:subscription` (GET)

The `/silenced/subscriptions/:subscription` API endpoint provides HTTP GET access to silencing entry data by subscription `name`.

EXAMPLE

In the following example, querying the `silenced/subscriptions/:subscription` API returns a JSON Array containing the requested silences for the given subscription (in this example: for the `linux` subscription).

```
curl -H "Authorization: Bearer $SENSU_TOKEN" \
http://127.0.0.1:8080/api/core/v2/namespaces/default/silenced/subscriptions/linux

HTTP/1.1 200 OK
[
  {
    "metadata": {
      "name": "linux:check-cpu",
      "namespace": "default",
      "labels": null,
      "annotations": null
    },
    "expire": -1,
    "expire_on_resolve": false,
    "creator": "admin",
```

```
"subscription": "linux",
"begin": 1542671205
}
]
```

API Specification

/silenced/
subscriptions/
:subscription
(GET)

description	Returns all silences for the specified subscription.
example url	http://hostname:8080/api/core/v2/namespaces/default/silenced/subscriptions/linux
pagination	This endpoint supports pagination using the <code>limit</code> and <code>continue</code> query parameters. See the API overview for details.
response type	Array
response codes	Success: 200 (OK) Missing: 404 (Not Found) Error: 500 (Internal Server Error)

output

```
[
  {
    "metadata": {
      "name": "linux:check-cpu",
      "namespace": "default",
      "labels": null,
      "annotations": null
    },
    "expire": -1,
    "expire_on_resolve": false,
    "creator": "admin",
    "subscription": "linux",
    "begin": 1542671205
  }
]
```

```
}  
]
```

The `/silenced/checks/:check` API endpoint

`/silenced/checks/:check` (GET)

The `/silenced/checks/:check` API endpoint provides HTTP GET access to silencing entry data by check `name`.

EXAMPLE

In the following example, querying the `/silenced/checks/:check` API returns a JSON Array containing the requested silences for the given check (in this example: for the `check-cpu` check).

```
curl -H "Authorization: Bearer $SENSU_TOKEN" \  
http://127.0.0.1:8080/api/core/v2/namespaces/default/silenced/checks/check-cpu
```

HTTP/1.1 200 OK

```
[  
  {  
    "metadata": {  
      "name": "linux:check-cpu",  
      "namespace": "default",  
      "labels": null,  
      "annotations": null  
    },  
    "expire": -1,  
    "expire_on_resolve": false,  
    "creator": "admin",  
    "check": "linux",  
    "begin": 1542671205  
  }  
]
```

/silenced/checks/ :check (GET)	
description	Returns all silences for the specified check.
example url	http://hostname:8080/api/core/v2/namespaces/default/silenced/checks/check-cpu
pagination	This endpoint supports pagination using the <code>limit</code> and <code>continue</code> query parameters. See the API overview for details.
response type	Array
response codes	Success: 200 (OK) Missing: 404 (Not Found) Error: 500 (Internal Server Error)
output	<pre>[{ "metadata": { "name": "linux:check-cpu", "namespace": "default", "labels": null, "annotations": null }, "expire": -1, "expire_on_resolve": false, "creator": "admin", "check": "linux", "begin": 1542671205 }]</pre>

Tessen API

Contents

The `/tessen` API endpoints

`/tessen` (GET)

`/tessen` (PUT)

The `/tessen` API endpoints

The Tessen API provides HTTP access to manage Tessen configuration. Access to the Tessen API is restricted to the default `admin` user.

`/tessen` (GET)

The `/tessen` API endpoint provides HTTP GET access to Tessen configuration.

EXAMPLE

The following example demonstrates an HTTP GET request to the `/tessen` API.

```
curl -H "Authorization: Bearer $SENSU_TOKEN"  
http://127.0.0.1:8080/api/core/v2/tessen
```

The request returns a 200 (OK) HTTP response code and a JSON map containing Tessen configuration, indicating that Tessen is enabled.

```
HTTP/1.1 200 OK  
{"opt_out": false}
```

API Specification

/tessen (GET)

description Returns the active Tessen configuration. A response of `"opt_out": false` indicates that Tessen is enabled; a response of `"opt_out": true` indicates that Tessen is disabled.

example url <http://hostname:8080/api/core/v2/tessen>

response type Map

response codes **Success:** 200 (OK)
Error: 500 (Internal Server Error)

example output

```
{"opt_out": false}
```

/tessen (PUT)

The `/tessen` API endpoint provides HTTP PUT access to opt in to or opt out of Tessen. Tessen is enabled by default on Sensu backends and required for licensed Sensu instances.

EXAMPLE

In the following example, an HTTP PUT request is submitted to the `/tessen` API to opt in to Tessen using the `opt_out` attribute.

```
curl -X PUT \  
-H "Authorization: Bearer $SENSU_TOKEN" \  
-H 'Content-Type: application/json' \  
-d '{"opt_out": false}' \  
http://127.0.0.1:8080/api/core/v2/tessen
```

The request returns a 200 (OK) HTTP response code and the resulting Tessen configuration.


```
HTTP/1.1 200 OK
{"opt_out": false}
```

API Specification

/tessen (PUT)

description Updates Tessen configuration. Licensed Ssensu instances override the `opt_out` attribute to `false` at runtime.

example url <http://hostname:8080/api/core/v2/tessen>

request parameters `opt_out` (required): Set to `false` to enable Tessen; set to `true` to opt out of Tessen.

response codes

- Success:** 200 (OK)
- Missing:** 404 (Not Found)
- Error:** 500 (Internal Server Error)

Users API

Contents

The `/users` API endpoint

`/users` (GET)

`/users` (POST)

The `/users/:user` API endpoint

`/users/:user` (GET)

`/users/:user` (PUT)

`/users/:user` (DELETE)

The `/users/:user/password` API endpoint

`/users/:user/password` (PUT)

The `/users/:user/reinstate` API endpoint

`/users/:user/reinstate` (PUT)

The `/users/:user/groups` API endpoint

`/users/:user/groups` (DELETE)

The `/users/:user/groups/:group` API endpoints

`/users/:user/groups/:group` (PUT)

`/users/:user/groups/:group` (DELETE)

The `/users` API endpoint

`/users` (GET)

The `/users` API endpoint provides HTTP GET access to user data.

EXAMPLE

The following example demonstrates a request to the `/users` API, resulting in a JSON Array containing user definitions.

```
curl -H "Authorization: Bearer $SENSU_TOKEN" \  
http://127.0.0.1:8080/api/core/v2/users
```

```
HTTP/1.1 200 OK
[
  {
    "username": "admin",
    "groups": [
      "cluster-admins"
    ],
    "disabled": false
  },
  {
    "username": "agent",
    "groups": [
      "system:agents"
    ],
    "disabled": false
  }
]
```

API Specification

/users (GET)

description	Returns the list of users.
-------------	----------------------------

example url	http://hostname:8080/api/core/v2/users
-------------	---

pagination	This endpoint supports pagination using the <code>limit</code> and <code>continue</code> query parameters. See the API overview for details.
------------	--

response type	Array
---------------	-------

response codes	Success: 200 (OK) Error: 500 (Internal Server Error)
----------------	---

output	
--------	--

```
[
  {
    "username": "admin",
    "groups": [
      "cluster-admins"
```

```
    ],
    "disabled": false
  },
  {
    "username": "agent",
    "groups": [
      "system:agents"
    ],
    "disabled": false
  }
]
```

`/users` (POST)

The `/users` API endpoint provides HTTP POST access to create a user.

EXAMPLE

The following example demonstrates a POST request to the `/users` API to create the user `alice`, resulting in an HTTP 204 response.

```
curl -X POST \
-H "Authorization: Bearer $SENSU_TOKEN" \
-H 'Content-Type: application/json' \
-d '{
  "username": "alice",
  "groups": [
    "ops"
  ],
  "password": "temporary",
  "disabled": false
}' \
http://127.0.0.1:8080/api/core/v2/users

HTTP/1.1 204 No Content
```

API Specification

/users (POST)

description Create a Sensu user.

example URL <http://hostname:8080/api/core/v2/users>

payload

```
{
  "username": "alice",
  "groups": [
    "ops"
  ],
  "password": "temporary",
  "disabled": false
}
```

payload parameters

`username` (string, required)
`password` (string, required): Must have at least eight characters
`groups` (array): Sets of shared permissions applicable to this user
`disabled` : When set to `true` , invalidates user credentials and permissions

response codes

Success: 204 (No Content)
Malformed: 400 (Bad Request)
Error: 500 (Internal Server Error)

The `/users/:user` API endpoint

`/users/:user` (GET)

The `/users/:user` API endpoint provides HTTP GET access to user data for a specific user by `username` .

EXAMPLE

In the following example, querying the `/users/:user` API returns a JSON Map containing the requested `:user` definition (in this example: for the `alice` user).

```
curl -H "Authorization: Bearer $SENSU_TOKEN" \
http://127.0.0.1:8080/api/core/v2/users/alice

HTTP/1.1 200 OK
{
  "username": "alice",
  "groups": [
    "ops"
  ],
  "disabled": false
}
```

API Specification

/users/:user (GET)	
description	Returns a user given the username as a URL parameter.
example url	http://hostname:8080/api/core/v2/users/alice
response type	Map
response codes	Success: 200 (OK) Missing: 404 (Not Found) Error: 500 (Internal Server Error)
output	<pre>{ "username": "alice", "groups": ["ops"], "disabled": false }</pre>

`/users/:user` (PUT)

EXAMPLE

The following example demonstrates a PUT request to the `/users` API to update the user `alice`, in this case to reset their password, resulting in an HTTP 204 response.

```
curl -X PUT \
-H "Authorization: Bearer $SENSU_TOKEN" \
-H 'Content-Type: application/json' \
-d '{
  "username": "alice",
  "groups": [
    "ops"
  ],
  "password": "reset-password",
  "disabled": false
}' \
http://127.0.0.1:8080/api/core/v2/users/alice

HTTP/1.1 204 No Content
```

API Specification

`/users/:user` (PUT)

description	Create or update a Sensu user given the username.
-------------	---

example URL	http://hostname:8080/api/core/v2/users/alice
-------------	---

payload	
---------	--

```
{
  "username": "alice",
  "groups": [
    "ops"
  ],
  "password": "reset-password",
  "disabled": false
}
```

```
"password": "reset-password",  
"disabled": false  
}
```

response codes

Successfully created or updated: 204 (No Content)

Malformed: 400 (Bad Request)

Error: 500 (Internal Server Error)

`/users/:user` (DELETE)

EXAMPLE

In the following example, an HTTP DELETE request is submitted to the `/users/:user` API to disable the user `alice`, resulting in a successful 204 (No Content) HTTP response code.

```
curl -X DELETE \  
-H "Authorization: Bearer $SENSU_TOKEN" \  
http://127.0.0.1:8080/api/core/v2/users/alice  
  
HTTP/1.1 204 No Content
```

API Specification

`/users/:user`
(DELETE)

description

Disables a user given the username as a URL parameter.

example url

<http://hostname:8080/api/core/v2/users/alice>

response codes

Success: 204 (No Content)

Missing: 404 (Not Found)

Error: 500 (Internal Server Error)

The `/users/:user/password` API endpoint

`/users/:user/password` (PUT)

The `/users/:user/password` API endpoint provides HTTP PUT access to update a user's password.

EXAMPLE

In the following example, an HTTP PUT request is submitted to the `/users/:user/password` API to update the password for the user `alice`, resulting in a 204 (No Content) HTTP response code.

```
curl -X PUT \
-H "Authorization: Bearer $SENSU_TOKEN" \
-H 'Content-Type: application/json' \
-d '{
  "username": "alice",
  "password": "newpassword"
}' \
http://127.0.0.1:8080/api/core/v2/users/alice/password

HTTP/1.1 204 No Content
```

API Specification

`/users/:user/passw
ord (PUT)`

description	Update the password for a Sensu user.
-------------	---------------------------------------

example URL	http://hostname:8080/api/core/v2/users/alice/password
-------------	---

payload	
---------	--

```
{
  "username": "admin",
  "password": "newpassword"
}
```

payload parameters	<code>username</code> (string, required): the <code>username</code> for the Sensu user <code>password</code> (string, required): the user's new password
--------------------	---

response codes	Successfully created or updated: 204 (No Content) Malformed: 400 (Bad Request) Error: 500 (Internal Server Error)
----------------	--

The `/users/:user/reinstate` API endpoint

`/users/:user/reinstate` (PUT)

The `/users/:user/reinstate` API endpoint provides HTTP PUT access to re-enable a disabled user.

EXAMPLE

In the following example, an HTTP PUT request is submitted to the `/users/:user/reinstate` API to enable the disabled user `alice`, resulting in a 204 (No Content) HTTP response code.

```
curl -X PUT \  
-H "Authorization: Bearer $SENSU_TOKEN" \  
-H 'Content-Type: application/json' \  
http://127.0.0.1:8080/api/core/v2/users/alice/reinstate  
  
HTTP/1.1 204 No Content
```

API Specification

`/users/:user/reinstate` (PUT)

description	Reinstate a disabled user.
-------------	----------------------------

example URL	http://hostname:8080/api/core/v2/users/alice/reinstate
response codes	Successfully created or updated: 204 (No Content) Malformed: 400 (Bad Request) Error: 500 (Internal Server Error)

The `/users/:user/groups` API endpoint

`/users/:user/groups` (DELETE)

The `/users/:user/groups` API endpoint provides HTTP DELETE access to remove a user from all groups.

EXAMPLE

In the following example, an HTTP DELETE request is submitted to the `/users/:user/groups` API to remove the user `alice` from all groups within Sensu, resulting in a successful 204 (No Content) HTTP response code.

```
curl -X DELETE \
-H "Authorization: Bearer $SENSU_TOKEN" \
http://127.0.0.1:8080/api/core/v2/users/alice/groups

HTTP/1.1 204 No Content
```

API Specification

`/users/:user/groups` (DELETE)

description Removes a user from all groups.

example url <http://hostname:8080/api/core/v2/users/alice/groups>

response codes **Success:** 204 (No Content)

Missing: 404 (Not Found)
Error: 500 (Internal Server Error)

The `/users/:user/groups/:group` API endpoints

`/users/:user/groups/:group` (PUT)

The `/users/:user/groups/:group` API endpoint provides HTTP PUT access to assign a user to a group.

EXAMPLE

In the following example, an HTTP PUT request is submitted to the `/users/:user/groups/:group` API to add the user `alice` to the group `ops`, resulting in a successful 204 (No Content) HTTP response code.

```
curl -X PUT \  
-H "Authorization: Bearer $SENSU_TOKEN" \  
http://127.0.0.1:8080/api/core/v2/users/alice/groups/ops  
  
HTTP/1.1 204 No Content
```

API Specification

`/users/:user/group`
`s/:group (PUT)`

description	Add a user to a group.
-------------	------------------------

example URL	http://hostname:8080/api/core/v2/users/alice/groups/ops
-------------	---

payload	
---------	--

response codes	Success: 204 (No Content)
----------------	----------------------------------

Malformed: 400 (Bad Request)
Error: 500 (Internal Server Error)

`/users/:user/groups/:group` (DELETE)

The `/users/:user/groups/:group` API endpoint provides HTTP DELETE access to remove a user from a group.

EXAMPLE

In the following example, an HTTP DELETE request is submitted to the `/users/:user/groups/:group` API to remove the user `alice` from the group `ops`, resulting in a successful 204 (No Content) HTTP response code.

```
curl -X DELETE \  
-H "Authorization: Bearer $SENSU_TOKEN" \  
http://127.0.0.1:8080/api/core/v2/users/alice/groups/ops  
  
HTTP/1.1 204 No Content
```

API Specification

`/users/:user/group
s/:group
(DELETE)`

description	Removes a user from a group.
-------------	------------------------------

example url	http://hostname:8080/api/core/v2/users/alice/groups/ops
-------------	---

response codes	Success: 204 (No Content) Missing: 404 (Not Found) Error: 500 (Internal Server Error)
----------------	--

Version API

Contents

The `/version` API endpoint

`/version` (GET)

The `/version` API endpoint provides HTTP GET access to the Sensu backend and etcd versions for your Sensu instance.

EXAMPLE

The following example demonstrates a request to the `/version` API, resulting in a JSON map containing Sensu version data.

```
curl http://127.0.0.1:8080/version
```

```
HTTP/1.1 200 OK
```

```
{
  "Etcd": {
    "etcdserver": "3.3.2",
    "etcdcluster": "3.3.0"
  },
  "SensuBackend": "x.x.x#xxxxxxx"
}
```

API Specification

`/version` (GET)

description	Returns the Sensu backend and etcd version for your Sensu instance
example url	http://hostname:8080/version
response type	Map
response codes	Success: 200 (OK) Error: 500 (Internal Server Error)
response parameters	<ul style="list-style-type: none">• <code>Etcd.etcdserver</code> (string, required): etcd server version• <code>Etcd.etcdcluster</code> (string, optional): etcd cluster version for Sensu instances with the default embedded etcd; not required to match the etcd server version or the cluster versions of other backends in the cluster• <code>SensuBackend</code> (string, required): Sensu backend version in the format <code>x.x.x#yyyyyyy</code> where <code>x.x.x</code> is the Sensu version and <code>yyyyyyy</code> is the release SHA
output	<pre>{ "Etcd": { "etcdserver": "3.3.2", "etcdcluster": "3.3.0" }, "SensuBackend": "x.x.x#xxxxxxx" }</pre>

Sensuctl quick reference

Contents

Quick reference

Configure and log in with defaults

`sensuctl configure`

? Sensu Backend URL: `http://127.0.0.1:8080`

? Username: `admin`

? Password: `P@ssw0rd!`

Create resources from a file containing JSON resource definitions

`sensuctl create --file filename.json`

See monitored entities

`sensuctl entity list`

See monitoring events

`sensuctl event list`

Edit a check named check-cpu

`sensuctl edit check check-cpu`

See the JSON configuration for a check named check-cpu

`sensuctl check info check-cpu --format wrapped-json`

Sensuctl

Contents

[First-time setup](#)

[Managing sensuctl](#)

[Creating resources](#)

[Updating resources](#)

[Managing resources](#)

[Filtering \(licensed tier\)](#)

[Time formats](#)

[Shell auto-completion](#)

[Config files](#)

Sensuctl is a command line tool for managing resources within Sensu. It works by calling Sensu's underlying API to create, read, update, and delete resources, events, and entities. Sensuctl is available for Linux, macOS, and Windows. See the [installation guide](#) to install and configure sensuctl.

Getting help

Sensuctl supports a `--help` flag for each command and subcommand.

```
# See command and global flags
```

```
sensuctl --help
```

```
# See subcommands and flags
```

```
sensuctl check --help
```

```
# See usage and flags
```

```
sensuctl check delete --help
```

First-time setup

To set up sensuctl, run `sensuctl configure` to log in to sensuctl and connect to the Sensu backend.

```
sensuctl configure
```

When prompted, input the [Sensu backend URL](#) and your [Sensu access credentials](#).

```
? Sensu Backend URL: http://127.0.0.1:8080
? Username: admin
? Password: P@ssw0rd!
? Namespace: default
? Preferred output format: tabular
```

Sensu backend URL

The HTTP or HTTPS URL where sensuctl can connect to the Sensu backend server, defaulting to `http://127.0.0.1:8080`. When connecting to a [Sensu cluster](#), connect sensuctl to any single backend in the cluster. For more information on configuring the Sensu backend URL, see the [backend reference](#).

Username | password | namespace

By default, Sensu includes a user named `admin` with password `P@ssw0rd!` and a `default` namespace. Your ability to get, list, create, update, and delete resources with sensuctl depends on the permissions assigned to your Sensu user. For more information about configuring Sensu access control, see the [RBAC reference](#).

Preferred output format

Sensuctl supports the following output formats:

- `tabular` : user-friendly, columnar format
- `wrapped-json` : accepted format for use with [sensuctl create](#)
- `yaml` : accepted format for use with [sensuctl create](#)
- `json` : format used by the [Sensu API](#)

Once logged in, you can change the output format using `sensuctl config set-format` or set it per

command using the `--format` flag.

Non-interactive

You can run `sensuctl configure` non-interactively using the `-n` (`--non-interactive`) flag.

```
sensuctl configure -n --url http://127.0.0.1:8080 --username admin --password
P@ssw0rd! --format tabular
```

Managing sensuctl

The `sensuctl config` command lets you view the current sensuctl configuration and set the namespace and output format.

View sensuctl config

To view the active configuration for sensuctl:

```
sensuctl config view
```

Sensuctl configuration includes the Sensu backend url, default output format for the current user, and default namespace for the current user.

```
api-url: http://127.0.0.1:8080
format: wrapped-json
namespace: default
```

Set output format

You can use the `set-format` command to change the default output format for the current user. For example, to change the output format to `tabular`:

```
sensuctl config set-format tabular
```

Set namespace

You can use the `set-namespace` command to change the default [namespace](#) for the current user. For more information about configuring Sensu access control, see the [RBAC reference](#). For example, to change the default namespace to `development`:

```
sensuctl config set-namespace development
```

Log out of sensuctl

To log out of sensuctl:

```
sensuctl logout
```

To log back in:

```
sensuctl configure
```

View the sensuctl version number

To display the current version of sensuctl:

```
sensuctl version
```

Global flags

Global flags modify settings specific to sensuctl, such as the Sensu backend URL and [namespace](#). You

can use global flags with most sensuctl commands.

```
--api-url string          host URL of Sensu installation
--cache-dir string        path to directory containing cache & temporary files
--config-dir string       path to directory containing configuration files
--insecure-skip-tls-verify skip TLS certificate verification (not recommended!)
--namespace string        namespace in which we perform actions
--trusted-ca-file string   TLS CA certificate bundle in PEM format
```

Additionally, these flags can be set permanently by editing `.config/sensu/sensuctl/{cluster, profile}` .

Creating resources

The `sensuctl create` command allows you to create or update resources by reading from STDIN or a flag configured file (`-f`).The `create` command accepts Sensu resource definitions in `wrapped-json` and `yaml` .Both JSON and YAML resource definitions wrap the contents of the resource in `spec` and identify the resource `type` (see below for an example, and [this table](#) for a list of supported types).See the [reference docs](#) for information about creating resource definitions.

`wrapped-json` format

The following file `my-resources.json` specifies two resources: a `marketing-site` check and a `slack` handler, separated *without* a comma.

```
{
  "type": "CheckConfig",
  "api_version": "core/v2",
  "metadata" : {
    "name": "marketing-site",
    "namespace": "default"
  },
  "spec": {
    "command": "check-http.rb -u https://sensu.io",
    "subscriptions": ["demo"],
    "interval": 15,
    "handlers": ["slack"]
```

```

    }
  }
  {
    "type": "Handler",
    "api_version": "core/v2",
    "metadata": {
      "name": "slack",
      "namespace": "default"
    },
    "spec": {
      "command": "sensu-slack-handler --channel '#monitoring'",
      "env_vars": [

"SLACK_WEBHOOK_URL=https://hooks.slack.com/services/T00000000/B00000000/XXXXXXXXXXXXX
XXXXXXXXXXXXX"

      ],
      "filters": [
        "is_incident",
        "not_silenced"
      ],
      "handlers": [],
      "runtime_assets": [],
      "timeout": 0,
      "type": "pipe"
    }
  }
}

```

To create all resources from `my-resources.json` using `sensuctl create`:

```
sensuctl create --file my-resources.json
```

Or:

```
cat my-resources.json | sensuctl create
```

`yaml` format

The following file `my-resources.yml` specifies two resources: a `marketing-site` check and a `slack` handler, separated with three dashes (`---`).

```
---
type: CheckConfig
api_version: core/v2
metadata:
  name: marketing-site
  namespace: default
spec:
  command: check-http.rb -u https://sensu.io
  subscriptions:
    - demo
  interval: 15
  handlers:
    - slack
---
type: Handler
api_version: core/v2
metadata:
  name: slack
  namespace: default
spec:
  command: sensu-slack-handler --channel '#monitoring'
  env_vars:
    -
    SLACK_WEBHOOK_URL=https://hooks.slack.com/services/T00000000/B00000000/XXXXXXXXXXXXX
    XXXXXXXXXXXXX
  filters:
    - is_incident
    - not_silenced
  type: pipe
```

To create all resources from `my-resources.yml` using `sensuctl create` :

```
sensuctl create --file my-resources.yml
```

Or:

```
cat my-resources.yml | sensuctl create
```

sensuctl create resource types

sensuctl create types

AdhocRequest	adhoc_request	Asset	asset
CheckConfig	check_config	ClusterRole	cluster_role
ClusterRoleBinding	cluster_role_binding	Entity	entity
Event	event	EventFilter	event_filter
Handler	handler	Hook	hook
HookConfig	hook_config	Mutator	mutator
Namespace	namespace	Role	role
RoleBinding	role_binding	Silenced	silenced
Ldap	ad	TessenConfig	PostgresConfig

Creating resources across namespaces

By omitting the `namespace` attribute from resource definitions, you can use the `sensuctl create --namespace` flag to specify the namespace for a group of resources at the time of creation, allowing you to replicate resources across namespaces without manual editing. To learn more about namespaces and namespaced resource types, see the [RBAC reference](#).

The `sensuctl create` command applies namespaces to resources in the following order, from highest precedence to lowest:

1. **Namespaces specified within resource definitions:** You can specify a resource's namespace

within individual resource definitions using the `namespace` attribute. Namespaces specified in resource definitions take precedence over all other methods.

2. **`--namespace` flag:** If resource definitions do not specify a namespace, Sensu applies the namespace provided by the `sensuctl create --namespace` flag.
3. **Current `sensuctl` namespace configuration:** If neither an embedded `namespace` attribute nor the `--namespace` flag is specified, Sensu applies the namespace configured in the current `sensuctl` session. See [managing sensuctl](#) to view your current session config and set the session namespace.

For example, the following file, `pagerduty.yml`, defines a handler *without* a `namespace` attribute.

```
type: Handler
api_version: core/v2
metadata:
  name: pagerduty
spec:
  command: sensu-pagerduty-handler
  env_vars:
    - PAGERDUTY_TOKEN=SECRET
  type: pipe
```

To create the `pagerduty` handler in the `default` namespace:

```
sensuctl create --file pagerduty.yml --namespace default
```

To create the `pagerduty` handler in the `production` namespace:

```
sensuctl create --file pagerduty.yml --namespace production
```

To create the `pagerduty` handler in the current session namespace:

```
sensuctl create --file pagerduty.yml
```

Updating resources

Sensuctl allows you to update resource definitions using a text editor. To use `sensuctl edit`, specify the resource type and resource name.

For example, to edit a handler named `slack` using `sensuctl edit`:

```
sensuctl edit handler slack
```

sensuctl edit resource types

sensuctl edit types			
asset	check	cluster	cluster-role
cluster-role-binding	entity	event	filter
handler	hook	mutator	namespace
role	role-binding	silenced	user
auth			

Managing resources

Sensuctl provides the following commands to manage Sensu resources.

```
sensuctl asset
sensuctl auth (licensed tier)
sensuctl check
sensuctl cluster
sensuctl cluster-role
sensuctl cluster-role-binding
sensuctl entity
sensuctl event
sensuctl filter
```

[sensuctl handler](#)
[sensuctl hook](#)
[sensuctl license](#) (licensed tier)
[sensuctl mutator](#)
[sensuctl namespace](#)
[sensuctl role](#)
[sensuctl role-binding](#)
[sensuctl silenced](#)
[sensuctl tessens](#)
[sensuctl user](#)

Subcommands

Sensuctl provides a standard set of list, info, and delete operations for most resource types.

<code>list</code>	<code>list resources</code>
<code>info NAME</code>	<code>show detailed resource information given resource name</code>
<code>delete NAME</code>	<code>delete resource given resource name</code>

For example, to list all monitoring checks:

```
sensuctl check list
```

To list checks from all namespaces:

```
sensuctl check list --all-namespaces
```

To write all checks to `my-resources.json` in `wrapped-json` format:

```
sensuctl check list --format wrapped-json > my-resources.json
```

To see the definition for a check named `check-cpu` in `wrapped-json` format:

```
sensuctl check info check-cpu --format wrapped-json
```

In addition to the standard operations, commands may support subcommands or flags that allow you to take special action based on the resource type; the following sections call out those resource-specific operations. For a list of subcommands specific to a resource, run `sensuctl TYPE --help`.

Handling large datasets

When querying sensuctl for large datasets, you can use the `--chunk-size` flag with any `list` command to avoid timeouts and improve performance. For example, the following command returns the same output as `sensuctl event list` but makes multiple API queries (each for the number of objects specified by `--chunk-size`) instead of one API query for the complete dataset.

```
sensuctl event list --chunk-size 500
```

sensuctl check

In addition to the standard subcommands, sensuctl provides a command to execute a check on demand, given the check name.

```
sensuctl check execute NAME
```

For example, the following command executes the `check-cpu` check with an attached message:

```
sensuctl check execute check-cpu --reason "giving a sensuctl demo"
```

You can also use the `--subscriptions` flag to override the subscriptions in the check definition:

```
sensuctl check execute check-cpu --subscriptions demo,webserver
```

sensuctl cluster

The `sensuctl cluster` command lets you manage a Sensu cluster using the following subcommands.

<code>health</code>	get sensu health status
<code>id</code>	get unique Sensu cluster ID
<code>member-add</code>	add cluster member to an existing cluster, with comma-separated peer addresses
<code>member-list</code>	list cluster members
<code>member-remove</code>	remove cluster member by ID
<code>member-update</code>	update cluster member by ID with comma-separated peer addresses

To view cluster members:

```
sensuctl cluster member-list
```

To see the health of your Sensu cluster:

```
sensuctl cluster health
```

sensuctl event

In addition to the standard subcommands, `sensuctl` provides a command to resolve an event.

```
sensuctl event resolve ENTITY CHECK
```

For example, the following command manually resolves an event created by the entity `webserver1` and the check `check-http`:

```
sensuctl event resolve webserver1 check-http
```

sensuctl namespace

See the [RBAC reference](#) for information about using access control with namespaces.

sensuctl user

See the [RBAC reference](#) for information about local user management with sensuctl.

Filtering

LICENSED TIER: Unlock sensuctl filtering with a Sensu license. To activate your license, see the [getting started guide](#).

Sensuctl supports filtering for all `list` commands using the `--label-selector` and `--field-selector` flags. For information about the operators and fields available to use in filters, see the [API docs](#).

Filtering syntax quick reference

operator	description	example
<code>==</code>	Equality	<code>check.publish == true</code>
<code>!=</code>	Inequality	<code>check.namespace != "default"</code>
<code>in</code>	Included in	<code>linux in check.subscriptions</code>
<code>notin</code>	Not included in	<code>slack notin check.handlers</code>
<code>&&</code>	Logical AND	<code>check.publish == true && slack in check.handlers</code>

Filtering with labels

You can use the `--label-selector` flag to filter using custom labels. For example, the following command returns entities with the `proxy_type` label set to `switch`.

```
sensuctl entity list --label-selector 'proxy_type == switch'
```

Filtering with resource attributes

You can use the `--field-selector` flag to filter using selected resource attributes. To see the resource attributes available to use in filter statements, see the [API docs](#).

For example, the following command returns entities with the `switches` subscription.

```
sensuctl entity list --field-selector 'switches in entity.subscriptions'
```

You can also combine the `--label-selector` and `--field-selector` flags. For example, the following command returns checks with the `region` label set to `us-west-1` and the `slack` handler.

```
sensuctl check list --label-selector 'region == "us-west-1"' --field-selector 'slack in check.handlers'
```

Time formats

Sensuctl supports multiple time formats depending on the manipulated resource. Supported canonical time zone IDs are defined in the [tz database](#).

WARNING: Canonical zone IDs (i.e. `America/Vancouver`) are not supported on Windows.

Dates with time

Full dates with time are used to specify an exact point in time, which can be used with silences, for example. The following formats are supported:

RFC3339 with numeric zone offset: `2018-05-10T07:04:00-08:00` or `2018-05-10T15:04:00Z`

RFC3339 with space delimiters and numeric zone offset: `2018-05-10 07:04:00-08:00`

Sensu alpha legacy format with canonical zone ID: `May 10 2018 7:04AM America/Vancouver`

Shell auto-completion

Installation (Bash Shell)

Make sure bash completion is installed. If you use a current Linux in a non-minimal installation, bash completion should be available. On macOS, install with:

```
brew install bash-completion
```

Then add the following to your `~/.bash_profile` :

```
if [ -f $(brew --prefix)/etc/bash_completion ]; then
. $(brew --prefix)/etc/bash_completion
fi
```

Once bash-completion is available, add the following to your `~/.bash_profile` :

```
source <(sensuctl completion bash)
```

You can now source your `~/.bash_profile` or launch a new terminal to utilize completion.

```
source ~/.bash_profile
```

Installation (ZSH)

Add the following to your `~/.zshrc` :

```
source <(sensuctl completion zsh)
```


You can now source your `~/.zshrc` or launch a new terminal to utilize completion.

```
source ~/.zshrc
```

Usage

```
sensuctl Tab
```

```
check      configure  event      user
asset      completion  entity    handler
```

```
sensuctl check Tab
```

```
create  delete  import  list
```

Configuration files

During configuration, sensuctl creates configuration files that contain information for connecting to your Sensu Go deployment. You can find them at `$HOME/.config/sensu/sensuctl/profile` and `$HOME/.config/sensu/sensuctl/cluster`. For example:

```
cat .config/sensu/sensuctl/profile
{
  "format": "tabular",
  "namespace": "demo"
}
```

```
cat .config/sensu/sensuctl/cluster
{
  "api-url": "http://localhost:8080",
  "trusted-ca-file": "",
}
```

```
"insecure-skip-tls-verify": false,  
"access_token": "xxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxx",  
"expires_at": 1550082282,  
"refresh_token": "xxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxx"  
}
```

These are useful if you want to know what cluster you're connecting to, or what namespace you're currently configured to use.

Sensu agent

Contents

[Installation](#)

[Creating events using service checks](#)

[Creating events using the agent API](#)

[Creating events using the StatsD listener](#)

[Creating events using the agent TCP and UDP sockets \(deprecated\)](#)

[Keepalive monitoring](#)

[Service management](#)

[Starting and stopping the service](#)

[Registration and deregistration](#)

[Clustering](#)

[Time synchronization](#)

[Configuration](#)

[API configuration](#)

[Ephemeral agent configuration](#)

[Keepalive configuration](#)

[Security configuration](#)

[Socket configuration](#)

[StatsD configuration](#)

[Example](#)

The Sensu agent is a lightweight client that runs on the infrastructure components you want to monitor. Agents register with the Sensu backend as [monitoring entities](#) with `type: "agent"`. Agent entities are responsible for creating [check and metrics events](#) to send to the [backend event pipeline](#). The Sensu agent is available for Linux, macOS, and Windows. See the [installation guide](#) to install the agent.

Creating monitoring events using service checks

Sensu's use of the [publish/subscribe pattern of communication](#) allows for automated registration and deregistration of ephemeral systems. At the core of this model are Sensu agent subscriptions.

Each Sensu agent has a defined set of [subscriptions](#), a list of roles and responsibilities assigned to the system (for example: a webserver or database). These subscriptions determine which [monitoring checks](#) are executed by the agent. Agent subscriptions allow Sensu to request check executions on a

group of systems at a time, instead of a traditional 1:1 mapping of configured hosts to monitoring checks. In order for an agent to execute a service check, you must specify the same subscription in the [agent configuration](#) and the [check definition](#).

After receiving a check request from the Sensu backend, the agent:

1. Applies any [tokens](#) matching attribute values in the check definition.
2. Fetches [assets](#) and stores them in its local cache. By default, agents cache asset data at `/var/cache/sensu/sensu-agent` (`C:\ProgramData\sensu\cache\sensu-agent` on Windows systems) or as specified by the the `cache-dir` [flag](#).
3. Executes the [check](#) [command](#) .
4. Executes any [hooks](#) specified by the check based on the exit status.
5. Creates an [event](#) containing information about the applicable entity, check, and metric.

Subscription configuration

To configure subscriptions for an agent, set the `subscriptions` [flag](#). To configure subscriptions for a check, set the [check definition attribute](#) `subscriptions` .

In addition to the subscriptions defined in the agent configuration, Sensu agent entities also subscribe automatically to a subscription matching their [entity](#) [name](#) . For example, an agent entity with the `name: "i-424242"` subscribes to check requests with the subscription `entity:i-424242` . This makes it possible to generate ad-hoc check requests targeting specific entities via the API.

Proxy entities

Sensu proxy entities allow Sensu to monitor external resources on systems or devices where a Sensu agent cannot be installed (such a network switch). Unlike agent entities, proxy entity definitions are stored by the [Sensu backend](#). When the backend requests a check that includes a `proxy_entity_name` , the agent includes the provided entity information in the event data in place of the agent entity data. See the [entity reference](#) and the [guide to monitoring external resources](#) for more information about monitoring proxy entities.

Creating monitoring events using the agent API

The Sensu agent API allows external sources to send monitoring data to Sensu without needing to know anything about Sensu's internal implementation. The agent API listens on the address and port specified by the [API configuration flags](#); only unsecured HTTP (no HTTPS) is supported at this time. Any requests for unknown endpoints result in a 404 Not Found response.

`/events` (POST)

The `/events` API provides HTTP POST access to publish monitoring events to the Sensu backend pipeline via the agent API. The agent places events created via the `/events` POST endpoint into a queue stored on disk. In the event of a loss of connection with the backend or agent shutdown, queued event data is preserved, and the agent sends queued events to the backend once a connection is reestablished.

The `/events` API uses a configurable burst limit and rate limit for relaying events to the backend. See the API configuration flags to configure the `events-burst-limit` and `events-rate-limit` flags.

Example

In the following example, an HTTP POST is submitted to the `/events` API, creating an event for a check named `check-mysql-status` with the output `could not connect to mysql` and a status of `1` (warning). The agent responds with a 202 (Accepted) response code to indicate that the event has been added to the queue to be sent to the backend.

```
curl -X POST \
-H 'Content-Type: application/json' \
-d '{
  "check": {
    "metadata": {
      "name": "check-mysql-status"
    },
    "status": 1,
    "output": "could not connect to mysql"
  }
}' \
http://127.0.0.1:3031/events

HTTP/1.1 202 Accepted
```

PRO TIP: You can use the agent API `/events` endpoint to create proxy entities by including a `proxy_entity_name` attribute within the `check` scope.

Detecting silent failures

You can use the Sensu agent API in combination with the check time-to-live attribute (TTL) to detect silent failures, creating what's commonly referred to as a "dead man's switch" (source: [Wikipedia](#)). By using check TTLs, Sensu is able to set an expectation that a Sensu agent will publish additional events for a check within the period of time specified by the TTL attribute. If a Sensu agent fails to publish an event before the check TTL expires, the Sensu backend creates an event with a status of `1` (warning) to indicate the expected event was not received. For more information on check TTLs, see the [check reference](#).

A great use case for the Sensu agent API is to enable tasks which run outside of Sensu's check scheduling to emit events. Using the check TTL attribute, these events create a dead man's switch, ensuring that if the task fails for any reason, the lack of an "all clear" event from the task notifies operators of a silent failure which might otherwise be missed. If an external source sends a Sensu event with a check TTL to the Sensu agent API, Sensu expects another event from the same external source before the TTL expires.

The following is an example of external event input via the Sensu agent API using a check TTL to create a dead man's switch for MySQL backups. If we assume that a MySQL backup script runs periodically and that we expect the job to take a little less than 7 hours to complete, in the case where the job completes successfully, we'd like a record of it but don't need to be alerted. If the job fails for some reason, or continues running past the expected 7 hours, we'd like to be alerted. In the following example, the script sends an event which tells the Sensu backend to expect an additional event with the same name within 7 hours of the first event.

```
curl -X POST \  
-H 'Content-Type: application/json' \  
-d '{  
  "check": {  
    "metadata": {  
      "name": "mysql-backup-job"  
    },  
    "status": 0,  
    "output": "mysql backup initiated",  
    "ttl": 25200  
  }  
' \  
http://127.0.0.1:3031/events
```

With this initial event submitted to the agent API, we have recorded in the Sensu backend that our script started, and we've configured the dead man's switch so that we'll be alerted if the job fails or runs too long. Although it is possible for our script to handle errors gracefully and emit additional monitoring events, this approach allows us to worry less about handling every possible error case, as

the lack of additional events before the 7 hour period elapses results in an alert.

If our backup script runs successfully, we can send an additional event without the TTL attribute, which removes the dead man's switch:

```
curl -X POST \
-H 'Content-Type: application/json' \
-d '{
  "check": {
    "metadata": {
      "name": "mysql-backup-job"
    },
    "status": 0,
    "output": "mysql backup ran successfully!"
  }
}' \
http://127.0.0.1:3031/events
```

By omitting the TTL attribute from this event, the dead man's switch being monitored by the Sensu backend is also removed, effectively sounding the “all clear” for this iteration of the task.

API specification

/events (POST)	
description	Accepts JSON <u>event data</u> and passes the event to the Sensu backend event pipeline for processing
example url	<u>http://hostname:3031/events</u>

payload example	<pre>{ "check": { "metadata": { "name": "check-mysql-status" }, "status": 1, "output": "could not connect to mysql" } }</pre>
-----------------	---

```
}
```

payload attributes

`check` (required): All check data must be within the `check` scope.
`metadata` (required): The `check` scope must contain a `metadata` scope.
`name` (required): The `metadata` scope must contain the `name` attribute with a string representing the name of the monitoring check.
Any other attributes supported by the [Sensu check specification](#) (optional)

response codes

Success: 202 (Accepted)
Malformed: 400 (Bad Request)
Error: 500 (Internal Server Error)

`/healthz` (GET)

The `/healthz` API provides HTTP GET access to the status of the Sensu agent via the agent API.

Example

In the following example, an HTTP GET is submitted to the `/healthz` API:

```
curl http://127.0.0.1:3031/healthz
```

Resulting in a healthy response:

```
ok
```

API specification

`/healthz` (GET)

description Returns `ok` if the agent is active and connected to a Sensu backend;

returns `sensu backend unavailable` if the agent is unable to connect to a backend.

example url `http://hostname:3031/healthz`

Creating monitoring events using the StatsD listener

Sensu agents include a listener to send StatsD metrics to the event pipeline. By default, Sensu agents listen on UDP socket 8125 (TCP on Windows systems) for messages that follow the StatsD line protocol and send metric events for handling by the Sensu backend.

For example, you can use the Netcat utility to send metrics to the StatsD listener:

```
echo 'abc.def.g:10|c' | nc -w1 -u localhost 8125
```

Metrics received through the StatsD listener are not stored by Sensu, so it's important to configure event handlers.

StatsD line protocol

The Sensu StatsD listener accepts messages formatted according to the StatsD line protocol:

```
<metricname>:<value>|<type>
```

For more information, see the StatsD documentation.

Configuring the StatsD listener

To configure the StatsD listener, specify the `statsd-event-handlers` configuration flag in the agent configuration, and start the agent.

```
# Start an agent that sends StatsD metrics to InfluxDB
sensu-agent --statsd-event-handlers influx-db
```

You can use the [StatsD configuration flags](#) to change the default settings for the StatsD listener address, port, and [flush interval](#).

```
# Start an agent with a customized address and flush interval
sensu-agent --statsd-event-handlers influx-db --statsd-flush-interval 1 --statsd-
metrics-host 123.4.5.10 --statsd-metrics-port 8125
```

Creating monitoring events using the agent TCP and UDP sockets

NOTE: The agent TCP and UDP sockets are deprecated in favor of the [agent API](#).

Sensu agents listen for external monitoring data using TCP and UDP sockets. The agent sockets accept JSON event data and pass the event to the Sensu backend event pipeline for processing. The TCP and UDP sockets listen on the address and port specified by the [socket configuration flags](#).

Using the TCP socket

The following is an example demonstrating external monitoring data input via the Sensu agent TCP socket. The example uses Bash's built-in `/dev/tcp` file to communicate with the Sensu agent socket.

```
echo '{"name": "check-mysql-status", "status": 1, "output": "error!"}' >
/dev/tcp/localhost/3030
```

You can also use the [Netcat](#) utility to send monitoring data to the agent socket:

```
echo '{"name": "check-mysql-status", "status": 1, "output": "error!"}' | nc
localhost 3030
```

Using the UDP socket

The following is an example demonstrating external monitoring data input via the Sensu agent UDP socket. The example uses Bash's built-in `/dev/udp` file to communicate with the Sensu agent socket.

```
echo '{"name": "check-mysql-status", "status": 1, "output": "error!"}' >
/dev/udp/127.0.0.1/3030
```

You can also use the Netcat utility to send monitoring data to the agent socket:

```
echo '{"name": "check-mysql-status", "status": 1, "output": "error!"}' | nc -u -v
127.0.0.1 3030
```

Socket event format

The agent TCP and UDP sockets use a special event data format designed for backwards compatibility with Sensu 1.x check results. Attributes specified in socket events appear in the resulting event data passed to the Sensu backend.

Example socket input: Minimum required attributes

```
{
  "name": "check-mysql-status",
  "status": 1,
  "output": "error!"
}
```

Example socket input: All attributes

```
{
  "name": "check-http",
  "status": 1,
  "output": "404",
  "source": "sensu-docs-site",
  "executed": 1550013435,
  "duration": 1.903135228,
```

```
"handlers": ["slack", "influxdb"]
}
```

Socket event specification

The Sensu agent socket ignores any attributes not included in this specification.

name

description	The check name
-------------	----------------

required	true
----------	------

type	String
------	--------

example

```
"name": "check-mysql-status"
```

status

description	The check execution exit status code. An exit status code of <code>0</code> (zero) indicates <code>OK</code> , <code>1</code> indicates <code>WARNING</code> , and <code>2</code> indicates <code>CRITICAL</code> ; exit status codes other than <code>0</code> , <code>1</code> , or <code>2</code> indicate an <code>UNKNOWN</code> or custom status.
-------------	---

required	true
----------	------

type	Integer
------	---------

example

```
"status": 0
```

output

description	The output produced by the check <code>command</code> .
-------------	---

required	true
type	String
example	<pre>"output": "CheckHttp OK: 200, 78572 bytes"</pre>

source

description	The name of the Sensu entity associated with the event. Use this attribute to tie the event to a proxy entity. If no matching entity exists, Sensu creates a proxy entity with the name provided by the <code>source</code> attribute.
required	false
default	The agent entity receiving the event data
type	String
example	<pre>"source": "sensu-docs-site"</pre>

client

description	<i>NOTE: The <code>client</code> attribute is deprecated in favor of the <code>source</code> attribute (see above).</i> The name of the Sensu entity associated with the event. Use this attribute to tie the event to a proxy entity. If no matching entity exists, Sensu creates a proxy entity with the name provided by the <code>client</code> attribute.
required	false
default	The agent entity receiving the event data
type	String
example	<pre>"client": "sensu-docs-site"</pre>

executed

description	The time the check was executed, in seconds since the Unix epoch.
-------------	---

required	false
----------	-------

default	The time the event was received by the agent
---------	--

type	Integer
------	---------

example	
---------	--

```
"executed": 1458934742
```

duration

description	The amount of time (in seconds) it took to execute the check.
-------------	---

required	false
----------	-------

type	Float
------	-------

example	
---------	--

```
"duration": 1.903135228
```

command

description	The command executed to produce the event. You can use this attribute to add context to the event data; Sensu does not execute the command included in this attribute.
-------------	--

required	false
----------	-------

type	String
------	--------

example	
---------	--

```
"command": "check-http.rb -u https://sensuapp.org"
```

interval

description	The interval used to produce the event. You can use this attribute to add context to the event data; Sensu does not act on the value provided in this attribute.
-------------	--

required	false
----------	-------

default	1
---------	---

type	Integer
------	---------

example	<pre>"interval": 60</pre>
---------	---------------------------

handlers

description	An array of Sensu handler names to use for handling the event. Each handler name in the array must be a string.
-------------	---

required	false
----------	-------

type	Array
------	-------

example	<pre>"handlers": ["slack", "influxdb"]</pre>
---------	--

Keepalive monitoring

Sensu `keepalives` are the heartbeat mechanism used to ensure that all registered agents are operational and able to reach the [Sensu backend](#). Sensu agents publish keepalive events containing [entity](#) configuration data to the Sensu backend according to the interval specified by the `keepalive-interval` flag. If a Sensu agent fails to send keepalive events over the period specified by the `keepalive-timeout` flag, the Sensu backend creates a keepalive alert in the Sensu dashboard. You

can use keepalives to identify unhealthy systems and network partitions, send notifications, trigger auto-remediation, and other useful actions.

NOTE: Keepalive monitoring is not supported for proxy entities, as they are inherently unable to run a Sensu agent.

Handling keepalive events

You can connect keepalive events to your monitoring workflows using a keepalive handler. Sensu looks for an event handler named `keepalive` and automatically uses it to process keepalive events.

Let's say you want to receive Slack notifications for keepalive alerts, and you already have a Slack handler set up to process events. To process keepalive events using the Slack pipeline, create a handler set named `keepalive` and add the `slack` handler to the `handlers` array. The resulting `keepalive` handler set configuration looks like this:

YML

```
type: Handler
api_version: core/v2
metadata:
  name: keepalive
  namespace: default
spec:
  handlers:
  - slack
  type: set
```

JSON

```
{
  "type": "Handler",
  "api_version": "core/v2",
  "metadata" : {
    "name": "keepalive",
    "namespace": "default"
  },
  "spec": {
    "type": "set",
    "handlers": [
      "slack"
    ]
  }
}
```



```
]
}
}
```

Operation

Starting the service

Use the `sensu-agent` tool to start the agent and apply configuration flags.

Linux

To start the agent with configuration flags:

```
sensu-agent start --subscriptions disk-checks --log-level debug
```

To see available configuration flags and defaults:

```
sensu-agent start --help
```

To start the agent using a service manager:

```
sudo service sensu-agent start
```

If no configuration flags are provided, the agent loads configuration from the location specified by the `config-file` attribute (default: `/etc/sensu/agent.yml`).

Windows

Run the following command as an admin to install and start the agent.

```
sensu-agent service install
```

By default, the agent loads configuration from `%ALLUSERSPROFILE%\sensu\config\agent.yml` (for example: `C:\ProgramData\sensu\config\agent.yml`) and stores service logs to `%ALLUSERSPROFILE%\sensu\log\sensu-agent.log` (for example: `C:\ProgramData\sensu\log\sensu-agent.log`).

You can configure the configuration file and log file locations using the `config-file` and `log-file` flags.

```
sensu-agent service install --config-file 'C:\\monitoring\\sensu\\config\\agent.yml' --log-file 'C:\\monitoring\\sensu\\log\\sensu-agent.log'
```

Stopping the service

To stop the agent service using a service manager:

Linux

```
sudo service sensu-agent stop
```

Windows

```
sc.exe stop SensuAgent
```

Restarting the service

You must restart the agent to implement any configuration updates.

To restart the agent using a service manager:

Linux

```
sudo service sensu-agent restart
```

Windows

```
sc.exe stop SensuAgent  
sc.exe start SensuAgent
```

Enabling on boot

To enable the agent to start on system boot:

Linux

```
sudo systemctl enable sensu-agent
```

To disable the agent from starting on system boot:

```
sudo systemctl disable sensu-agent
```

NOTE: On older distributions of Linux, use `sudo chkconfig sensu-agent on` to enable the agent and `sudo chkconfig sensu-agent off` to disable.

Windows

The service is configured to start automatically on boot by default.

Getting service status

To see the status of the agent service using a service manager:

Linux

```
service sensu-agent status
```

Windows

```
sc.exe query SensuAgent
```

Getting service version

To get the current agent version using the `sensu-agent` tool:

```
sensu-agent version
```

Uninstalling the service

Windows

```
sensu-agent service uninstall
```

Getting help

The `sensu-agent` tool provides general and command-specific help flags:

```
# Show sensu-agent commands
```

```
sensu-agent help
```

```
# Show options for the sensu-agent start subcommand
```

```
sensu-agent start --help
```

Clustering

Agents can connect to a Sensu cluster by specifying any Ssensu backend URL in the cluster in the `backend-url` configuration flag. For more information about clustering, see [Sensu backend datastore configuration flags](#) and the [guide to running a Ssensu cluster](#).

Time synchronization

System clocks between agents and the backend should be synchronized to a central NTP server. Out of sync system time may cause issues with keepalive, metric, and check alerts.

Registration

In practice, agent registration happens when a Ssensu backend processes an agent keepalive event for an agent that is not already registered in the Ssensu agent registry (based on the configured agent `name`). This agent registry is stored in the Ssensu `backend`, and is accessible via `sensuctl entity list`.

All Ssensu agent data provided in keepalive events gets stored in the agent registry and used to add context to Ssensu [events](#) and detect Ssensu agents in an unhealthy state.

Registration events

If a [Ssensu event handler](#) named `registration` is configured, the [Ssensu backend](#) creates and process an [event](#) for agent registration, applying any configured [filters](#) and [mutators](#) before executing the configured [handler](#).

PRO TIP: Use a [handler set](#) to execute multiple handlers in response to registration events.

Registration events are useful for executing one-time handlers for new Ssensu agents. For example, registration event handlers can be used to update external [configuration management databases](#) (CMDBs) such as [ServiceNow](#).

To configure a registration event handler, please refer to the [Ssensu event handler documentation](#) for instructions on creating a handler named `registration`.

WARNING: Registration events are not stored in the event registry, so they are not accessible via the Ssensu API; however, all registration events are logged in the [Ssensu backend log](#).

Deregistration events

Similarly to registration events, the Sensu backend can create and process a deregistration event when the Sensu agent process stops. You can use deregistration events to trigger a handler that updates external CMDBs or performs an action to update ephemeral infrastructures. To enable deregistration events, use the `deregister` flag and specify the event handler using the `deregistration-handler` flag. You can specify a deregistration handler per agent using the `deregistration-handler` agent flag or by setting a default for all agents using the `deregistration-handler` backend configuration flag.

Configuration

The agent loads configuration upon startup, so you must restart the agent for any configuration updates to take effect.

Linux

You can specify the agent configuration using a `.yaml` file or using `sensu-agent start` command-line flags. Configuration provided via command-line flags overrides attributes specified in a configuration file.

See the example config file provided with Sensu packages at `/usr/share/doc/sensu-go-agent-5.10.2/agent.yaml.example` or [available here](#).

Configuration summary

```
$ sensu-agent start --help
start the sensu agent
```

Usage:

```
sensu-agent start [flags]
```

Flags:

<code>--annotations</code> <code>stringToString</code>	entity annotations map (default [])
<code>--api-host</code> <code>string</code> (default "127.0.0.1")	address to bind the Sensu client HTTP API to
<code>--api-port</code> <code>int</code> (default 3031)	port the Sensu client HTTP API listens on

```

--backend-url strings      ws/wss URL of Sensu backend server (to
specify multiple backends use this flag multiple times) (default
[ws://127.0.0.1:8081])
--cache-dir string         path to store cached data (default
"/var/cache/sensu/sensu-agent")
-c, --config-file string   path to sensu-agent config file
--deregister               ephemeral agent
--deregistration-handler string  deregistration handler that should process
the entity deregistration event.
--disable-api              disable the Agent HTTP API
--disable-sockets          disable the Agent TCP and UDP event sockets
--events-burst-limit       /events api burst limit
--events-rate-limit        maximum number of events transmitted to the
backend through the /events api
-h, --help                 help for start
--insecure-skip-tls-verify  skip ssl verification
--keepalive-interval int    number of seconds to send between keepalive
events (default 20)
--keepalive-timeout uint32  number of seconds until agent is considered
dead by backend (default 120)
--labels stringToString    entity labels map (default [])
--log-level string          logging level [panic, fatal, error, warn,
info, debug] (default "warn")
--name string              agent name (defaults to hostname) (default
"sensu-go-sandbox")
--namespace string          agent namespace (default "default")
--password string           agent password (default "P@ssw0rd!")
--redact string             comma-delimited customized list of fields to
redact
--socket-host string        address to bind the Sensu client socket to
(default "127.0.0.1")
--socket-port int           port the Sensu client socket listens on
(default 3030)
--statsd-disable            disables the statsd listener and metrics
server
--statsd-event-handlers strings  comma-delimited list of event handlers for
statsd metrics
--statsd-flush-interval int  number of seconds between statsd flush
(default 10)
--statsd-metrics-host string  address used for the statsd metrics server
(default "127.0.0.1")
--statsd-metrics-port int    port used for the statsd metrics server

```

```
(default 8125)
```

```
--subscriptions string      comma-delimited list of agent subscriptions
--trusted-ca-file string     tls certificate authority
--user string                agent user (default "agent")
```

Windows

You can specify the agent configuration using a `.yaml` file. See the example config file provided with Sensu packages at `%ALLUSERSPROFILE%\sensu\config\agent.yaml.example` (default: `C:\ProgramData\sensu\config\agent.yaml.example`) or [available here](#).

General configuration flags

annotations

description Non-identifying metadata to include with event data, which can be accessed using [filters](#) and [tokens](#). You can use annotations to add data that's meaningful to people or external tools interacting with Sensu.

In contrast to labels, annotations cannot be used in [API filtering](#) or [sensuctl filtering](#) and do not impact Sensu's internal performance.

required false

type Map of key-value pairs. Keys and values can be any valid UTF-8 string.

default `null`

example

```
# Command line examples
sensu-agent start --annotations
sensu.io/plugins/slack/config/webhook-
url=https://hooks.slack.com/services/T00000000/B00000000/XX
XXXXXXXXXXXXXXXXXXXXXXXXXXXX
sensu-agent start --annotations example-key="example value"
--annotations example-key2="example value"

# /etc/sensu/agent.yaml example
annotations:
  sensu.io/plugins/slack/config/webhook-url:
```



```
"https://hooks.slack.com/services/T00000000/B00000000/XXXXX  
XXXXXXXXXXXXXXXXXXXXX"
```

backend-url

description ws or wss URL of the Sensu backend server. To specify multiple backends using `sensu-agent start`, use this flag multiple times.

type List

default `ws://127.0.0.1:8081`

example

```
# Command line examples  
sensu-agent start --backend-url ws://0.0.0.0:8081  
sensu-agent start --backend-url ws://0.0.0.0:8081 --  
backend-url ws://0.0.0.0:8082  
  
# /etc/sensu/agent.yml example  
backend-url:  
- "ws://0.0.0.0:8081"  
- "ws://0.0.0.0:8082"
```

cache-dir

description Path to store cached data

type String

default Linux: `/var/cache/sensu/sensu-agent`
Windows: `C:\ProgramData\sensu\cache\sensu-agent`

example

```
# Command line example  
sensu-agent start --cache-dir /cache/sensu-agent  
  
# /etc/sensu/agent.yml example
```

```
cache-dir: "/cache/sensu-agent"
```

config-file

description	Path to Sensu agent config file
-------------	---------------------------------

type	String
------	--------

default	Linux: <code>/etc/sensu/agent.yml</code> FreeBSD: <code>/usr/local/etc/sensu/agent.yml</code> Windows: <code>C:\ProgramData\sensu\config\agent.yml</code>
---------	---

example

```
# Command line example
sensu-agent start --config-file /sensu/agent.yml
sensu-agent start -c /sensu/agent.yml

# /etc/sensu/agent.yml example
config-file: "/sensu/agent.yml"
```

labels

description	Custom attributes to include with event data, which can be accessed using filters and tokens .
-------------	--

In contrast to annotations, you can use labels to create meaningful collections that can be selected with [API filtering](#) and [sensuctl filtering](#). Overusing labels can impact Sensu's internal performance, so we recommend moving complex, non-identifying metadata to annotations.

required	false
----------	-------

type	Map of key-value pairs. Keys can contain only letters, numbers, and underscores, but must start with a letter. Values can be any valid UTF-8 string.
------	--

default	<code>null</code>
---------	-------------------

example

```
# Command line examples
sensu-agent start --labels proxy_type=website
sensu-agent start --labels example_key1="example value"
example_key2="example value"

# /etc/sensu/agent.yml example
labels:
  proxy_type: "website"
```

name

description	Entity name assigned to the agent entity
-------------	--

type	String
------	--------

default	Defaults to hostname, for example: <code>sensu-centos</code>
---------	--

example

```
# Command line example
sensu-agent start --name agent-01

# /etc/sensu/agent.yml example
name: "agent-01"
```

log-level

description	Logging level: <code>panic</code> , <code>fatal</code> , <code>error</code> , <code>warn</code> , <code>info</code> , or <code>debug</code>
-------------	---

type	String
------	--------

default	<code>warn</code>
---------	-------------------

example

```
# Command line example
sensu-agent start --log-level debug

# /etc/sensu/agent.yml example
```

```
log-level: "debug"
```

subscriptions

description	An array of agent subscriptions which determine which monitoring checks are executed by the agent. The subscriptions array items must be strings.
-------------	---

type	List
------	------

example

```
# Command line examples
sensu-agent start --subscriptions disk-checks,process-checks
sensu-agent start --subscriptions disk-checks --subscriptions process-checks

# /etc/sensu/agent.yml example
subscriptions:
  - disk-checks
  - process-checks
```

API configuration flags

api-host

description	Bind address for the Sensu agent HTTP API
-------------	---

type	String
------	--------

default	127.0.0.1
---------	-----------

example

```
# Command line example
sensu-agent start --api-host 0.0.0.0

# /etc/sensu/agent.yml example
```

```
api-host: "0.0.0.0"
```

api-port

description	Listening port for the Sensu agent HTTP API
-------------	---

type	Integer
------	---------

default	3031
---------	------

example

```
# Command line example
sensu-agent start --api-port 4041

# /etc/sensu/agent.yml example
api-port: 4041
```

disable-api

description	Disable the agent HTTP API
-------------	----------------------------

type	Boolean
------	---------

default	false
---------	-------

example

```
# Command line example
sensu-agent start --disable-api

# /etc/sensu/agent.yml example
disable-api: true
```

events-burst-limit

description	The maximum amount of burst allowed in a rate interval for the <u>agent events API</u> .
-------------	--

type	Integer
default	10
example	<pre># Command line example sensu-agent start --events-burst-limit 20 # /etc/sensu/agent.yml example events-burst-limit: 20</pre>

events-rate-limit

description	The maximum number of events per second that can be transmitted to the backend using the agent events API
type	Float
default	10.0
example	<pre># Command line example sensu-agent start --events-rate-limit 20.0 # /etc/sensu/agent.yml example events-rate-limit: 20.0</pre>

Ephemeral agent configuration flags

deregister

description	Indicates whether a deregistration event should be created upon Sensu agent process stop
type	Boolean
default	false

example

```
# Command line example
sensu-agent start --deregister

# /etc/sensu/agent.yml example
deregister: true
```

deregistration- handler

description The name of a deregistration handler that processes agent deregistration events. This flag overrides any handlers applied by the `deregistration-handler` backend configuration flag.

type String

example

```
# Command line example
sensu-agent start --deregistration-handler deregister

# /etc/sensu/agent.yml example
deregistration-handler: "deregister"
```

Keepalive configuration flags

keepalive-interval

description Number of seconds between keepalive events

type Integer

default 20

example

```
# Command line example
sensu-agent start --keepalive-interval 30
```

```
# /etc/sensu/agent.yml example
keepalive-interval: 30
```

keepalive-timeout

description	Number of seconds after a missing keepalive event until the agent is considered unresponsive by the Sensu backend
-------------	---

type	Integer
------	---------

default	120
---------	-----

example

```
# Command line example
sensu-agent start --keepalive-timeout 300

# /etc/sensu/agent.yml example
keepalive-timeout: 300
```

Security configuration flags

namespace

description	Agent namespace <i>NOTE: Agents are represented in the backend as a class of entity. Entities can only belong to a <u>single namespace</u>.</i>
-------------	---

type	String
------	--------

default	default
---------	---------

example

```
# Command line example
sensu-agent start --namespace ops

# /etc/sensu/agent.yml example
namespace: "ops"
```


user

description Sensu RBAC username used by the agent. Agents require get, list, create, update, and delete permissions for events across all namespaces.

type String

default agent

example

```
# Command line example
sensu-agent start --user agent-01

# /etc/sensu/agent.yml example
user: "agent-01"
```

password

description Sensu RBAC password used by the agent

type String

default P@ssw0rd!

example

```
# Command line example
sensu-agent start --password secure-password

# /etc/sensu/agent.yml example
password: "secure-password"
```

redact

description List of fields to redact when logging and sending keepalives

type	List
default	By default, Sensu redacts the following fields: <code>password</code> , <code>passwd</code> , <code>pass</code> , <code>api_key</code> , <code>api_token</code> , <code>access_key</code> , <code>secret_key</code> , <code>private_key</code> , <code>secret</code>

example

```
# Command line example
sensu-agent start --redact secret,ec2_access_key

# /etc/sensu/agent.yml example
redact:
  - secret
  - ec2_access_key
```

trusted-ca-file

description	SSL/TLS certificate authority
type	String
default	<code>""</code>

example

```
# Command line example
sensu-agent start --trusted-ca-file /path/to/trusted-
certificate-authorities.pem

# /etc/sensu/agent.yml example
trusted-ca-file: "/path/to/trusted-certificate-
authorities.pem"
```

insecure-skip-tls-verify

description	Skip SSL verification. <i>WARNING: This configuration flag is intended for use in development systems only. Do not use this flag in production.</i>
-------------	---

type	Boolean
default	false
example	<pre># Command line example sensu-agent start --insecure-skip-tls-verify # /etc/sensu/agent.yml example insecure-skip-tls-verify: true</pre>

Socket configuration flags

socket-host	
description	Address to bind the Sensu agent socket to
type	String
default	127.0.0.1
example	<pre># Command line example sensu-agent start --socket-host 0.0.0.0 # /etc/sensu/agent.yml example socket-host: "0.0.0.0"</pre>

socket-port	
description	Port the Sensu agent socket listens on
type	Integer
default	3030
example	<pre># Command line example</pre>

```
sensu-agent start --socket-port 4030
```

```
# /etc/sensu/agent.yml example  
socket-port: 4030
```

disable-sockets

description	Disable the agent TCP and UDP event sockets
-------------	---

type	Boolean
------	---------

default	false
---------	-------

example	
---------	--

```
# Command line example  
sensu-agent start --disable-sockets  
  
# /etc/sensu/agent.yml example  
disable-sockets: true
```

StatsD configuration flags

statsd-disable

description	Disables the <u>StatsD</u> listener and metrics server
-------------	--

type	Boolean
------	---------

default	false
---------	-------

example	
---------	--

```
# Command line example  
sensu-agent start --statsd-disable  
  
# /etc/sensu/agent.yml example  
statsd-disable: true
```

statsd-event-handlers

description List of event handlers for StatsD metrics

type List

example

```
# Command line examples
sensu-agent start --statsd-event-handlers influxdb,opentsdb
sensu-agent start --statsd-event-handlers influxdb --statsd-
event-handlers opentsdb

# /etc/sensu/agent.yml example
statsd-event-handlers:
  - influxdb
  - opentsdb
```

statsd-flush-interval

description Number of seconds between StatsD flush

type Integer

default 10

example

```
# Command line example
sensu-agent start --statsd-flush-interval 30

# /etc/sensu/agent.yml example
statsd-flush-interval: 30
```

statsd-metrics-host

statsd-metrics-host	
description	Address used for the StatsD metrics server
type	String
default	127.0.0.1
example	<pre># Command line example sensu-agent start --statsd-metrics-host 0.0.0.0 # /etc/sensu/agent.yml example statsd-metrics-host: "0.0.0.0"</pre>

statsd-metrics-port

description	Port used for the StatsD metrics server
type	Integer
default	8125
example	<pre># Command line example sensu-agent start --statsd-metrics-port 6125 # /etc/sensu/agent.yml example statsd-metrics-port: 6125</pre>

Sensu backend

Contents

[Installation](#)

[Creating event pipelines](#)

[Check scheduling](#)

[Operation and service management](#)

[Starting and stopping the service](#)

[Clustering](#)

[Time synchronization](#)

[Configuration](#)

[General configuration](#)

[Agent communication configuration](#)

[Security configuration](#)

[Dashboard configuration](#)

[Datastore and cluster configuration](#)

[Event logging](#)

[Example \(download\)](#)

The Sensu backend is a service that manages check requests and event data. Every Sensu backend includes an integrated transport for scheduling checks using subscriptions, an event processing pipeline that applies filters, mutators, and handlers, an embedded [etcd](#) datastore for storing configuration and state, a Sensu API, [Sensu dashboard](#), and `sensu-backend` command-line tool. The Sensu backend is available for Ubuntu/Debian and RHEL/CentOS distributions of Linux. See the [installation guide](#) to install the backend.

Event pipeline

The backend processes event data and executes filters, mutators, and handlers. These pipelines are powerful tools to automate your monitoring workflows. To learn more about filters, mutators, and handlers, see:

[Guide to sending Slack alerts with handlers](#)

[Guide to reducing alerting fatigue with filters](#)

[Filters reference documentation](#)

[Mutators reference documentation](#)

[Handlers reference documentation](#)

Check scheduling

The backend is responsible for storing check definitions and scheduling check requests. Check scheduling is subscription-based; the backend sends check requests to subscriptions where they're picked up by subscribing agents.

For information about creating and managing checks, see:

[Guide to monitoring server resources with checks](#)

[Guide to collecting metrics with checks](#)

[Checks reference documentation](#)

Operation and service management

NOTE: Commands in this section may require administrative privileges.

Starting the service

Use the `sensu-backend` tool to start the backend and apply configuration flags.

To start the backend with [configuration flags](#):

```
sensu-backend start --state-dir /var/lib/sensu/sensu-backend --log-level debug
```

To see available configuration flags and defaults:

```
sensu-backend start --help
```

If no configuration flags are provided, the backend loads configuration from `/etc/sensu/backend.yml` by default.

To start the backend using a service manager:


```
service sensu-backend start
```

Stopping the service

To stop the backend service using a service manager:

```
service sensu-backend stop
```

Restarting the service

You must restart the backend to implement any configuration updates.

To restart the backend using a service manager:

```
service sensu-backend restart
```

Enabling on boot

To enable the backend to start on system boot:

```
systemctl enable sensu-backend
```

To disable the backend from starting on system boot:

```
systemctl disable sensu-backend
```

NOTE: On older distributions of Linux, use `sudo chkconfig sensu-server on` to enable the backend and `sudo chkconfig sensu-server off` to disable.

Getting service status

To see the status of the backend service using a service manager:

```
service sensu-backend status
```

Getting service version

To get the current backend version using the `sensu-backend` tool:

```
sensu-backend version
```

Getting help

The `sensu-backend` tool provides general and command-specific help flags:

```
# Show sensu-backend commands
```

```
sensu-backend help
```

```
# Show options for the sensu-backend start subcommand
```

```
sensu-backend start --help
```

Clustering

You can run the backend as a standalone service, but running a cluster of backends makes Sensu more highly available, reliable, and durable. Sensu backend clusters build on the clustering system used by [etcd](#). Clustering lets you synchronize data between backends and get the benefits of a highly available configuration. To configure a cluster, see:

[Datastore configuration flags](#)

[Guide to running a Sensu cluster](#)

Time synchronization

System clocks between agents and the backend should be synchronized to a central NTP server. Out of sync system time may cause issues with keepalive, metric, and check alerts.

Configuration

You can specify the backend configuration using a `/etc/sensu/backend.yml` file or using `sensu-backend start` configuration flags. The backend requires that the `state-dir` flag be set before starting; all other required flags have default values. See the example config file provided with Sensu packages at `/usr/share/doc/sensu-go-backend-5.10.2/backend.yml.example` or [available here](#). The backend loads configuration upon startup, so you must restart the backend for any configuration updates to take effect.

Configuration summary

```
$ sensu-backend start --help
start the sensu backend

Usage:
  sensu-backend start [flags]

General Flags:
  --agent-host string          agent listener host (default "[::]")
  --agent-port int            agent listener port (default 8081)
  --api-listen-address string  address to listen on for api traffic (default
"[::]:8080")
  --api-url string            url of the api to connect to (default
"http://localhost:8080")
  --cache-dir string          path to store cached data (default
"/var/cache/sensu/sensu-backend")
  --cert-file string          TLS certificate in PEM format
  -c, --config-file string    path to sensu-backend config file
  --dashboard-cert-file string dashboard TLS certificate in PEM format
  --dashboard-host string     dashboard listener host (default "[::]")
  --dashboard-key-file string dashboard TLS certificate key in PEM format
  --dashboard-port int        dashboard listener port (default 3000)
  --debug                    enable debugging and profiling features
  --deregistration-handler string default deregistration handler
```

```

--event-log-buffer-size int      buffer size of the event logger (default
100000)
--event-log-file string          path to the event log file
-h, --help                      help for start
--insecure-skip-tls-verify      skip TLS verification (not recommended!)
--key-file string              TLS certificate key in PEM format
--log-level string              logging level [panic, fatal, error, warn,
info, debug] (default "warn")
-d, --state-dir string          path to sensu state storage (default
"/var/lib/sensu/sensu-backend")
--trusted-ca-file string        TLS CA certificate bundle in PEM format used
for etcd client (mutual TLS)

```

Store Flags:

```

--etcd-advertise-client-urls strings      list of this member's client URLs
to advertise to the rest of the cluster. (default [http://localhost:2379])
--etcd-cert-file string                  path to the client server TLS cert
file
--etcd-cipher-suites strings              list of ciphers to use for etcd
TLS configuration
--etcd-client-cert-auth                  enable client cert authentication
--etcd-initial-advertise-peer-urls strings  list of this member's peer URLs
to advertise to the rest of the cluster (default [http://127.0.0.1:2380])
--etcd-initial-cluster string              initial cluster configuration for
bootstrapping (default "default=http://127.0.0.1:2380")
--etcd-initial-cluster-state string        initial cluster state ("new" or
"existing") (default "new")
--etcd-initial-cluster-token string        initial cluster token for the
etcd cluster during bootstrap
--etcd-key-file string                    path to the client server TLS key
file
--etcd-listen-client-urls strings          list of URLs to listen on for
client traffic (default [http://127.0.0.1:2379])
--etcd-listen-peer-urls strings            list of URLs to listen on for
peer traffic (default [http://127.0.0.1:2380])
--etcd-max-request-bytes uint              maximum etcd request size in
bytes (use with caution) (default 1572864)
--etcd-name string                       human-readable name for this
member (default "default")
--etcd-peer-cert-file string              path to the peer server TLS cert
file
--etcd-peer-client-cert-auth              enable peer client cert

```

```

authentication
    --etcd-peer-key-file string          path to the peer server TLS key
file
    --etcd-peer-trusted-ca-file string    path to the peer server TLS
trusted CA file
    --etcd-quota-backend-bytes int        maximum etcd database size in
bytes (use with caution) (default 4294967296)
    --etcd-trusted-ca-file string         path to the client server TLS
trusted CA cert file
    --no-embed-etcd                     don't embed etcd, use external
etcd instead

```

General configuration flags

cache-dir

description	Path to store cached data
-------------	---------------------------

type	String
------	--------

default	<code>/var/cache/sensu/sensu-backend</code>
---------	---

example	
---------	--

```

# Command line example
sensu-backend start --cache-dir /cache/sensu-backend

# /etc/sensu/backend.yml example
cache-dir: "/cache/sensu-backend"

```

config-file

description	Path to Sensu backend config file
-------------	-----------------------------------

type	String
------	--------

default	<code>/etc/sensu/backend.yml</code>
---------	-------------------------------------

example	
---------	--

```
# Command line example
sensu-backend start --config-file /etc/sensu/backend.yml
sensu-backend start -c /etc/sensu/backend.yml

# /etc/sensu/backend.yml example
config-file: "/etc/sensu/backend.yml"
```

debug

description	Enable debugging and profiling features
-------------	---

type	Boolean
------	---------

default	false
---------	-------

example

```
# Command line example
sensu-backend start --debug

# /etc/sensu/backend.yml example
debug: true
```

deregistration- handler

description	Default event handler to use when processing agent deregistration events.
-------------	---

type	String
------	--------

default	""
---------	----

example

```
# Command line example
sensu-backend start --deregistration-handler
/path/to/handler.sh

# /etc/sensu/backend.yml example
```

```
deregistration-handler: "/path/to/handler.sh"
```

log-level

description Logging level: `panic` , `fatal` , `error` , `warn` , `info` , or `debug`

type String

default `warn`

example

```
# Command line example
sensu-backend start --log-level debug

# /etc/sensu/backend.yml example
log-level: "debug"
```

state-dir

description Path to Sensu state storage: `/var/lib/sensu/sensu-backend` .

type String

required true

example

```
# Command line example
sensu-backend start --state-dir /var/lib/sensu/sensu-backend
sensu-backend start -d /var/lib/sensu/sensu-backend

# /etc/sensu/backend.yml example
state-dir: "/var/lib/sensu/sensu-backend"
```

api-listen-address

description	Address the API daemon will listen for requests on
type	String
default	<code>[::]:8080</code>
example	<pre># Command line example sensu-backend start --api-listen-address [::]:8080 # /etc/sensu/backend.yml example api-listen-address: "[::]:8080"</pre>

api-url

description	URL used to connect to the API
type	String
default	<code>http://localhost:8080</code>
example	<pre># Command line example sensu-backend start --api-url http://localhost:8080 # /etc/sensu/backend.yml example api-url: "http://localhost:8080"</pre>

Agent communication configuration flags

agent-host

description	agent listener host, listens on all IPv4 and IPv6 addresses by default
type	String
default	<code>[::]</code>

example

```
# Command line example
sensu-backend start --agent-host 127.0.0.1

# /etc/sensu/backend.yml example
agent-host: "127.0.0.1"
```

agent-port

description	agent listener port
-------------	---------------------

type	Integer
------	---------

default	8081
---------	------

example

```
# Command line example
sensu-backend start --agent-port 8081

# /etc/sensu/backend.yml example
agent-port: 8081
```

Security configuration flags

cert-file

description	Path to the primary backend certificate file, as well as specifies a fallback SSL/TLS certificate if the flag <code>dashboard-cert-file</code> is not use. This certificate secures communications between Sensu Dashboard and end user web browsers, as well as communication between sensuctl and the Sensu API.
-------------	--

type	String
------	--------

default	""
---------	----

example

```
# Command line example
sensu-backend start --cert-file /path/to/ssl/cert.pem

# /etc/sensu/backend.yml example
cert-file: "/path/to/ssl/cert.pem"
```

key-file

description Path to the primary backend key file, as well as specifies a fallback SSL/TLS key if the flag `dashboard-key-file` is not use. This key secures communication between Sensu Dashboard and end user web browsers, as well as communication between sensuctl and the Sensu API.

type String

default ""

example

```
# Command line example
sensu-backend start --key-file /path/to/ssl/key.pem

# /etc/sensu/backend.yml example
key-file: "/path/to/ssl/key.pem"
```

trusted-ca-file

description Path to the primary backend CA file, as well as specifies a fallback SSL/TLS certificate authority in PEM format used for etcd client (mutual TLS) communication if the `etcd-trusted-ca-file` is not used. This CA file is used in communication between Sensu Dashboard and end user web browsers, as well as communication between sensuctl and the Sensu API.

type String

default ""

example

```
# Command line example
sensu-backend start --trusted-ca-file /path/to/trusted-
certificate-authorities.pem

# /etc/sensu/backend.yml example
trusted-ca-file: "/path/to/trusted-certificate-
authorities.pem"
```

insecure-skip-tls-verify

description	Skip SSL verification. <i>WARNING: This configuration flag is intended for use in development systems only. Do not use this flag in production.</i>
-------------	---

type	Boolean
------	---------

default	false
---------	-------

example

```
# Command line example
sensu-backend start --insecure-skip-tls-verify

# /etc/sensu/backend.yml example
insecure-skip-tls-verify: true
```

Dashboard configuration flags

dashboard-cert-file

description	Dashboard TLS certificate in PEM format. This certificate secures communication with the Sensu Dashboard. If the <code>dashboard-cert-file</code> is not provided in the backend configuration, Sensu uses the certificate specified in the <code>cert-file</code> flag for the dashboard.
-------------	--

type	String
------	--------

default	""
---------	----

example

```
# Command line example
sensu-backend start --dashboard-cert-file
/path/to/tls/cert.pem

# /etc/sensu/backend.yml example
dashboard-cert-file: "/path/to/tls/cert.pem"
```

dashboard-key-file

description Dashboard TLS certificate key in PEM format. This key secures communication with the Sensu Dashboard. If the `dashboard-key-file` is not provided in the backend configuration, Sensu uses the key specified in the `key-file` flag for the dashboard.

type String

default ""

example

```
# Command line example
sensu-backend start --dashboard-key-file
/path/to/tls/key.pem

# /etc/sensu/backend.yml example
dashboard-key-file: "/path/to/tls/key.pem"
```

dashboard-host

description Dashboard listener host

type String

default [::]

example

```
# Command line example
sensu-backend start --dashboard-host 127.0.0.1
```

```
# /etc/sensu/backend.yml example
dashboard-host: "127.0.0.1"
```

dashboard-port

description	Dashboard listener port
-------------	-------------------------

type	Integer
------	---------

default	3000
---------	------

example

```
# Command line example
sensu-backend start --dashboard-port 4000

# /etc/sensu/backend.yml example
dashboard-port: 4000
```

Datastore and cluster configuration flags

etcd-advertise-client-urls

description	List of this member's client URLs to advertise to the rest of the cluster.
-------------	--

type	List
------	------

default	http://localhost:2379
---------	-----------------------

example

```
# Command line examples
sensu-backend start --etcd-advertise-client-urls
http://localhost:2378,http://localhost:2379
sensu-backend start --etcd-advertise-client-urls
http://localhost:2378 --etcd-advertise-client-urls
http://localhost:2379
```

```
# /etc/sensu/backend.yml example
etcd-advertise-client-urls:
  - http://localhost:2378
  - http://localhost:2379
```

etcd-cert-file

description	Path to the etcd client API TLS cert file. Secures communication between the embedded etcd client API and any etcd clients.
-------------	---

type	String
------	--------

default	<code>""</code>
---------	-----------------

example

```
# Command line example
sensu-backend start --etcd-cert-file ./client.pem

# /etc/sensu/backend.yml example
etcd-cert-file: "./client.pem"
```

etcd-client-cert-auth

description	Enable client cert authentication
-------------	-----------------------------------

type	Boolean
------	---------

default	<code>false</code>
---------	--------------------

example

```
# Command line example
sensu-backend start --etcd-client-cert-auth

# /etc/sensu/backend.yml example
etcd-client-cert-auth: true
```

etcd-initial-advertise-peer-urls

description	List of this member's peer URLs to advertise to the rest of the cluster
-------------	---

type	List
------	------

default	<code>http://127.0.0.1:2380</code>
---------	------------------------------------

example

```
# Command line examples
sensu-backend start --etcd-listen-peer-urls
https://10.0.0.1:2380,https://10.1.0.1:2380
sensu-backend start --etcd-listen-peer-urls
https://10.0.0.1:2380 --etcd-listen-peer-urls
https://10.1.0.1:2380

# /etc/sensu/backend.yml example
etcd-listen-peer-urls:
  - https://10.0.0.1:2380
  - https://10.1.0.1:2380
```

etcd-initial-cluster

description	Initial cluster configuration for bootstrapping
-------------	---

type	String
------	--------

default	<code>default=http://127.0.0.1:2380</code>
---------	--

example

```
# Command line example
sensu-backend start --etcd-initial-cluster backend-
0=https://10.0.0.1:2380,backend-
1=https://10.1.0.1:2380,backend-2=https://10.2.0.1:2380

# /etc/sensu/backend.yml example
etcd-initial-cluster: "backend-
0=https://10.0.0.1:2380,backend-
```

```
1=https://10.1.0.1:2380,backend-2=https://10.2.0.1:2380"
```

etcd-initial-cluster-state

description	Initial cluster state (<code>new</code> or <code>existing</code>)
-------------	---

type	String
------	--------

default	<code>new</code>
---------	------------------

example	
---------	--

```
# Command line example
sensu-backend start --etcd-initial-cluster-state existing

# /etc/sensu/backend.yml example
etcd-initial-cluster-state: "existing"
```

etcd-initial-cluster-token

description	Initial cluster token for the etcd cluster during bootstrap
-------------	---

type	String
------	--------

default	<code>""</code>
---------	-----------------

example	
---------	--

```
# Command line example
sensu-backend start --etcd-initial-cluster-token sensu

# /etc/sensu/backend.yml example
etcd-initial-cluster-token: "sensu"
```

etcd-key-file

description	Path to the etcd client API TLS key file. Secures communication between the embedded etcd client API and any etcd clients.
-------------	--

type	String
------	--------

example	
---------	--

```
# Command line example
sensu-backend start --etcd-key-file ./client-key.pem

# /etc/sensu/backend.yml example
etcd-key-file: "./client-key.pem"
```

etcd-listen-client-urls

description	List of URLs to listen on for client traffic
-------------	--

type	List
------	------

default	<code>http://127.0.0.1:2379</code>
---------	------------------------------------

example	
---------	--

```
# Command line examples
sensu-backend start --etcd-listen-client-urls
https://10.0.0.1:2379,https://10.1.0.1:2379
sensu-backend start --etcd-listen-client-urls
https://10.0.0.1:2379 --etcd-listen-client-urls
https://10.1.0.1:2379

# /etc/sensu/backend.yml example
etcd-listen-client-urls:
  - https://10.0.0.1:2379
  - https://10.1.0.1:2379
```

etcd-listen-peer-urls

description	List of URLs to listen on for peer traffic
-------------	--

type	List
default	<code>http://127.0.0.1:2380</code>

example

```
# Command line examples
sensu-backend start --etcd-listen-peer-urls
https://10.0.0.1:2380,https://10.1.0.1:2380
sensu-backend start --etcd-listen-peer-urls
https://10.0.0.1:2380 --etcd-listen-peer-urls
https://10.1.0.1:2380

# /etc/sensu/backend.yml example
etcd-listen-peer-urls:
  - https://10.0.0.1:2380
  - https://10.1.0.1:2380
```

etcd-name

description	Human-readable name for this member
type	String
default	<code>default</code>

example

```
# Command line example
sensu-backend start --etcd-name backend-0

# /etc/sensu/backend.yml example
etcd-name: "backend-0"
```

etcd-peer-cert-file

description	Path to the peer server TLS cert file
type	String

example

```
# Command line example
sensu-backend start --etcd-peer-cert-file ./backend-0.pem

# /etc/sensu/backend.yml example
etcd-peer-cert-file: "./backend-0.pem"
```

etcd-peer-client-cert-auth

description	Enable peer client cert authentication
-------------	--

type	Boolean
------	---------

default	false
---------	-------

example

```
# Command line example
sensu-backend start --etcd-peer-client-cert-auth

# /etc/sensu/backend.yml example
etcd-peer-client-cert-auth: true
```

etcd-peer-key-file

description	Path to the etcd peer API TLS key file. Secures communication between etcd cluster members.
-------------	---

type	String
------	--------

example

```
# Command line example
sensu-backend start --etcd-peer-key-file ./backend-0-key.pem

# /etc/sensu/backend.yml example
etcd-peer-key-file: "./backend-0-key.pem"
```

etcd-peer-trusted-ca-file

description Path to the etcd peer API server TLS trusted CA file. This certificate secures communication between etcd cluster members.

type String

example

```
# Command line example
sensu-backend start --etcd-peer-trusted-ca-file ./ca.pem

# /etc/sensu/backend.yml example
etcd-peer-trusted-ca-file: "./ca.pem"
```

etcd-trusted-ca-file

description Path to the client server TLS trusted CA cert file. Secures communication with the etcd client server.

type String

default ""

example

```
# Command line example
sensu-backend start --etcd-trusted-ca-file ./ca.pem

# /etc/sensu/backend.yml example
etcd-trusted-ca-file: "./ca.pem"
```

no-embed-etcd

description Don't embed etcd, use external etcd instead

type Boolean

default

false

example

```
# Command line example
sensu-backend start --no-embed-etcd

# /etc/sensu/backend.yml example
no-embed-etcd: true
```

etcd-cipher-suites

description

List of allowed cipher suites for etcd TLS configuration. Sensu supports TLS 1.0-1.2 cipher suites as listed in the [Go TLS documentation](#). You can use this attribute to defend your TLS servers from attacks on weak TLS ciphers. The default cipher suites are determined by Go, based on the hardware used. *NOTE: To use TLS 1.3, add the following environment variable:* `GODEBUG="tls13=1"`.

recommended

```
etcd-cipher-suites:
- TLS_ECDHE_ECDSA_WITH_AES_256_GCM_SHA384
- TLS_ECDHE_RSA_WITH_AES_256_GCM_SHA384
- TLS_ECDHE_ECDSA_WITH_AES_128_GCM_SHA256
- TLS_ECDHE_RSA_WITH_AES_128_GCM_SHA256
- TLS_ECDHE_ECDSA_WITH_CHACHA20_POLY1305
- TLS_ECDHE_RSA_WITH_CHACHA20_POLY1305
```

type

List

example

```
# Command line examples
sensu-backend start --etcd-cipher-suites
TLS_ECDHE_RSA_WITH_AES_128_GCM_SHA256,TLS_ECDHE_RSA_WITH_AES_256_GCM_SHA384
sensu-backend start --etcd-cipher-suites
TLS_ECDHE_RSA_WITH_AES_128_GCM_SHA256 --etcd-cipher-suites
TLS_ECDHE_RSA_WITH_AES_256_GCM_SHA384

# /etc/sensu/backend.yml example
```

```
etcd-cipher-suites:  
- TLS_ECDHE_RSA_WITH_AES_128_GCM_SHA256  
- TLS_ECDHE_RSA_WITH_AES_256_GCM_SHA384
```

Advanced configuration options

etcd-max-request-bytes

description	Maximum etcd request size in bytes that can be sent to an etcd server by a client. Increasing this value allows etcd to process events with large outputs at the cost of overall latency. <i>WARNING: Use with caution. This configuration option requires familiarity with etcd. Improper use of this option can result in a non-functioning Sensu instance.</i>
-------------	---

type	Integer
------	---------

default	1572864
---------	---------

example

```
# Command line example  
sensu-backend start --etcd-max-request-bytes 1572864  
  
# /etc/sensu/backend.yml example  
etcd-max-request-bytes: 1572864
```

etcd-quota-backend-bytes

description	Maximum etcd database size in bytes. Increasing this value allows for a larger etcd database at the cost of performance. <i>WARNING: Use with caution. This configuration option requires familiarity with etcd. Improper use of this option can result in a non-functioning Sensu instance.</i>
-------------	--

type	Integer
------	---------

default	4294967296
---------	------------

example

```
# Command line example
sensu-backend start --etcd-quota-backend-bytes 4294967296

# /etc/sensu/backend.yml example
etcd-quota-backend-bytes: 4294967296
```

Event logging

LICENSED TIER: Unlock event logging in Sensu Go with a Sensu license. To activate your license, see the [getting started guide](#).

All Sensu events can be optionally logged to a file in JSON format. This file can then be used as an input source for your favorite data lake solution. Using the event logging functionality provides better performance and reliability than using event handlers.

event-log-file

description	Path to the event log file. <i>WARNING: The log file should be located on a local drive. Logging directly to network drives is not supported.</i>
-------------	---

type	String
------	--------

example

```
# Command line example
sensu-backend start --event-log-file
/var/log/sensu/events.log

# /etc/sensu/backend.yml example
event-log-file: "/var/log/sensu/events.log"
```

event-log-buffer-size

description	Buffer size of the event logger. Corresponds to the maximum number of events kept in memory in case the log file is temporarily unavailable or
-------------	--

more events have been received than what can be written to the log file.

type	Integer
default	100000

example

```
# Command line example
sensu-backend start --event-log-buffer-size 100000

# /etc/sensu/backend.yml example
event-log-buffer-size: 100000
```

Log rotation

Event logging supports log rotation via the *SIGHUP* signal. The current log file should first be renamed (moved) and then, this signal should be sent to the sensu-backend process so it re-creates a new log file and starts logging to it. Here are some logrotate sample configurations:

systemd

```
/var/log/sensu/events.log
{
    rotate 3
    hourly
    missingok
    notifempty
    compress
    postrotate
        /bin/systemctl reload sensu-backend.service > /dev/null 2>/dev/null || true
    endscript
}
```

sysvinit

```
/var/log/sensu/events.log
```



```
{  
    rotate 3  
    hourly  
    missingok  
    notifempty  
    compress  
    postrotate  
        kill -HUP `cat /var/run/sensu/sensu-backend.pid` 2> /dev/null` 2> /dev/null ||  
true  
    endscript  
}
```

Assets

Contents

[What is an asset?](#)

[How do assets work?](#)

[Asset format specification](#)

[Asset specification](#)

[Examples](#)

[Sharing an asset on Bonsai](#)

[Deleting assets](#)

You can discover, download, and share assets using [Bonsai, the Sensu asset index](#). Read the [guide to using assets](#) to get started.

What is an asset?

Assets are shareable, reusable packages that make it easy to deploy Sensu [plugins](#). You can use assets to provide the plugins, libraries, and runtimes you need to automate your monitoring workflows. Sensu supports runtime assets for [checks](#), [filters](#), [mutators](#), and [handlers](#).

NOTE: Assets are not required to use Sensu Go in production. Sensu plugins can still be installed using the [sensu-install](#) tool or a [configuration management](#) solution.

How do assets work?

Assets can be executed by the backend (for handler, filter, and mutator assets), or by the agent (for check assets). At runtime, the backend or agent sequentially evaluates assets that appear in the `runtime_assets` attribute of the handler, filter, mutator or check being executed.

What are asset builds?

An asset build is the combination of an artifact URL, SHA512 checksum and optional [Sensu query expression](#) filters. Each asset definition may describe one or more builds.

NOTE: Assets which provide `url` and `sha512` attributes at the top-level of the `spec` scope are single build assets – this form of asset definition is deprecated. We recommend using multiple build asset definitions, which specify one or more `builds` under the `spec` scope.

How are asset builds evaluated?

For each build provided in an asset, Sensu will evaluate any defined filters to determine whether any build matches the agent or backend service's environment. If all filters specified on a build evaluate to true, that build is considered a match. For assets with multiple builds, only the first build which matches will be downloaded and installed.

How are asset builds installed?

After finding a matching build, the build artifact will be downloaded from the provided URL. If the asset definition includes headers, these will be passed along as part of the HTTP request. If the downloaded artifact's SHA512 checksum matches the checksum provided by the build, it is unpacked into the Sensu service's local cache directory.

The backend or agent's local cache path can be set using the `--cache-dir` flag. You can disable assets for an agent using the agent `--disable-assets` configuration flag.

How are asset builds executed?

The directory path of each asset defined in `runtime_assets` is appended to the `PATH` before the handler, filter, mutator or check `command` is executed. Subsequent handler, filter, mutator or check executions look for the asset in the local cache and ensure the contents match the configured checksum.

You can find a use case using a Sensu resource (a check) and an asset in this [example asset with a check](#).

Asset format specification

Sensu expects an asset to be a tar archive (optionally gzipped) containing one or more executables within a bin folder. Any scripts or executables should be within a `bin/` folder within the archive. See the [Sensu Go Plugin template](#) for an example asset and Bonsai configuration.

The following are injected into the execution context:

- `{PATH_TO_ASSET}/bin` is injected into the `PATH` environment variable.
- `{PATH_TO_ASSET}/lib` is injected into the `LD_LIBRARY_PATH` environment variable.
- `{PATH_TO_ASSET}/include` is injected into the `CPATH` environment variable.

NOTE: If you have used previous versions of Sensu and are familiar with plugins from the [Sensu Plugins community](#), it is not possible to create an asset by creating an archive of an existing project. You must follow the steps outlined in [this Sensu discourse guide](#). For further examples of Sensu users who have added the capability for a community plugin to be used as an asset, see [this post](#).

Default cache directory

system	sensu-backend	sensu-agent
Linux	<code>/var/cache/sensu/sensu-backend</code>	<code>/var/cache/sensu/sensu-agent</code>
Windows	N/A	<code>C:\ProgramData\sensu\cache\sensu-agent</code>

If the requested asset is not in the local cache, it is downloaded from the `assetURL`. The Sensu backend does not currently provide any storage for assets; they are expected to be retrieved over HTTP or HTTPS.

Example structure

```
sensu-example-handler_1.0.0_linux_amd64
├─ CHANGELOG.md
├─ LICENSE
├─ README.md
├─ bin
│   └─ my-check.sh
├─ lib
└─ include
```

Asset “Hello World” example

In this example, you'll run a script that outputs `Hello World` :

```
hello-world.sh

#!/bin/sh

STRING="Hello World"

echo $STRING

if [ $? -eq 0 ]; then
    exit 0
else
    exit 2
fi
```

The first step is to ensure that your directory structure is in place. As noted in [Example structure](#), your script could live in three potential directories in the project: `/bin` , `/lib` , or `/include` . For this case, put your script in the `/bin` directory. Create the directories `sensu-go-hello-world` and `/bin` :

```
$ mkdir sensu-go-hello-world

$ cd sensu-go-hello-world

$ mkdir bin

$ cp hello-world.sh bin/

$ tree
.
├── bin
│   └── hello-world.sh
```

Next, ensure that the script is marked as executable:

```
$ chmod +x bin/hello-world.sh
```

```
mode of 'hello-world.sh' changed from 0644 (rw-r--r--) to 0755 (rwxr-xr-x)
```

Now that the script is in the directory, the next step is packaging the `sensu-go-hello-world` directory as an asset tarball.

Package the asset

Assets are archives, so the first step in packaging the asset is to create a tar.gz archive of your project. This assumes you're in the directory you want to tar up:

```
$ cd ..  
$ tar -C sensu-go-hello-world -cvzf sensu-go-hello-world-0.0.1.tar.gz .  
...
```

Now that you've created an archive, you'll need to generate a SHA512 sum for it (this is required — otherwise, the asset won't work):

```
sha512sum sensu-go-hello-world-0.0.1.tar.gz | tee sha512sum.txt  
dbfd4a714c0c51c57f77daeb62f4a21141665ae71440951399be2d899bf44b3634dad2e6f2516fff1ef4  
b154c198b9c7cdfefe8867788c820db7bb5bcad83827 sensu-go-hello-world-0.0.1.tar.gz
```

From here, you can host your asset wherever you'd like. To make the asset available via [Bonsai][bonsai], you'll need to host it on Github. Learn more in [The “Hello World” of Sensu Assets on Discourse][asset-discourse].

To host your asset on a different platform like Gitlab or Bitbucket, upload your asset there. You can also use Artifactory or even Apache or Nginx to serve your asset. All that's required for your asset to work is the URL to the asset and the SHA512 sum for the asset to be downloaded.

Asset specification

Top-level attributes

type

description	Top-level attribute specifying the <code>sensuctl create</code> resource type. Assets should always be of type <code>Asset</code> .
required	Required for asset definitions in <code>wrapped-json</code> or <code>yaml</code> format for use with <code>sensuctl create</code> .
type	String
example	<pre>"type": "Asset"</pre>

api_version

description	Top-level attribute specifying the Sensu API group and version. For assets in this version of Sensu, this attribute should always be <code>core/v2</code> .
required	Required for asset definitions in <code>wrapped-json</code> or <code>yaml</code> format for use with <code>sensuctl create</code> .
type	String
example	<pre>"api_version": "core/v2"</pre>

metadata

description	Top-level collection of metadata about the asset, including the <code>name</code> and <code>namespace</code> as well as custom <code>labels</code> and <code>annotations</code> . The <code>metadata</code> map is always at the top level of the asset definition. This means that in <code>wrapped-json</code> and <code>yaml</code> formats, the <code>metadata</code> scope occurs outside the <code>spec</code> scope. See the metadata attributes reference for details.
required	Required for asset definitions in <code>wrapped-json</code> or <code>yaml</code> format for use with <code>sensuctl create</code> .

type

Map of key-value pairs

example

```
"metadata": {
  "name": "check_script",
  "namespace": "default",
  "labels": {
    "region": "us-west-1"
  },
  "annotations": {
    "playbook" : "www.example.url"
  }
}
```

spec

description

Top-level map that includes the asset spec attributes.

required

Required for asset definitions in `wrapped-json` or `yaml` format for use with `sensuctl create`.

type

Map of key-value pairs

example (multiple builds)

```
"spec": {
  "builds": [
    {
      "url": "http://example.com/asset-linux-amd64.tar.gz",
      "sha512":
"487ab34b37da8ce76d2657b62d37b35fbbb240c3546dd463fa0c37dc58
a72b786ef0ca396a0a12c8d006ac7fa21923e0e9ae63419a4d56aec41fc
cb574c1a5d3",
      "filters": [
        "entity.system.os == 'linux'",
        "entity.system.arch == 'amd64'"
      ]
    },
    {
      "url": "http://example.com/asset-linux-
armv7.tar.gz",
```



```

        "sha512":
"70df8b7e9aa36cf942b972e1781af04815fa560441fcdea1d153837406
6a4603fc5566737bfd6c7ffa18314edb858a9f93330a57d430deeb7fd6f
75670a8c68b",
        "filters": [
            "entity.system.os == 'linux'",
            "entity.system.arch == 'arm'",
            "entity.system.arm_version == 7"
        ]
    }
],
"headers": {
    "Authorization": "Bearer $TOKEN",
    "X-Forwarded-For": "client1, proxy1, proxy2"
}
}

```

example (single
build, deprecated)

```

"spec": {
    "url": "http://example.com/asset.tar.gz",
    "sha512":
"4f926bf4328fbad2b9cac873d117f771914f4b837c9c85584c38ccf55a
3ef3c2e8d154812246e5dda4a87450576b2c58ad9ab40c9e2edc31b288d
066b195b21b",
    "filters": [
        "entity.system.os == 'linux'",
        "entity.system.arch == 'amd64'"
    ],
    "headers": {
        "Authorization": "Bearer $TOKEN",
        "X-Forwarded-For": "client1, proxy1, proxy2"
    }
}

```

Spec attributes

builds

description	A list of asset builds used to define multiple artifacts which provide the named asset.
required	true, if <code>url</code> , <code>sha512</code> and <code>filters</code> are not provided
type	Array

example

```
"builds": [  
  {  
    "url": "http://example.com/asset-linux-amd64.tar.gz",  
    "sha512":  
"487ab34b37da8ce76d2657b62d37b35fbbb240c3546dd463fa0c37dc58  
a72b786ef0ca396a0a12c8d006ac7fa21923e0e9ae63419a4d56aec41fc  
cb574c1a5d3",  
    "filters": [  
      "entity.system.os == 'linux'",  
      "entity.system.arch == 'amd64'"  
    ]  
  },  
  {  
    "url": "http://example.com/asset-linux-  
armv7.tar.gz",  
    "sha512":  
"70df8b7e9aa36cf942b972e1781af04815fa560441fcdea1d153837406  
6a4603fc5566737bfd6c7ffa18314edb858a9f93330a57d430deeb7fd6f  
75670a8c68b",  
    "filters": [  
      "entity.system.os == 'linux'",  
      "entity.system.arch == 'arm'",  
      "entity.system.arm_version == 7"  
    ]  
  }  
]
```

url	
description	The URL location of the asset.
required	true, unless <code>builds</code> are provided.

type	String
------	--------

example	
---------	--

```
"url": "http://example.com/asset.tar.gz"
```

sha512

description	The checksum of the asset.
-------------	----------------------------

required	true, unless <code>builds</code> are provided.
----------	--

type	String
------	--------

example	
---------	--

```
"sha512": "4f926bf4328..."
```

filters

description	A set of <u>Sensu query expressions</u> used to determine if the asset should be installed. If multiple expressions are included, each expression must return true in order for Sensu to install the asset.
-------------	---

Filters for *check* assets should match agent entity platforms, while filters for *handler* and *filter* assets should match your Sensu backend platform. You can create asset filter expressions using any supported entity system attributes, including `os`, `arch`, `platform`, and `platform_family`. *PRO TIP: Asset filters let you reuse checks across platforms safely. Assign assets for multiple platforms to a single check, and rely on asset filters to ensure that only the appropriate asset is installed on each agent.*

required	false
----------	-------

type	Array
------	-------

example	
---------	--

```
"filters": ["entity.system.os=='linux'",  
"entity.system.arch=='amd64'"]
```

headers

description	HTTP headers to apply to asset retrieval requests. You can use headers to access secured assets. For headers requiring multiple values, separate values with a comma.
-------------	---

required	false
----------	-------

type	Map of key-value string pairs
------	-------------------------------

example	
---------	--

```
"headers": {  
  "Authorization": "Bearer $TOKEN",  
  "X-Forwarded-For": "client1, proxy1, proxy2"  
}
```

Metadata attributes

name

description	The unique name of the asset, validated with Go regex <code>\A[\w\._\-]+\z</code> .
-------------	--

required	true
----------	------

type	String
------	--------

example	
---------	--

```
"name": "check_script"
```

namespace

description	The <u>Sensu RBAC namespace</u> that this asset belongs to.
-------------	---

required	false
----------	-------

type	String
default	<code>default</code>
example	<pre>"namespace": "production"</pre>

labels

description	Custom attributes you can use to create meaningful collections that can be selected with API filtering and sensuctl filtering . Overusing labels can impact Sensu's internal performance, so we recommend moving complex, non-identifying metadata to annotations.
required	false
type	Map of key-value pairs. Keys can contain only letters, numbers, and underscores, but must start with a letter. Values can be any valid UTF-8 string.
default	<code>null</code>
example	<pre>"labels": { "environment": "development", "region": "us-west-2" }</pre>

annotations

description	<p>Non-identifying metadata that's meaningful to people interacting with Sensu.</p> <p>In contrast to labels, annotations cannot be used in API filtering or sensuctl filtering and do not impact Sensu's internal performance.</p>
required	false

type	Map of key-value pairs. Keys and values can be any valid UTF-8 string.
default	<code>null</code>
example	<pre>"annotations": { "managed-by": "ops", "playbook": "www.example.url" }</pre>

Examples

Minimum required asset attributes

YML

```
type: Asset  
api_version: core/v2  
metadata:  
  name: check_script  
  namespace: default  
spec:  
  builds:  
    - sha512:  
4f926bf4328fbad2b9cac873d117f771914f4b837c9c85584c38ccf55a3ef3c2e8d154812246e5dda4a8  
7450576b2c58ad9ab40c9e2edc31b288d066b195b21b  
    url: http://example.com/asset.tar.gz
```

JSON

```
{  
  "type": "Asset",  
  "api_version": "core/v2",  
  "metadata": {  
    "name": "check_script",  
    "namespace": "default"  
  },  
  "spec": {  
    "builds": [  

```

```

    {
      "url": "http://example.com/asset.tar.gz",
      "sha512":
"4f926bf4328fbad2b9cac873d117f771914f4b837c9c85584c38ccf55a3ef3c2e8d154812246e5dda4a
87450576b2c58ad9ab40c9e2edc31b288d066b195b21b"
    }
  ]
}
}

```

Asset definition (single build, deprecated)

YML

```

type: Asset
api_version: core/v2
metadata:
  name: check_cpu_linux_amd64
  namespace: default
  labels:
    origin: bonsai
  annotations:
    project_url: https://bonsai.sensu.io/assets/asachs01/sensu-go-cpu-check
    version: 0.0.3
spec:
  url:
https://assets.bonsai.sensu.io/981307deb10ebf1f1433a80da5504c3c53d5c44f/sensu-go-
cpu-check_0.0.3_linux_amd64.tar.gz
  sha512:
487ab34b37da8ce76d2657b62d37b35fbbb240c3546dd463fa0c37dc58a72b786ef0ca396a0a12c8d006
ac7fa21923e0e9ae63419a4d56aec41fccb574c1a5d3
  filters:
- entity.system.os == 'linux'
- entity.system.arch == 'amd64'
  headers:
    Authorization: Bearer $TOKEN
    X-Forwarded-For: client1, proxy1, proxy2

```

JSON

```

{

```

```

"type": "Asset",
"api_version": "core/v2",
"metadata": {
  "name": "check_cpu_linux_amd64",
  "namespace": "default",
  "labels": {
    "origin": "bonsai"
  },
  "annotations": {
    "project_url": "https://bonsai.sensu.io/assets/asachs01/sensu-go-cpu-check",
    "version": "0.0.3"
  }
},
"spec": {
  "url":
"https://assets.bonsai.sensu.io/981307deb10ebf1f1433a80da5504c3c53d5c44f/sensu-go-cpu-check_0.0.3_linux_amd64.tar.gz",
  "sha512":
"487ab34b37da8ce76d2657b62d37b35fbbb240c3546dd463fa0c37dc58a72b786ef0ca396a0a12c8d006ac7fa21923e0e9ae63419a4d56aec41fccb574c1a5d3",
  "filters": [
    "entity.system.os == 'linux'",
    "entity.system.arch == 'amd64'"
  ],
  "headers": {
    "Authorization": "Bearer $TOKEN",
    "X-Forwarded-For": "client1, proxy1, proxy2"
  }
}
}

```

Asset definition (multiple builds)

YML

```

type: Asset
api_version: core/v2
metadata:
  name: check_cpu
  namespace: default
  labels:
    origin: bonsai

```



```
annotations:
  project_url: https://bonsai.sensu.io/assets/asachs01/sensu-go-cpu-check
  version: 0.0.3
spec:
  builds:
    - url:
https://assets.bonsai.sensu.io/981307deb10ebf1f1433a80da5504c3c53d5c44f/sensu-go-
cpu-check_0.0.3_linux_amd64.tar.gz
      sha512:
487ab34b37da8ce76d2657b62d37b35fbbb240c3546dd463fa0c37dc58a72b786ef0ca396a0a12c8d006
ac7fa21923e0e9ae63419a4d56aec41fccb574c1a5d3
      filters:
        - entity.system.os == 'linux'
        - entity.system.arch == 'amd64'
      headers:
        Authorization: Bearer $TOKEN
        X-Forwarded-For: client1, proxy1, proxy2
    - url:
https://assets.bonsai.sensu.io/981307deb10ebf1f1433a80da5504c3c53d5c44f/sensu-go-
cpu-check_0.0.3_linux_armv7.tar.gz
      sha512:
70df8b7e9aa36cf942b972e1781af04815fa560441fcdea1d1538374066a4603fc5566737bfd6c7ffa18
314edb858a9f93330a57d430deeb7fd6f75670a8c68b
      filters:
        - entity.system.os == 'linux'
        - entity.system.arch == 'arm'
        - entity.system.arm_version == 7
      headers:
        Authorization: Bearer $TOKEN
        X-Forwarded-For: client1, proxy1, proxy2
    - url:
https://assets.bonsai.sensu.io/981307deb10ebf1f1433a80da5504c3c53d5c44f/sensu-go-
cpu-check_0.0.3_windows_amd64.tar.gz
      sha512:
10d6411e5c8bd61349897cf8868087189e9ba59c3c206257e1ebc1300706539cf37524ac976d0ed9c809
9bddd50efadacf4f3c89b04a1a8bf5db581f19c157f
      filters:
        - entity.system.os == 'windows'
        - entity.system.arch == 'amd64'
      headers:
        Authorization: Bearer $TOKEN
        X-Forwarded-For: client1, proxy1, proxy2
```

JSON

```
{
  "type": "Asset",
  "api_version": "core/v2",
  "metadata": {
    "name": "check_cpu",
    "namespace": "default",
    "labels": {
      "origin": "bonsai"
    },
    "annotations": {
      "project_url": "https://bonsai.sensu.io/assets/asachs01/sensu-go-cpu-check",
      "version": "0.0.3"
    }
  },
  "spec": {
    "builds": [
      {
        "url":
"https://assets.bonsai.sensu.io/981307deb10ebf1f1433a80da5504c3c53d5c44f/sensu-go-cpu-check_0.0.3_linux_amd64.tar.gz",
        "sha512":
"487ab34b37da8ce76d2657b62d37b35fbbb240c3546dd463fa0c37dc58a72b786ef0ca396a0a12c8d006ac7fa21923e0e9ae63419a4d56aec41fccb574c1a5d3",
        "filters": [
          "entity.system.os == 'linux'",
          "entity.system.arch == 'amd64'"
        ],
        "headers": {
          "Authorization": "Bearer $TOKEN",
          "X-Forwarded-For": "client1, proxy1, proxy2"
        }
      },
      {
        "url":
"https://assets.bonsai.sensu.io/981307deb10ebf1f1433a80da5504c3c53d5c44f/sensu-go-cpu-check_0.0.3_linux_armv7.tar.gz",
        "sha512":
"70df8b7e9aa36cf942b972e1781af04815fa560441fcdea1d1538374066a4603fc5566737bfd6c7ffa18314edb858a9f93330a57d430deeb7fd6f75670a8c68b",
```

```

    "filters": [
      "entity.system.os == 'linux'",
      "entity.system.arch == 'arm'",
      "entity.system.arm_version == 7"
    ],
    "headers": {
      "Authorization": "Bearer $TOKEN",
      "X-Forwarded-For": "client1, proxy1, proxy2"
    }
  },
  {
    "url":
"https://assets.bonsai.sensu.io/981307deb10ebf1f1433a80da5504c3c53d5c44f/sensu-go-
cpu-check_0.0.3_windows_amd64.tar.gz",
    "sha512":
"10d6411e5c8bd61349897cf8868087189e9ba59c3c206257e1ebc1300706539cf37524ac976d0ed9c80
99bddd50efadacf4f3c89b04a1a8bf5db581f19c157f",
    "filters": [
      "entity.system.os == 'windows'",
      "entity.system.arch == 'amd64'"
    ],
    "headers": {
      "Authorization": "Bearer $TOKEN",
      "X-Forwarded-For": "client1, proxy1, proxy2"
    }
  }
]
}
}

```

Example asset with a check

YML

```

---
type: Asset
api_version: core/v2
metadata:
  name: sensu-prometheus-collector
spec:
  builds:

```

```

- url:
https://assets.bonsai.sensu.io/ef812286f59de36a40e51178024b81c69666e1b7/sensu-
prometheus-collector_1.1.6_linux_amd64.tar.gz
  sha512:
a70056ca02662fbf2999460f6be93f174c7e09c5a8b12efc7cc42ce1ccb5570ee0f328a2dd8223f506df
3b5972f7f521728f7bdd6abf9f6ca2234d690aeb3808
  filters:
- entity.system.os == 'linux'
- entity.system.arch == 'amd64'
---
type: CheckConfig
api_version: core/v2
metadata:
  name: prometheus_collector
  namespace: default
spec:
  command: "sensu-prometheus-collector -prom-url http://localhost:9090 -prom-query
up"
  interval: 10
  publish: true
  output_metric_handlers:
- influxdb
  output_metric_format: influxdb_line
  runtime_assets:
- sensu-prometheus-collector
  subscriptions:
- system

```

WRAPPED-JSON

```

{
  "type": "Asset",
  "api_version": "core/v2",
  "metadata": {
    "name": "sensu-email-handler"
  },
  "spec": {
    "builds": [
      {
        "url":
"https://assets.bonsai.sensu.io/45eaac0851501a19475a94016a4f8f9688a280f6/sensu-
email-handler_0.2.0_linux_amd64.tar.gz",

```

```

    "sha512":
"d69df76612b74acd64aef8eed2ae10d985f6073f9b014c8115b7896ed86786128c20249fd370f30672b
f9a11b041a99adb05e3a23342d3ad80d0c346ec23a946",
    "filters": [
        "entity.system.os == 'linux'",
        "entity.system.arch == 'amd64'"
    ]
}
]
}
{
    "type": "CheckConfig",
    "api_version": "core/v2",
    "metadata": {
        "name": "prometheus_collector",
        "namespace": "default"
    },
    "spec": {
        "command": "sensu-prometheus-collector -prom-url http://localhost:9090 -prom-
query up",
        "handlers": [
            "influxdb"
        ],
        "interval": 10,
        "publish": true,
        "output_metric_format": "influxdb_line",
        "runtime_assets": [
            "sensu-prometheus-collector"
        ],
        "subscriptions": [
            "system"
        ]
    }
}

```

Sharing an asset on Bonsai

Share your open-source assets on [Bonsai](#) and connect with the Sensu Community. Bonsai supports

assets hosted on [GitHub](#) and released using [GitHub releases](#). For more information about creating Sensu Plugins, see the [Sensu Plugin specification](#).

Bonsai requires a `bonsai.yml` [configuration file](#) in the root directory of your repository that includes the project description, platforms, asset filenames, and SHA-512 checksums. For a Bonsai-compatible asset template using Go and [GoReleaser](#), see the [Sensu Go plugin skeleton](#).

To share your asset on Bonsai, [log in to Bonsai](#) with your GitHub account and authorize Sensu. Once logged in, you can [register your asset on Bonsai](#) by adding the GitHub repository, description, and tags. Make sure to provide a helpful README for your asset with configuration examples.

`bonsai.yml` example

```
---
description: "#{repo}"
builds:
- platform: "linux"
  arch: "amd64"
  asset_filename: "#{repo}_#{version}_linux_amd64.tar.gz"
  sha_filename: "#{repo}_#{version}_sha512-checksums.txt"
  filter:
    - "entity.system.os == 'linux'"
    - "entity.system.arch == 'amd64'"

- platform: "Windows"
  arch: "amd64"
  asset_filename: "#{repo}_#{version}_windows_amd64.tar.gz"
  sha_filename: "#{repo}_#{version}_sha512-checksums.txt"
  filter:
    - "entity.system.os == 'windows'"
    - "entity.system.arch == 'amd64'"
```

`bonsai.yml` specification

description	
description	The project description

required	true
type	String
example	<pre>description: "#{repo}"</pre>

builds

description	An array of asset details per platform
required	true
type	Array
example	<pre>builds: - platform: "linux" arch: "amd64" asset_filename: "#{repo}_#{version}_linux_amd64.tar.gz" sha_filename: "#{repo}_#{version}_sha512-checksums.txt" filter: - "entity.system.os == 'linux'" - "entity.system.arch == 'amd64'"</pre>

Builds specification

platform

description	The platform supported by the asset
required	true
type	String
example	<pre>- platform: "linux"</pre>

arch

description	The architecture supported by the asset
-------------	---

required	true
----------	------

type	String
------	--------

example	
---------	--

```
arch: "amd64"
```

asset_filename

description	The filename of the archive containing the asset
-------------	--

required	true
----------	------

type	String
------	--------

example	
---------	--

```
asset_filename: "#{repo}_#{version}_linux_amd64.tar.gz"
```

sha_filename

description	The SHA-512 checksum for the asset archive
-------------	--

required	true
----------	------

type	String
------	--------

example	
---------	--

```
sha_filename: "#{repo}_#{version}_sha512-checksums.txt"
```

filter

description	Filter expressions describing the operating system and architecture supported by the asset
required	false
type	Array
example	<pre>filter: - "entity.system.os == 'linux'" - "entity.system.arch == 'amd64'"</pre>

Deleting assets

As of Sensu Go 5.12, assets can be deleted using the `/assets (DELETE)` endpoint, or via `sensuctl (sensuctl asset delete)`. Note that when an asset is removed from Sensu, this *does not* remove references to the deleted asset in any other resource (checks, filters, mutators, handlers, hooks). You must also update resources and remove any reference to the deleted asset. Failure to do so will result in errors like: `sh: asset.sh: command not found`.

Errors as a result of failing to remove the asset from checks and hooks will be surfaced in the event data, whereas failing to remove the asset reference on a mutator, handler and filter will only be surfaced in the backend logs.

It is also worth noting that deleting an asset does not delete the archive or downloaded files on disk. These must be removed from the asset cache manually.

Checks

Contents

- [Check commands](#)
- [Check result specification](#)
- [Check scheduling](#)
- [Subscriptions](#)
- [Scheduling](#)
- [Proxy checks](#)
- [Check token substitution](#)
- [Check hooks](#)
- [Check specification](#)
- [Top-level attributes](#)
- [Spec attributes](#)
- [Metadata attributes](#)
- [Proxy requests attributes](#)
- [Check output truncation attributes](#)
- [Examples](#)

Checks work with Sensu agents to produce monitoring events automatically. You can use checks to monitor server resources, services, and application health as well as collect and analyze metrics. Read the [guide to monitoring server resources](#) to get started. You can discover, download, and share Sensu check assets using [Bonsai](#), the Sensu asset index.

Check commands

Each Sensu check definition specifies a command and the schedule at which it should be executed. Check commands are executable commands that are executed by a Sensu agent.

A command may include command line arguments for controlling the behavior of the command executable. Many common checks are available as assets from [Bonsai](#) and support command line arguments so different check definitions can use the same executable.

Sensu advises against requiring root privileges to execute check commands or scripts. The Ssensu user is not permitted to kill timed out processes invoked by the root user, which could result in zombie processes.

How and where are check commands executed?

All check commands are executed by Sensu agents as the `sensu` user. Commands must be executable files that are discoverable on the Sensu agent system (for example: installed in a system `$PATH` directory).

Check result specification

Although Sensu agents attempt to execute any command defined for a check, successful processing of check results requires adherence to a simple specification.

Result data is output to `STDOUT` or `STDERR`

For service checks, this output is typically a human-readable message.

For metric checks, this output contains the measurements gathered by the check.

Exit status code indicates state

- `0` indicates “OK”
- `1` indicates “WARNING”
- `2` indicates “CRITICAL”

Exit status codes other than `0`, `1`, or `2` indicate an “UNKNOWN” or custom status

*PRO TIP: Those familiar with the **Nagios** monitoring system may recognize this specification, as it is the same one used by Nagios plugins. As a result, Nagios plugins can be used with Sensu without any modification.*

At every execution of a check command – regardless of success or failure – the Sensu agent publishes the check’s result for eventual handling by the **event processor** (the Sensu backend).

Check scheduling

Checks are scheduled by the Sensu backend, which publishes check execution requests to entities via a publish-subscribe model.

Subscriptions

Checks have a defined set of subscriptions, transport topics to which the Sensu backend publishes check requests. Sensu entities become subscribers to these topics (called subscriptions) via their

individual `subscriptions` attribute. In practice, subscriptions typically correspond to a specific role or responsibility (for example: a webserver or database).

Subscriptions are powerful primitives in the monitoring context because they allow you to effectively monitor for specific behaviors or characteristics corresponding to the function being provided by a particular system. For example, disk capacity thresholds might be more important (or at least different) on a database server as opposed to a webserver; conversely, CPU or memory usage thresholds might be more important on a caching system than on a file server. Subscriptions also allow you to configure check requests for an entire group or subgroup of systems rather than requiring a traditional one-to-one mapping.

To configure subscriptions for a check, use the `subscriptions` attribute to specify an array of one or more subscription names. Sensu schedules checks once per interval for each agent with a matching subscription. For example, if we have three agents configured with the `system` subscription, a check configured with the `system` subscription results in three monitoring events per interval: one check execution per agent per interval. In order for Sensu to execute a check, the check definition must include a subscription that matches the subscription of at least one Sensu agent.

Round-robin checks

By default, Sensu schedules checks once per interval for each agent with a matching subscription: one check execution per agent per interval. Sensu also supports deduplicated check execution when configured with the `round_robin` check attribute. For checks with `round_robin` set to `true`, Sensu executes the check once per interval, cycling through the available agents alphabetically according to agent name.

For example, for three agents configured with the `system` subscription (agents A, B, and C), a check configured with the `system` subscription and `round_robin` set to `true` results in one monitoring event per interval, with the agent creating the event following the pattern A -> B -> C -> A -> B -> C for the first six intervals.

Standard check

interval: 60
round_robin: false



Round-robin check

interval: 60
round_robin: true



In the diagram above, the standard check is executed by agents A, B, and C every 60 seconds, while the round-robin check cycles through the available agents, resulting in each agent executing the check every 180 seconds.

To use check `ttl` and `round_robin` together, your check configuration must also specify a `proxy_entity_name`. If you do not specify a `proxy_entity_name` when using check `ttl` and `round_robin` together, your check will stop executing.

PRO TIP: Use round robin to distribute check execution workload across multiple agents when using proxy checks.

Scheduling

You can schedule checks using the `interval`, `cron`, and `publish` attributes. Sensu requires that checks include either an `interval` attribute (interval scheduling) or a `cron` attribute (cron scheduling).

Interval scheduling

You can schedule a check to be executed at regular intervals using the `interval` and `publish` check attributes. For example, to schedule a check to execute every 60 seconds, set the `interval` attribute to `60` and the `publish` attribute to `true`.

NOTE: When creating an interval check, Sensu calculates an initial offset to splay the check's first scheduled request. This helps to balance the load of both the backend and the agent, and may result in a delay before initial check execution.

Example interval check

YML

```
type: CheckConfig
api_version: core/v2
metadata:
  name: interval_check
  namespace: default
spec:
  command: check-cpu.sh -w 75 -c 90
  handlers:
  - slack
  interval: 60
  publish: true
  subscriptions:
  - system
```

JSON

```
{
  "type": "CheckConfig",
  "api_version": "core/v2",
  "metadata": {
    "name": "interval_check",
    "namespace": "default"
  },
  "spec": {
    "command": "check-cpu.sh -w 75 -c 90",
    "subscriptions": ["system"],
    "handlers": ["slack"],
    "interval": 60,
    "publish": true
  }
}
```

Cron scheduling

You can also schedule checks using [cron syntax](#). For example, to schedule a check to execute once a

minute at the start of the minute, set the `cron` attribute to `* * * * *` and the `publish` attribute to `true`.

Example cron check

YML

```
type: CheckConfig
api_version: core/v2
metadata:
  name: cron_check
  namespace: default
spec:
  command: check-cpu.sh -w 75 -c 90
  cron: '* * * * *'
  handlers:
  - slack
  publish: true
  subscriptions:
  - system
```

JSON

```
{
  "type": "CheckConfig",
  "api_version": "core/v2",
  "metadata": {
    "name": "cron_check",
    "namespace": "default"
  },
  "spec": {
    "command": "check-cpu.sh -w 75 -c 90",
    "subscriptions": ["system"],
    "handlers": ["slack"],
    "cron": "* * * * *",
    "publish": true
  }
}
```

Ad-hoc scheduling

In addition to automatic execution, you can create checks to be scheduled manually using the [checks API](#). To create a check with ad-hoc scheduling, set the `publish` attribute to `false` in addition to an `interval` or `cron` schedule.

Example ad-hoc check

YML

```
type: CheckConfig
api_version: core/v2
metadata:
  name: ad_hoc_check
  namespace: default
spec:
  command: check-cpu.sh -w 75 -c 90
  handlers:
  - slack
  interval: 60
  publish: false
  subscriptions:
  - system
```

JSON

```
{
  "type": "CheckConfig",
  "api_version": "core/v2",
  "metadata": {
    "name": "ad_hoc_check",
    "namespace": "default"
  },
  "spec": {
    "command": "check-cpu.sh -w 75 -c 90",
    "subscriptions": ["system"],
    "handlers": ["slack"],
    "interval": 60,
    "publish": false
  }
}
```


Proxy checks

Sensu supports running proxy checks where the results are considered to be for an entity that isn't actually the one executing the check, regardless of whether that entity is a Sensu agent entity or a proxy entity. Proxy entities allow Sensu to monitor external resources on systems or devices where a Sensu agent cannot be installed, like a network switch or a website. You can create a proxy check using the `proxy_entity_name` attribute or the `proxy_requests` attributes.

Using a proxy check to monitor a proxy entity

When executing checks that include a `proxy_entity_name`, Sensu agents report the resulting events under the specified proxy entity instead of the agent entity. If the proxy entity doesn't exist, Sensu creates the proxy entity when the event is received by the backend. To avoid duplicate events, we recommend using the `round_robin` attribute with proxy checks.

Example proxy check using a `proxy_entity_name`

The following proxy check runs every 60 seconds, cycling through the agents with the `proxy` subscription alphabetically according to the agent name, for the proxy entity `sensu-site`.

YML

```
type: CheckConfig
api_version: core/v2
metadata:
  name: proxy_check
  namespace: default
spec:
  command: http_check.sh https://sensu.io
  handlers:
  - slack
  interval: 60
  proxy_entity_name: sensu-site
  publish: true
  round_robin: true
  subscriptions:
  - proxy
```

JSON

```
{
  "type": "CheckConfig",
  "api_version": "core/v2",
  "metadata": {
    "name": "proxy_check",
    "namespace": "default"
  },
  "spec": {
    "command": "http_check.sh https://sensu.io",
    "subscriptions": ["proxy"],
    "handlers": ["slack"],
    "interval": 60,
    "publish": true,
    "round_robin": true,
    "proxy_entity_name": "sensu-site"
  }
}
```

Using a proxy check to monitor multiple proxy entities

The `proxy_requests` [check attributes](#) allow Sensu to run a check for each entity that matches the definitions specified in the `entity_attributes`, resulting in monitoring events that represents each matching proxy entity. The entity attributes must match exactly as stated; no variables or directives have any special meaning, but you can still use [Sensu query expressions](#) to perform more complicated filtering on the available value, such as finding entities with particular subscriptions.

The `proxy_requests` attributes are a great way to monitor multiple entities using a single check definition when combined with [token substitution](#). Since checks including `proxy_requests` attributes need to be executed for each matching entity, we recommend using the `round_robin` attribute to distribute the check execution workload evenly across your Sensu agents.

Example proxy check using `proxy_requests`

The following proxy check runs every 60 seconds, cycling through the agents with the `proxy` subscription alphabetically according to the agent name, for all existing proxy entities with the custom label `proxy_type` set to `website`.

This check uses [token substitution](#) to import the value of the custom entity label `url` to complete the check command. See the [entity reference](#) for information about using custom labels.

YML

```
type: CheckConfig
api_version: core/v2
metadata:
  name: proxy_check_proxy_requests
  namespace: default
spec:
  command: http_check.sh {{ .labels.url }}
  handlers:
    - slack
  interval: 60
  proxy_requests:
    entity_attributes:
      - entity.labels.proxy_type == 'website'
  publish: true
  round_robin: true
  subscriptions:
    - proxy
```

JSON

```
{
  "type": "CheckConfig",
  "api_version": "core/v2",
  "metadata": {
    "name": "proxy_check_proxy_requests",
    "namespace": "default"
  },
  "spec": {
    "command": "http_check.sh {{ .labels.url }}",
    "subscriptions": ["proxy"],
    "handlers": ["slack"],
    "interval": 60,
    "publish": true,
    "proxy_requests": {
      "entity_attributes": [
        "entity.labels.proxy_type == 'website'"
      ]
    },
    "round_robin": true
  }
}
```

Fine-tuning proxy check scheduling with splay

Sensu supports distributing proxy check executions across an interval using the `splay` and `splay_coverage` attributes. For example, if we assume that the `proxy_check_proxy_requests` check in the example above matches three proxy entities, we'd expect to see a burst of three events every 60 seconds. If we add the `splay` attribute (set to `true`) and the `splay_coverage` attribute (set to `90`) to the `proxy_requests` scope, Sensu distributes the three check executions over 90% of the 60-second interval, resulting in three events splayed evenly across a 54-second period.

Check token substitution

Sensu check definitions may include attributes that you may wish to override on an entity-by-entity basis. For example, `check_commands` – which may include command line arguments for controlling the behavior of the check command – may benefit from entity-specific thresholds, etc. Sensu check tokens are check definition placeholders that will be replaced by the Sensu agent with the corresponding entity definition attributes values (including custom attributes).

Learn how to use check tokens with the [Sensu tokens referenced documentation](#).

NOTE: Check tokens are processed before check execution, therefore token substitutions will not apply to check data delivered via the local agent socket input.

Check hooks

Check hooks are commands run by the Sensu agent in response to the result of check command execution. The Sensu agent will execute the appropriate configured hook command, depending on the check execution status (ex: 0, 1, 2).

Learn how to use check hooks with the [Sensu hooks referenced documentation](#).

Check specification

Top-level attributes

type

description Top-level attribute specifying the `sensuctl create` resource type. Checks should always be of type `CheckConfig`.

required Required for check definitions in `wrapped-json` or `yaml` format for use with `sensuctl create`.

type String

example

```
"type": "CheckConfig"
```

api_version

description Top-level attribute specifying the Sensu API group and version. For checks in Sensu backend version 5.4, this attribute should always be `core/v2`.

required Required for check definitions in `wrapped-json` or `yaml` format for use with `sensuctl create`.

type String

example

```
"api_version": "core/v2"
```

metadata

description Top-level collection of metadata about the check, including the `name` and `namespace` as well as custom `labels` and `annotations`. The `metadata` map is always at the top level of the check definition. This means that in `wrapped-json` and `yaml` formats, the `metadata` scope occurs outside the `spec` scope. See the [metadata attributes reference](#) for details.

required Required for check definitions in `wrapped-json` or `yaml` format for use with `sensuctl create`.

type	Map of key-value pairs
example	<pre> "metadata": { "name": "collect-metrics", "namespace": "default", "labels": { "region": "us-west-1" }, "annotations": { "slack-channel" : "#monitoring" } } </pre>

spec

description	Top-level map that includes the check spec attributes .
required	Required for check definitions in <code>wrapped-json</code> or <code>yaml</code> format for use with <code>sensuctl create</code> .
type	Map of key-value pairs

example

```

"spec": {
  "command": "/etc/sensu/plugins/check-chef-client.go",
  "interval": 10,
  "publish": true,
  "subscriptions": [
    "production"
  ]
}

```

Spec attributes

command

description	The check command to be executed.
-------------	-----------------------------------

required	true
----------	------

type	String
------	--------

example	
---------	--

```
"command": "/etc/sensu/plugins/check-chef-client.go"
```

subscriptions

description	An array of Sensu entity subscriptions that check requests will be sent to. The array cannot be empty and its items must each be a string.
-------------	--

required	true
----------	------

type	Array
------	-------

example	
---------	--

```
"subscriptions": ["production"]
```

handlers

description	An array of Sensu event handlers (names) to use for events created by the check. Each array item must be a string.
-------------	--

required	false
----------	-------

type	Array
------	-------

example	
---------	--

```
"handlers": ["pagerduty", "email"]
```

interval

description	How often the check is executed, in seconds
-------------	---

required	true (unless <code>cron</code> is configured)
type	Integer
example	<pre>"interval": 60</pre>

cron

description	When the check should be executed, using cron syntax or these predefined schedules .
required	true (unless <code>interval</code> is configured)
type	String
example	<pre>"cron": "0 0 * * *"</pre>

publish

description	If check requests are published for the check.
required	false
default	<code>false</code>
type	Boolean
example	<pre>"publish": false</pre>

timeout

description	The check execution duration timeout in seconds (hard stop).
-------------	--

required	false
type	Integer
example	<pre>"timeout": 30</pre>

ttr

description The time to live (TTL) in seconds until check results are considered stale. If an agent stops publishing results for the check, and the TTL expires, an event will be created for the agent's entity.

The check `ttr` must be greater than the check `interval` and should allow enough time for the check execution and result processing to complete. For example, for a check that has an `interval` of `60` (seconds) and a `timeout` of `30` (seconds), the appropriate `ttr` is at least `90` (seconds).

To use check `ttr` and `round_robin` together, your check configuration must also specify a `proxy_entity_name`. If you do not specify a `proxy_entity_name` when using check `ttr` and `round_robin` together, your check will stop executing. **NOTE:** Adding TTLs to checks adds overhead, so use the `ttr` attribute sparingly.

required	false
type	Integer
example	<pre>"ttr": 100</pre>

stdin

description If the Sensu agent writes JSON serialized Sensu entity and check data to the command process' STDIN. The command must expect the JSON data via STDIN, read it, and close STDIN. This attribute cannot be used with existing Sensu check plugins, nor Nagios plugins etc, as Sensu agent will wait indefinitely for the check process to read and close

STDIN.

required	false
----------	-------

type	Boolean
------	---------

default	false
---------	-------

example	
---------	--

```
"stdin": true
```

low_flap_threshold

description	The flap detection low threshold (% state change) for the check. Sensu uses the same flap detection algorithm as Nagios .
-------------	---

required	false
----------	-------

type	Integer
------	---------

example	
---------	--

```
"low_flap_threshold": 20
```

high_flap_threshold

description	The flap detection high threshold (% state change) for the check. Sensu uses the same flap detection algorithm as Nagios .
-------------	--

required	true (if <code>low_flap_threshold</code> is configured)
----------	---

type	Integer
------	---------

example	
---------	--

```
"high_flap_threshold": 60
```

runtime_assets

description An array of Sensu assets (names), required at runtime for the execution of the `command`

required false

type Array

example

```
"runtime_assets": ["ruby-2.5.0"]
```

check_hooks

description An array of check response types with respective arrays of Sensu hook names. Sensu hooks are commands run by the Sensu agent in response to the result of the check command execution. Hooks are executed, in order of precedence, based on their severity type: `1` to `255`, `ok`, `warning`, `critical`, `unknown`, and finally `non-zero`.

required false

type Array

example

```
"check_hooks": [  
  {  
    "0": [  
      "passing-hook", "always-run-this-hook"  
    ]  
  },  
  {  
    "critical": [  
      "failing-hook", "collect-diagnostics", "always-run-  
this-hook"  
    ]  
  }  
]
```

proxy_entity_name

description The entity name, used to create a [proxy entity](#) for an external resource (i.e., a network switch).

required false

type String

validated `\A[\w\.\-]+\z`

example

```
"proxy_entity_name": "switch-dc-01"
```

proxy_requests

description [Sensu proxy request attributes](#) allow you to assign the check to run for multiple entities according to their [entity attributes](#). In the example below, the check executes for all entities with entity class `proxy` and the custom proxy type label `website`. Proxy requests are a great way to reuse check definitions for a group of entities. For more information, see the [proxy requests specification](#) and the [guide to monitoring external resources](#).

required false

type Hash

example

```
"proxy_requests": {
  "entity_attributes": [
    "entity.entity_class == 'proxy'",
    "entity.labels.proxy_type == 'website'"
  ],
  "splay": true,
  "splay_coverage": 90
}
```

silenced

description The silences that apply to this check.

type Array

example

```
"silenced": [":routers"]
```

env_vars

description An array of environment variables to use with command execution.
NOTE: To add `env_vars` to a check, use `sensuctl create`.

required false

type Array

example

```
"env_vars": ["RUBY_VERSION=2.5.0",  
"CHECK_HOST=my.host.internal"]
```

output_metric_format

description The metric format generated by the check command. Sensu supports the following metric formats:

`nagios_perfdata` ([Nagios Performance Data](#))

`graphite_plaintext` ([Graphite Plaintext Protocol](#))

`influxdb_line` ([InfluxDB Line Protocol](#))

`opentsdb_line` ([OpenTSDB Data Specification](#))

When a check includes an `output_metric_format`, Sensu will extract the metrics from the check output and add them to the event data in [Sensu metric format](#). For more information about extracting metrics using Sensu, see the [guide](#).

required false

type	String
------	--------

example	
---------	--

```
"output_metric_format": "graphite_plaintext"
```

output_metric_handlers

description	
-------------	--

An array of Sensu handlers to use for events created by the check. Each array item must be a string. `output_metric_handlers` should be used in place of the `handlers` attribute if `output_metric_format` is configured. Metric handlers must be able to process Sensu metric format. For an example, see the Sensu InfluxDB handler.

required	false
----------	-------

type	Array
------	-------

example	
---------	--

```
"output_metric_handlers": ["influx-db"]
```

`round_robin` | ☐ — description | When set to `true`, Sensu executes the check once per interval, cycling through each subscribing agent in turn. See round-robin checks for more information.

Use the `round_robin` attribute with proxy checks to avoid duplicate events and distribute proxy check executions evenly across multiple agents. See proxy checks for more information.

To use check `ttl` and `round_robin` together, your check configuration must also specify a `proxy_entity_name`. If you do not specify a `proxy_entity_name` when using check `ttl` and `round_robin` together, your check will stop executing.

required	false	type	Boolean	example
----------	-------	------	---------	---------

```
"round_robin": true
```

subdue

description	
-------------	--

Check subdues are not yet implemented in Sensu Go. Although the

`subdue` attribute appears in check definitions by default, it is a placeholder and should not be modified.

example

```
"subdue": null
```

Metadata attributes

name

description A unique string used to identify the check. Check names cannot contain special characters or spaces (validated with Go regex `\A[\w\.\-]+\z`). Each check must have a unique name within its namespace.

required true

type String

example

```
"name": "check-cpu"
```

namespace

description The Sensu RBAC namespace that this check belongs to.

required false

type String

default `default`

example

```
"namespace": "production"
```

labels

description

Custom attributes to include with event data, which can be accessed using [event filters](#).

In contrast to annotations, you can use labels to create meaningful collections that can be selected with [API filtering](#) and [sensuctl filtering](#). Overusing labels can impact Sensu's internal performance, so we recommend moving complex, non-identifying metadata to annotations.

required

false

type

Map of key-value pairs. Keys can contain only letters, numbers, and underscores, but must start with a letter. Values can be any valid UTF-8 string.

default

`null`

example

```
"labels": {  
  "environment": "development",  
  "region": "us-west-2"  
}
```

annotations

description

Non-identifying metadata to include with event data, which can be accessed using [event filters](#). You can use annotations to add data that's meaningful to people or external tools interacting with Sensu.

In contrast to labels, annotations cannot be used in [API filtering](#) or [sensuctl filtering](#) and do not impact Sensu's internal performance.

required

false

type

Map of key-value pairs. Keys and values can be any valid UTF-8 string.

default

`null`

example

```
"annotations": {  
  "managed-by": "ops",  
  "playbook": "www.example.url"
```



```
}
```

Proxy requests attributes

entity_attributes

description	Sensu entity attributes to match entities in the registry, using Sensu query expressions
-------------	--

required	false
----------	-------

type	Array
------	-------

example	
---------	--

```
"entity_attributes": [  
  "entity.entity_class == 'proxy'",  
  "entity.labels.proxy_type == 'website'"  
]
```

splay

description	If proxy check requests should be splayed, published evenly over a window of time, determined by the check interval and a configurable splay coverage percentage. For example, if a check has an interval of 60 seconds and a configured splay coverage of 90 %, its proxy check requests would be splayed evenly over a time window of 60 seconds * 90 %, 54 seconds, leaving 6 s for the last proxy check execution before the the next round of proxy check requests for the same check.
-------------	---

required	false
----------	-------

type	Boolean
------	---------

default	false
---------	-------

example	
---------	--

```
"splay": true
```

splay_coverage

description	The percentage of the check interval over which Sensu can execute the check for all applicable entities, as defined in the entity attributes. Sensu uses the splay coverage attribute to determine the amount of time check requests can be published over (before the next check interval).
-------------	---

required	required if <code>splay</code> attribute is set to <code>true</code>
----------	--

type	Integer
------	---------

example	<pre>"splay_coverage": 90</pre>
---------	---------------------------------

Check output truncation attributes

max_output_size

description	Maximum size, in bytes, of stored check outputs. When this attribute is set to a non-zero value, the Sensu backend truncates check outputs larger than this value before storing to etcd. <code>max_output_size</code> does not affect data sent to Sensu filters, mutators, and handlers.
-------------	--

required	false
----------	-------

type	Integer
------	---------

example	<pre>"max_output_size": 1024</pre>
---------	------------------------------------

discard_output

description	Discard check output after extracting metrics. No check output will be sent to the Sensu backend.
-------------	---

required	false
type	Boolean
example	<pre>"discard_output": true</pre>

Examples

Minimum recommended check attributes

NOTE: The attribute `interval` is not required if a valid `cron` schedule is defined.

YML

```
type: CheckConfig
api_version: core/v2
metadata:
  name: check_minimum
  namespace: default
spec:
  command: collect.sh
  handlers:
  - slack
  interval: 10
  publish: true
  subscriptions:
  - system
```

JSON

```
{
  "type": "CheckConfig",
  "api_version": "core/v2",
  "metadata": {
    "namespace": "default",
    "name": "check_minimum"
  },
}
```

```
"spec": {
  "command": "collect.sh",
  "subscriptions": [
    "system"
  ],
  "handlers": [
    "slack"
  ],
  "interval": 10,
  "publish": true
}
```

Metric check

YML

```
type: CheckConfig
api_version: core/v2
metadata:
  annotations:
    slack-channel: '#monitoring'
  labels:
    region: us-west-1
  name: collect-metrics
  namespace: default
spec:
  check_hooks: null
  command: collect.sh
  discard_output: true
  env_vars: null
  handlers: []
  high_flap_threshold: 0
  interval: 10
  low_flap_threshold: 0
  output_metric_format: graphite_plaintext
  output_metric_handlers:
    - influx-db
  proxy_entity_name: ""
  publish: true
  round_robin: false
```

```
runtime_assets: null
stdin: false
subscriptions:
- system
timeout: 0
ttl: 0
```

JSON

```
{
  "type": "CheckConfig",
  "api_version": "core/v2",
  "metadata": {
    "name": "collect-metrics",
    "namespace": "default",
    "labels": {
      "region": "us-west-1"
    },
    "annotations": {
      "slack-channel" : "#monitoring"
    }
  },
  "spec": {
    "command": "collect.sh",
    "handlers": [],
    "high_flap_threshold": 0,
    "interval": 10,
    "low_flap_threshold": 0,
    "publish": true,
    "runtime_assets": null,
    "subscriptions": [
      "system"
    ],
    "proxy_entity_name": "",
    "check_hooks": null,
    "stdin": false,
    "ttl": 0,
    "timeout": 0,
    "round_robin": false,
    "output_metric_format": "graphite_plaintext",
    "output_metric_handlers": [
      "influx-db"
    ]
  }
}
```

```
],  
  "env_vars": null,  
  "discard_output": true  
}  
}
```

Datastore

Contents

[Event storage](#)

[Scaling event storage](#) (licensed-tier only)

[Requirements](#)

[Configuration](#)

[Specification](#)

Event storage

Sensu stores the most recent event for each entity and check pair using an embedded etcd (default) or an [external etcd](#) instance. You can access event data using the [dashboard](#) events page, [sensuctl event](#) commands, and the [events API](#). For longer retention of event data, we recommend integrating Sensu with a time series database, like [InfluxDB](#), or a searchable index, like Elasticsearch or Splunk.

Scaling event storage

LICENSED TIER: Unlock enterprise-scale event storage in Sensu Go with a Sensu license. To activate your license, see the [getting started guide](#).

Sensu supports using an external PostgreSQL instance for event storage in place of etcd. PostgreSQL can handle significantly higher volumes of Sensu events, letting you scale Sensu beyond etcd's 8GB limit.

Configured with a PostgreSQL event store, Sensu connects to PostgreSQL to store and retrieve event data in place of etcd, while etcd continues to store Sensu entity and configuration data. You can access event data stored in PostgreSQL using the same Sensu web UI, API, and sensuctl processes as etcd-stored events.

Requirements

Sensu supports PostgreSQL 9.5 and later, including [Amazon Relational Database Service](#) (Amazon

RDS) when configured with the PostgreSQL engine. See the [PostgreSQL docs](#) to install and configure PostgreSQL.

Configuration

At the time of enabling the PostgreSQL event store, event data cuts over from etcd to PostgreSQL, resulting in a loss of recent event history. No restarts or Sensu backend configuration changes are required to enable the PostgreSQL event store.

WARNING: In Sensu Go 5.10, the PostgreSQL event store cannot be disabled once configured. We'll be adding this functionality in an upcoming release, so keep an eye on the [announcements section of Discourse](#) for updates.

After installing and configuring PostgreSQL, configure Sensu by creating a `PostgresConfig` resource. See the [specification](#) for more information.

YML

```
type: PostgresConfig
api_version: store/v1
metadata:
  name: my-postgres
spec:
  dsn: "postgresql://user:secret@host:port/dbname"
  pool_size: 20
```

JSON

```
{
  "type": "PostgresConfig",
  "api_version": "store/v1",
  "metadata": {
    "name": "my-postgres"
  },
  "spec": {
    "dsn": "postgresql://user:secret@host:port/dbname",
    "pool_size": 20
  }
}
```


With the `PostgresConfig` resource definition saved to a file (for example: postgres.yml), use `sensuctl`, configured as the admin user, to activate the PostgreSQL event store.

```
sensuctl create --file postgres.yml
```

At this time, there is no supported method for viewing or deleting a `PostgresConfig` resource. To update your Sensu PostgreSQL configuration, repeat the `sensuctl create` process shown above. You can expect to see PostgreSQL status updates and error messages in the Sensu backend logs at the `warn` and `error` log levels, respectively.

Specification

Top-level attributes

type	
description	Top-level attribute specifying the <code>sensuctl create</code> resource type. PostgreSQL datastore configs should always be of type <code>PostgresConfig</code> .
required	true
type	String
example	<pre>type: PostgresConfig</pre>

api_version	
description	Top-level attribute specifying the Sensu API group and version. For PostgreSQL datastore configs in Sensu backend version 5.10, this attribute should always be <code>store/v1</code> .
required	true
type	String

example

```
api_version: store/v1
```

metadata

description Top-level scope containing the PostgreSQL datastore `name` .

required true

type Map of key-value pairs

example

```
metadata:
  name: my-postgres
```

spec

description Top-level map that includes the PostgreSQL datastore config [spec](#) [attributes](#).

required true

type Map of key-value pairs

example

```
spec:
  dsn: "postgresql://user:secret@host:port/dbname"
  pool_size: 20
```

Metadata attributes

name

description The PostgreSQL datastore name used internally by Sensu

required	true
type	String
example	<pre>name: my-postgres</pre>

Spec attributes

dsn	
description	Use the <code>dsn</code> attribute to specify the data source names as a URL or PostgreSQL connection string. See the PostgreSQL docs for more information about connection strings.
required	true
type	String
example	<pre>dsn: "postgresql://user:secret@host:port/dbname"</pre>

pool_size	
description	The maximum number of connections to hold in the PostgreSQL connection pool. We recommend <code>20</code> for most instances.
required	false
default	<code>0</code> (unlimited)
type	Integer
example	<pre>pool_size: 20</pre>

Entities

Contents

[What is an entity?](#)

[How do entities work?](#)

[Usage limits](#)

[Proxy entities](#)

[Managing entity labels](#)

[Proxy entity labels](#)

[Agent entity labels](#)

[Entities specification](#)

[Top-level attributes](#)

[Spec attributes](#)

[Metadata attributes](#)

[System attributes](#)

[Network attributes](#)

[NetworkInterface attributes](#)

[Deregistration attributes](#)

[Examples](#)

What is an entity?

An entity represents anything (such as a server, container, or network switch) that needs to be monitored, including the full range of infrastructure, runtime and application types that compose a complete monitoring environment (from server hardware to serverless functions). We call these monitored parts of an infrastructure “entities.”

An entity not only provides context to event data (what/where the event is from) but an event’s uniqueness is determined by the check name and the name of the entity upon which the check ran. In addition, an entity can contain system information such as the hostname, OS, platform, and version.

How do entities work?

Agent entities are monitoring agents that are installed and run on every system that needs to be

monitored. The entity is responsible for registering the system with the Sensu backend service, sending keepalive messages (the Sensu heartbeat mechanism), and executing monitoring checks. Each entity is a member of one or more `subscriptions`: a list of roles and/or responsibilities assigned to the agent entity (e.g. a webserver or a database). Sensu entities will “subscribe” to (or watch for) check requests published by the Sensu backend (via the Sensu Transport), execute the corresponding requests locally, and publish the results of the check back to the transport (to be processed by a Sensu backend).

Proxy entities are dynamically created entities that are added to the entity store if an entity does not already exist for a check result. Proxy entities allow Sensu to monitor external resources on systems where a Sensu agent cannot be installed (like a network switch or website) using the defined check `ProxyEntityName` to create a proxy entity for the external resource.

Usage limits

Sensu Go 5.10 has no functional limitations based on entity count. If your Sensu instance includes over 1,000 entities, contact us to learn about license-activated features designed for monitoring at scale. See Discourse for more information about our usage policy.

Proxy entities

Proxy entities (formerly known as proxy clients, “Just-in-time” or “JIT” clients) are dynamically created entities that are added to the entity store if an entity does not already exist for a check result. Sensu proxy entities allow Sensu to monitor external resources on systems and/or devices where a sensu-agent cannot be installed (such a network switch) using the defined check `ProxyEntityName` to create a proxy entity for the external resource.

Proxy entity registration differs from keepalive-based registration because the registration event happens while processing a check result (not a keepalive message).

Managing entity labels

Labels are custom attributes that Sensu includes with event data, which can be accessed using filters and tokens. In contrast to annotations, you can use labels to create meaningful collections that can be selected with API filtering and sensuctl filtering. Overusing labels can impact Sensu’s internal performance, so we recommend moving complex, non-identifying metadata to annotations.

Proxy entity labels

For entities with class `proxy`, you can create and manage labels using `sensuctl`. For example, to create a proxy entity with a `url` label using `sensuctl create`, create a file called `example.json` with an entity definition that includes `labels`.

YML

```
type: Entity
api_version: core/v2
metadata:
  labels:
    url: docs.sensu.io
  name: sensu-docs
  namespace: default
spec:
  deregister: false
  deregistration: {}
  entity_class: proxy
  last_seen: 0
  subscriptions: []
  system:
    network:
      interfaces: null
```

JSON

```
{
  "type": "Entity",
  "api_version": "core/v2",
  "metadata": {
    "name": "sensu-docs",
    "namespace": "default",
    "labels": {
      "url": "docs.sensu.io"
    }
  },
  "spec": {
    "deregister": false,
    "deregistration": {},
    "entity_class": "proxy",
    "last_seen": 0,
```

```
"subscriptions": [],
"system": {
  "network": {
    "interfaces": null
  }
}
}
```

Then run `sensuctl create` to create the entity based on the definition.

```
sensuctl create --file entity.json
```

To add a label to an existing entity, you can use `sensuctl edit`. For example, run `sensuctl edit` to add a `url` label to a `sensu-docs` entity.

```
sensuctl edit entity sensu-docs
```

And update the `metadata` scope to include `labels`.

YML

```
type: Entity
api_version: core/v2
metadata:
  labels:
    url: docs.sensu.io
  name: sensu-docs
  namespace: default
spec:
  '...': '...'
```

JSON

```
{
  "type": "Entity",
```

```
"api_version": "core/v2",
"metadata": {
  "name": "sensu-docs",
  "namespace": "default",
  "labels": {
    "url": "docs.sensu.io"
  }
},
"spec": {
  "...": "..."
}
}
```

Proxy entity checks

Proxy entities allow Sensu to monitor external resources on systems or devices where a Sensu agent cannot be installed, like a network switch, website, or API endpoint. You can configure a check with a proxy entity name to associate the check results with that proxy entity. On the first check result, if the proxy entity does not exist, Sensu will create the entity as a proxy entity.

After you create a proxy entity check, define which agents will run the check by configuring a subscription. See proxy requests for details on creating a proxy check for a proxy entity.

Agent entity labels

For entities with class `agent`, you can define entity attributes in the `/etc/sensu/agent.yml` configuration file. For example, to add a `url` label, open `/etc/sensu/agent.yml` and add configuration for `labels`.

```
labels:
  url: sensu.docs.io
```

Or using `sensu-agent start` configuration flags.

```
sensu-agent start --labels url=sensu.docs.io
```


Entities specification

Top-level attributes

type	
description	Top-level attribute specifying the <code>sensuctl create</code> resource type. Entities should always be of type <code>Entity</code> .
required	Required for entity definitions in <code>wrapped-json</code> or <code>yaml</code> format for use with <code>sensuctl create</code> .
type	String
example	<pre>"type": "Entity"</pre>

api_version	
description	Top-level attribute specifying the Sensu API group and version. For entities in Sensu backend version 5.10, this attribute should always be <code>core/v2</code> .
required	Required for entity definitions in <code>wrapped-json</code> or <code>yaml</code> format for use with <code>sensuctl create</code> .
type	String
example	<pre>"api_version": "core/v2"</pre>

metadata	
description	Top-level collection of metadata about the entity, including the <code>name</code> and <code>namespace</code> as well as custom <code>labels</code> and <code>annotations</code> . The

`metadata` map is always at the top level of the entity definition. This means that in `wrapped-json` and `yaml` formats, the `metadata` scope occurs outside the `spec` scope. See the [metadata attributes reference](#) for details.

required	Required for entity definitions in <code>wrapped-json</code> or <code>yaml</code> format for use with <code>sensuctl create</code> .
----------	--

type	Map of key-value pairs
------	------------------------

example

```
"metadata": {
  "name": "webserver01",
  "namespace": "default",
  "labels": {
    "region": "us-west-1"
  },
  "annotations": {
    "slack-channel" : "#monitoring"
  }
}
```

spec

description	Top-level map that includes the entity spec attributes .
-------------	--

required	Required for entity definitions in <code>wrapped-json</code> or <code>yaml</code> format for use with <code>sensuctl create</code> .
----------	--

type	Map of key-value pairs
------	------------------------

example

```
"spec": {
  "entity_class": "agent",
  "system": {
    "hostname": "sensu2-centos",
    "os": "linux",
    "platform": "centos",
    "platform_family": "rhel",
    "platform_version": "7.4.1708",
    "network": {
```

```
    "interfaces": [
      {
        "name": "lo",
        "addresses": [
          "127.0.0.1/8",
          "::1/128"
        ]
      },
      {
        "name": "enp0s3",
        "mac": "08:00:27:11:ad:d2",
        "addresses": [
          "10.0.2.15/24",
          "fe80::26a5:54ec:cf0d:9704/64"
        ]
      },
      {
        "name": "enp0s8",
        "mac": "08:00:27:bc:be:60",
        "addresses": [
          "172.28.128.3/24",
          "fe80::a00:27ff:febc:be60/64"
        ]
      }
    ],
    "arch": "amd64"
  },
  "subscriptions": [
    "entity:webserver01"
  ],
  "last_seen": 1542667231,
  "deregister": false,
  "deregistration": {},
  "user": "agent",
  "redact": [
    "password",
    "passwd",
    "pass",
    "api_key",
    "api_token",
    "access_key",
```

```
    "secret_key",  
    "private_key",  
    "secret"  
  ]  
}
```

Spec attributes

entity_class

description The entity type, validated with go regex `\A[\w\.\-]+\z`. Class names have special meaning. An entity that runs an agent is of class `agent` and is reserved. Setting the value of `entity_class` to `proxy` creates a proxy entity. For other types of entities, the `entity_class` attribute isn't required, and you can use it to indicate an arbitrary type of entity (like `lambda` or `switch`).

required	true
----------	------

type	string
------	--------

example

```
"entity_class": "agent"
```

subscriptions

description A list of subscription names for the entity. The entity by default has an entity-specific subscription, in the format of `entity:{name}` where `name` is the entity's hostname.

required	false
----------	-------

type	array
------	-------

default	The entity-specific subscription.
---------	-----------------------------------

example

```
"subscriptions": ["web", "prod", "entity:example-entity"]
```

system

description System information about the entity, such as operating system and platform. See the [system attributes](#) for more information.

required false

type map
YML

example

```
system:
  arch: amd64
  hostname: example-hostname
  network:
    interfaces:
      - addresses:
          - 127.0.0.1/8
          - ::1/128
        name: lo
      - addresses:
          - 93.184.216.34/24
          - 2606:2800:220:1:248:1893:25c8:1946/10
        mac: 52:54:00:20:1b:3c
        name: eth0
  os: linux
  platform: ubuntu
  platform_family: debian
  platform_version: "16.04"
```

JSON

```
{
  "system": {
    "hostname": "example-hostname",
    "os": "linux",
    "platform": "ubuntu",
    "platform_family": "debian",
    "platform_version": "16.04",
    "network": {
```

```
    "interfaces": [
      {
        "name": "lo",
        "addresses": [
          "127.0.0.1/8",
          "::1/128"
        ]
      },
      {
        "name": "eth0",
        "mac": "52:54:00:20:1b:3c",
        "addresses": [
          "93.184.216.34/24",
          "2606:2800:220:1:248:1893:25c8:1946/10"
        ]
      }
    ],
    "arch": "amd64"
  }
}
```

last_seen

description	Timestamp the entity was last seen, in seconds since the Unix epoch.
-------------	--

required	false
----------	-------

type	integer
------	---------

example	
---------	--

```
"last_seen": 1522798317
```

deregister

description	If the entity should be removed when it stops sending keepalive
-------------	---

messages.

required	false
type	boolean
default	false
example	<pre>"deregister": false</pre>

deregistration

description	A map containing a handler name, for use when an entity is deregistered. See the deregistration attributes for more information.
required	false
type	map YML
example	<pre>deregistration: handler: email-handler</pre>

JSON

```
{  
  "deregistration": {  
    "handler": "email-handler"  
  }  
}
```

redact

description	List of items to redact from log messages. If a value is provided, it overwrites the default list of items to be redacted.
-------------	--

required	false
type	array
default	["password", "passwd", "pass", "api_key", "api_token", "access_key", "secret_key", "private_key", "secret"] YML
example	<pre>redact: - extra_secret_tokens</pre> JSON <pre>{ "redact": ["extra_secret_tokens"] }</pre>

user	
description	Sensu <u>RBAC</u> username used by the entity. Agent entities require get, list, create, update, and delete permissions for events across all namespaces.
type	String
default	agent
example	<pre>"user": "agent"</pre>

Metadata attributes

name

description	The unique name of the entity, validated with Go regex <code>\A[\w\.\-]+\z</code> .
required	true
type	String
example	<pre>"name": "example-hostname"</pre>

namespace

description	The <u>Sensu RBAC namespace</u> that this entity belongs to.
required	false
type	String
default	<code>default</code>
example	<pre>"namespace": "production"</pre>

labels

description	<p>Custom attributes to include with event data, which can be accessed using <u>filters</u> and <u>tokens</u>.</p> <p>In contrast to annotations, you can use labels to create meaningful collections that can be selected with <u>API filtering</u> and <u>sensuctl filtering</u>. Overusing labels can impact Sensu's internal performance, so we recommend moving complex, non-identifying metadata to annotations.</p>
required	false
type	Map of key-value pairs. Keys can contain only letters, numbers, and underscores, but must start with a letter. Values can be any valid UTF-8 string.

default

null

example

```
"labels": {  
  "environment": "development",  
  "region": "us-west-2"  
}
```

annotations

description

Non-identifying metadata to include with event data, which can be accessed using [filters](#) and [tokens](#). You can use annotations to add data that's meaningful to people or external tools interacting with Sensu.

In contrast to labels, annotations cannot be used in [API filtering](#) or [sensuctl filtering](#) and do not impact Sensu's internal performance.

required

false

type

Map of key-value pairs. Keys and values can be any valid UTF-8 string.

default

null

example

```
"annotations": {  
  "managed-by": "ops",  
  "playbook": "www.example.url"  
}
```

System attributes

hostname

description

The hostname of the entity.

required

false

type

string

example

```
"hostname": "example-hostname"
```

os

description The entity's operating system.

required false

type string

example

```
"os": "linux"
```

platform

description The entity's operating system distribution.

required false

type string

example

```
"platform": "ubuntu"
```

platform_family

description The entity's operating system family.

required false

type string

example

```
"platform_family": "debian"
```

platform_version

description The entity's operating system version.

required false

type string

example

```
"platform_version": "16.04"
```

network

description The entity's network interface list. See the [network attributes](#) for more information.

required false

type map
YML

example

```
network:
  interfaces:
    - addresses:
      - 127.0.0.1/8
      - ::1/128
      name: lo
    - addresses:
      - 93.184.216.34/24
      - 2606:2800:220:1:248:1893:25c8:1946/10
      mac: 52:54:00:20:1b:3c
      name: eth0
```

JSON

```
{
  "network": {
```

```
    "interfaces": [
      {
        "name": "lo",
        "addresses": [
          "127.0.0.1/8",
          "::1/128"
        ]
      },
      {
        "name": "eth0",
        "mac": "52:54:00:20:1b:3c",
        "addresses": [
          "93.184.216.34/24",
          "2606:2800:220:1:248:1893:25c8:1946/10"
        ]
      }
    ]
  }
}
```

arch

description The entity's system architecture. This value is determined by the Go binary architecture, as a function of runtime.GOARCH. An `amd` system running a `386` binary will report the arch as `386`.

required false

type string

example

```
"arch": "amd64"
```

Network attributes

network_interface

description	The list of network interfaces available on the entity, with their associated MAC and IP addresses.
-------------	---

required	false
----------	-------

type	array <u>NetworkInterface</u> YML
------	---

example

```
interfaces:
- addresses:
  - 127.0.0.1/8
  - ::1/128
  name: lo
- addresses:
  - 93.184.216.34/24
  - 2606:2800:220:1:248:1893:25c8:1946/10
  mac: 52:54:00:20:1b:3c
  name: eth0
```

JSON

```
{
  "interfaces": [
    {
      "name": "lo",
      "addresses": [
        "127.0.0.1/8",
        "::1/128"
      ]
    },
    {
      "name": "eth0",
      "mac": "52:54:00:20:1b:3c",
      "addresses": [
        "93.184.216.34/24",
        "2606:2800:220:1:248:1893:25c8:1946/10"
      ]
    }
  ]
}
```

NetworkInterface attributes

name	
description	The network interface name.
required	false
type	string
example	<pre>"name": "eth0"</pre>

mac	
description	The network interface's MAC address.
required	false
type	string
example	<pre>"mac": "52:54:00:20:1b:3c"</pre>

addresses	
description	The list of IP addresses for the interface.
required	false
type	array
example	

```
"addresses": ["93.184.216.34/24",  
"2606:2800:220:1:248:1893:25c8:1946/10"]
```

Deregistration attributes

handler

description	The name of the handler to be called when an entity is deregistered.
-------------	--

required	false
----------	-------

type	string
------	--------

example

```
"handler": "email-handler"
```

Examples

Entity definition

YML

```
type: Entity  
api_version: core/v2  
metadata:  
  annotations: null  
  labels: null  
  name: webserver01  
  namespace: default  
spec:  
  deregister: false  
  deregistration: {}  
  entity_class: agent  
  last_seen: 1542667231  
  redact:  
    - password
```



```
- passwd
- pass
- api_key
- api_token
- access_key
- secret_key
- private_key
- secret
subscriptions:
- entity:webserver01
system:
  arch: amd64
  hostname: sensu2-centos
  network:
    interfaces:
      - addresses:
          - 127.0.0.1/8
          - ::1/128
          name: lo
      - addresses:
          - 10.0.2.15/24
          - fe80::26a5:54ec:cf0d:9704/64
          mac: 08:00:27:11:ad:d2
          name: enp0s3
      - addresses:
          - 172.28.128.3/24
          - fe80::a00:27ff:febc:be60/64
          mac: 08:00:27:bc:be:60
          name: enp0s8
  os: linux
  platform: centos
  platform_family: rhel
  platform_version: 7.4.1708
user: agent
```

JSON

```
{
  "type": "Entity",
  "api_version": "core/v2",
  "metadata": {
    "name": "webserver01",
```

```
"namespace": "default",
"labels": null,
"annotations": null
},
"spec": {
  "entity_class": "agent",
  "system": {
    "hostname": "sensu2-centos",
    "os": "linux",
    "platform": "centos",
    "platform_family": "rhel",
    "platform_version": "7.4.1708",
    "network": {
      "interfaces": [
        {
          "name": "lo",
          "addresses": [
            "127.0.0.1/8",
            "::1/128"
          ]
        },
        {
          "name": "enp0s3",
          "mac": "08:00:27:11:ad:d2",
          "addresses": [
            "10.0.2.15/24",
            "fe80::26a5:54ec:cf0d:9704/64"
          ]
        },
        {
          "name": "enp0s8",
          "mac": "08:00:27:bc:be:60",
          "addresses": [
            "172.28.128.3/24",
            "fe80::a00:27ff:febc:be60/64"
          ]
        }
      ]
    },
    "arch": "amd64"
  },
  "subscriptions": [
```

```
    "entity:webserver01"
  ],
  "last_seen": 1542667231,
  "deregister": false,
  "deregistration": {},
  "user": "agent",
  "redact": [
    "password",
    "passwd",
    "pass",
    "api_key",
    "api_token",
    "access_key",
    "secret_key",
    "private_key",
    "secret"
  ]
}
```

Events

Contents

[How do events work?](#)

[Creating events using the Sensu agent](#)

[Creating events using the events API](#)

[Managing events](#)

[Deleting events](#)

[Resolving events](#)

[Event format](#)

[Using event data](#)

[Occurrences](#)

[Events specification](#)

[Top-level attributes](#)

[Spec attributes](#)

[Check attributes](#)

[Metric attributes](#)

[Examples](#)

How do events work?

An event is a generic container used by Sensu to provide context to checks and/or metrics. The context, called “event data,” contains information about the originating entity and the corresponding check/metric result. An event must contain a check or metrics, and in certain cases, an event can contain both. These generic containers allow Sensu to handle different types of events in the pipeline. Since events are polymorphic in nature, it is important to never assume their contents, or lack thereof.

Check-only events

A Sensu event is created every time a check result is processed by the Sensu server, regardless of the status indicated by the check result. An event is created by the agent on receipt of the check execution result. The agent will execute any configured [hooks](#) the check might have. From there, it is forwarded to the Sensu backend for processing. Potentially noteworthy events may be processed by one or more event handlers to do things such as send an email or invoke an automated action.

Metric-only events

Sensu events can also be created when the agent receives metrics through the [Statsd listener](#). The agent will translate the statsd metrics to SensuMetric Format, and place them inside an event. These events, since they do not contain checks, bypass the store, and are sent off to the event pipeline and corresponding event handlers.

Check and metric events

Events that contain *both* a check and metrics, most likely originated from [check output metric extraction](#). If a check is configured for metric extraction, the agent will parse the check output and transform it to SensuMetric Format. Both the check results, and resulting (extracted) metrics are stored inside the event. Event handlers from `event.Check.Handlers` and `event.Metrics.Handlers` will be invoked.

Creating events using the Sensu agent

The Sensu agent is a powerful event producer and monitoring automation tool. You can use Sensu agents to produce events automatically using service checks and metric checks. Sensu agents can also act as a collector for metrics throughout your infrastructure.

[Creating events using service checks](#)

[Creating events using metric checks](#)

[Creating events using the agent API](#)

[Creating events using the agent TCP and UDP sockets](#)

[Creating events using the StatsD listener](#)

Creating events using the events API

You can send events directly to the Sensu pipeline using the events API. To create an event, send a JSON event definition to the [events API PUT endpoint](#).

Managing events

You can manage event using the [Sensu dashboard](#), [events API](#), and the [sensuctl](#) command line tool.

Viewing events

To list all events:

```
sensuctl event list
```

To show event details in the default output format:

```
sensuctl event info entity-name check-name
```

With both the `list` and `info` commands, you can specify an output format using the `--format` flag:

`yaml` or `wrapped-json` formats for use with `sensuctl create`
`json` format for use with the events API

```
sensuctl event info entity-name check-name --format yaml
```

Deleting events

To delete an event:

```
sensuctl event delete entity-name check-name
```

You can use the `--skip-confirm` flag to skip the confirmation step.

```
sensuctl event delete entity-name check-name --skip-confirm
```

You should see a confirmation message on success.

Deleted

Resolving events

You can use `sensuctl` to change the status of an event to `0` (OK). Events resolved by `sensuctl` include the output message: “Resolved manually by `sensuctl`”.

```
sensuctl event resolve entity-name check-name
```

You should see a confirmation message on success.

Resolved

Event format

Sensu events contain:

`entity` scope (required)

Information about the source of the event, including any attributes defined in the [entity specification](#)

`check` scope (optional if the `metrics` scope is present)

Information about how the event was created, including any attributes defined in the [check specification](#)

Information about the event and its history, including any check attributes defined in the [event specification on this page](#)

`metrics` scope (optional if the `check` scope is present)

Metric points in [Sensu metric format](#)

`timestamp`

Time that the event occurred in seconds since the Unix epoch

Using event data

Event data is powerful tool for automating monitoring workflows. For example, see [the guide to reducing alert fatigue](#) by filtering events based on the event `occurrences` attribute.

Occurrences and occurrences watermark

The `occurrences` and `occurrences_watermark` event attributes give you context about recent events for a given entity and check. You can use these attributes within [event filters](#) to fine-tune incident notifications and reduce alert fatigue.

Starting at `1`, the `occurrences` attribute increments for events with the same [status](#) as the preceding event (OK, WARNING, CRITICAL, or UNKNOWN) and resets whenever the status changes. You can use the `occurrences` attribute to create a [state-change-only filter](#) or an [interval filter](#).

The `occurrences_watermark` attribute gives you useful information when looking at events that change status between non-OK (WARNING, CRITICAL, or UNKNOWN) and OK. For these resolution events, the `occurrences_watermark` attribute tells you the number of preceding events with a non-OK status. Sensu resets `occurrences_watermark` to `1` on the first non-OK event. Within a sequence of only OK or only non-OK events, Sensu increments `occurrences_watermark` when the `occurrences` attribute is greater than the preceding `occurrences_watermark`.

The following table shows the occurrences attributes for a series of example events:

event sequence	<code>occurrences</code>	<code>occurrences_watermark</code>
1. OK event	<code>occurrences: 1</code>	<code>occurrences_watermark: 1</code>
2. OK event	<code>occurrences: 2</code>	<code>occurrences_watermark: 2</code>
3. WARNING event	<code>occurrences: 1</code>	<code>occurrences_watermark: 1</code>
4. WARNING event	<code>occurrences: 2</code>	<code>occurrences_watermark: 2</code>
5. WARNING event	<code>occurrences: 3</code>	<code>occurrences_watermark: 3</code>
6. CRITICAL event	<code>occurrences: 1</code>	<code>occurrences_watermark: 3</code>
7. CRITICAL event	<code>occurrences: 2</code>	<code>occurrences_watermark: 3</code>
8. CRITICAL event	<code>occurrences: 3</code>	<code>occurrences_watermark: 3</code>
9. CRITICAL event	<code>occurrences: 4</code>	<code>occurrences_watermark: 4</code>
10. OK event	<code>occurrences: 1</code>	<code>occurrences_watermark: 4</code>
11. CRITICAL event	<code>occurrences: 1</code>	<code>occurrences_watermark: 1</code>

Events specification

Top-level attributes

type	
description	Top-level attribute specifying the <code>sensuctl create</code> resource type. Events should always be of type <code>Event</code> .
required	Required for events in <code>wrapped-json</code> or <code>yaml</code> format for use with <code>sensuctl create</code> .
type	String
example	<pre>"type": "Event"</pre>

api_version	
description	Top-level attribute specifying the Sensu API group and version. For events in Sensu backend version 5.10, this attribute should always be <code>core/v2</code> .
required	Required for events in <code>wrapped-json</code> or <code>yaml</code> format for use with <code>sensuctl create</code> .
type	String
example	<pre>"api_version": "core/v2"</pre>

metadata	
description	Top-level scope containing the event <code>namespace</code> . The <code>metadata</code> map

is always at the top level of the check definition. This means that in `wrapped-json` and `yaml` formats, the `metadata` scope occurs outside the `spec` scope. See the [metadata attributes reference](#) for details.

required	Required for events in <code>wrapped-json</code> or <code>yaml</code> format for use with <code>sensuctl create</code> .
----------	--

type	Map of key-value pairs
------	------------------------

example	
---------	--

```
"metadata": {  
  "namespace": "default"  
}
```

spec

description	Top-level map that includes the event spec attributes .
-------------	---

required	Required for events in <code>wrapped-json</code> or <code>yaml</code> format for use with <code>sensuctl create</code> .
----------	--

type	Map of key-value pairs
------	------------------------

example	
---------	--

```
"spec": {  
  "check": {  
    "check_hooks": null,  
    "command": "/opt/sensu-plugins-  
ruby/embedded/bin/metrics-curl.rb -u \"http://localhost\"",  
    "duration": 0.060790838,  
    "env_vars": null,  
    "executed": 1552506033,  
    "handlers": [],  
    "high_flap_threshold": 0,  
    "history": [  
      {  
        "executed": 1552505833,  
        "status": 0  
      },  
      {
```

```
        "executed": 1552505843,
        "status": 0
    }
],
"interval": 10,
"issued": 1552506033,
"last_ok": 1552506033,
"low_flap_threshold": 0,
"metadata": {
    "name": "curl_timings",
    "namespace": "default"
},
"occurrences": 1,
"occurrences_watermark": 1,
"output": "sensu-go-sandbox.curl_timings.time_total
0.005 1552506033\nsensu-go-
sandbox.curl_timings.time_namelookup 0.004",
"output_metric_format": "graphite_plaintext",
"output_metric_handlers": [
    "influx-db"
],
"proxy_entity_name": "",
"publish": true,
"round_robin": false,
"runtime_assets": [],
"state": "passing",
"status": 0,
"stdin": false,
"subdue": null,
"subscriptions": [
    "entity:sensu-go-sandbox"
],
"timeout": 0,
"total_state_change": 0,
"ttl": 0
},
"entity": {
    "deregister": false,
    "deregistration": {},
    "entity_class": "agent",
    "last_seen": 1552495139,
    "metadata": {
```

```
    "name": "sensu-go-sandbox",
    "namespace": "default"
  },
  "redact": [
    "password",
    "passwd",
    "pass",
    "api_key",
    "api_token",
    "access_key",
    "secret_key",
    "private_key",
    "secret"
  ],
  "subscriptions": [
    "entity:sensu-go-sandbox"
  ],
  "system": {
    "arch": "amd64",
    "hostname": "sensu-go-sandbox",
    "network": {
      "interfaces": [
        {
          "addresses": [
            "127.0.0.1/8",
            "::1/128"
          ],
          "name": "lo"
        },
        {
          "addresses": [
            "10.0.2.15/24",
            "fe80::5a94:f67a:1bfc:a579/64"
          ],
          "mac": "08:00:27:8b:c9:3f",
          "name": "eth0"
        }
      ]
    },
    "os": "linux",
    "platform": "centos",
    "platform_family": "rhel",
```

```
    "platform_version": "7.5.1804"
  },
  "user": "agent"
},
"metrics": {
  "handlers": [
    "influx-db"
  ],
  "points": [
    {
      "name": "sensu-go-sandbox.curl_timings.time_total",
      "tags": [],
      "timestamp": 1552506033,
      "value": 0.005
    },
    {
      "name": "sensu-go-sandbox.curl_timings.time_namelookup",
      "tags": [],
      "timestamp": 1552506033,
      "value": 0.004
    }
  ]
},
"timestamp": 1552506033
}
```

Metadata attributes

namespace

description	The Sensu <u>RBAC namespace</u> that this event belongs to.
-------------	---

required	false
----------	-------

type	String
------	--------

default	<code>default</code>
---------	----------------------

example

```
"namespace": "production"
```

Spec attributes

timestamp

description	Time that the event occurred in seconds since the Unix epoch
-------------	--

required	false
----------	-------

type	Integer
------	---------

default	Time that the event occurred
---------	------------------------------

example

```
"timestamp": 1522099512
```

entity

description	The <u>entity attributes</u> from the originating entity (agent or proxy).
-------------	--

type	Map
------	-----

required	true
----------	------

example

```
"entity": {
  "deregister": false,
  "deregistration": {},
  "entity_class": "agent",
  "last_seen": 1552495139,
  "metadata": {
    "name": "sensu-go-sandbox",
    "namespace": "default"
  },
  "redact": [
```

```
    "password",
    "passwd",
    "pass",
    "api_key",
    "api_token",
    "access_key",
    "secret_key",
    "private_key",
    "secret"
  ],
  "subscriptions": [
    "entity:sensu-go-sandbox"
  ],
  "system": {
    "arch": "amd64",
    "hostname": "sensu-go-sandbox",
    "network": {
      "interfaces": [
        {
          "addresses": [
            "127.0.0.1/8",
            "::1/128"
          ],
          "name": "lo"
        },
        {
          "addresses": [
            "10.0.2.15/24",
            "fe80::5a94:f67a:1bfc:a579/64"
          ],
          "mac": "08:00:27:8b:c9:3f",
          "name": "eth0"
        }
      ]
    },
    "os": "linux",
    "platform": "centos",
    "platform_family": "rhel",
    "platform_version": "7.5.1804"
  },
  "user": "agent"
}
```

check

description The [check definition](#) used to create the event and information about the status and history of the event. The check scope includes attributes described in the [event specification](#) and the [check specification](#).

type Map

required true

example

```
"check": {
  "check_hooks": null,
  "command": "/opt/sensu-plugins-ruby/embedded/bin/metrics-
curl.rb -u \"http://localhost/\",
  "duration": 0.060790838,
  "env_vars": null,
  "executed": 1552506033,
  "handlers": [],
  "high_flap_threshold": 0,
  "history": [
    {
      "executed": 1552505833,
      "status": 0
    },
    {
      "executed": 1552505843,
      "status": 0
    }
  ],
  "interval": 10,
  "issued": 1552506033,
  "last_ok": 1552506033,
  "low_flap_threshold": 0,
  "metadata": {
    "name": "curl_timings",
    "namespace": "default"
  },
  "occurrences": 1,
  "occurrences_watermark": 1,
```



```
    "output": "sensu-go-sandbox.curl_timings.time_total
0.005",
    "output_metric_format": "graphite_plaintext",
    "output_metric_handlers": [
        "influx-db"
    ],
    "proxy_entity_name": "",
    "publish": true,
    "round_robin": false,
    "runtime_assets": [],
    "state": "passing",
    "status": 0,
    "stdin": false,
    "subdue": null,
    "subscriptions": [
        "entity:sensu-go-sandbox"
    ],
    "timeout": 0,
    "total_state_change": 0,
    "ttl": 0
}
```

metrics

description	The metrics collected by the entity in Sensu metric format. See the metrics attributes .
-------------	--

type	Map
------	-----

required	false
----------	-------

example

```
"metrics": {
  "handlers": [
    "influx-db"
  ],
  "points": [
    {
      "name": "sensu-go-sandbox.curl_timings.time_total",
      "tags": [],
```

```
    "timestamp": 1552506033,
    "value": 0.005
  },
  {
    "name": "sensu-go-
sandbox.curl_timings.time_namelookup",
    "tags": [],
    "timestamp": 1552506033,
    "value": 0.004
  }
]
```

Check attributes

Sensu events include a `check` scope containing information about how the event was created, including any attributes defined in the [check specification](#), and information about the event and its history, including the attributes defined below.

duration

description	Command execution time in seconds
-------------	-----------------------------------

required	false
----------	-------

type	Float
------	-------

example

```
"duration": 1.903135228
```

executed

description	Time that the check request was executed
-------------	--

required	false
----------	-------

type	Integer
------	---------

example

```
"executed": 1522100915
```

history

description Check status history for the last 21 check executions. See the [history attributes](#).

required false

type Array

example

```
"history": [  
  {  
    "executed": 1552505983,  
    "status": 0  
  },  
  {  
    "executed": 1552505993,  
    "status": 0  
  }  
]
```

issued

description Time that the check request was issued in seconds since the Unix epoch

required false

type Integer

example

```
"issued": 1552506033
```

last_ok

description	The last time that the check returned an OK <code>status</code> (<code>0</code>) in seconds since the Unix epoch
-------------	--

required	false
----------	-------

type	Integer
------	---------

example	
---------	--

```
"last_ok": 1552506033
```

occurrences

description	The number of preceding events with the same status as the current event (OK, WARNING, CRITICAL, or UNKNOWN). Starting at <code>1</code> , the <code>occurrences</code> attribute increments for events with the same status as the preceding event and resets whenever the status changes. See the using event data section for more information.
-------------	--

required	false
----------	-------

type	Integer greater than 0
------	------------------------

example	
---------	--

```
"occurrences": 1
```

occurrences_watermark

description	The <code>occurrences_watermark</code> attribute gives you useful information when looking at events that change status between OK (<code>0</code>) and non-OK (<code>1</code> -WARNING, <code>2</code> -CRITICAL, or UNKNOWN). For these incident and resolution events, the <code>occurrences_watermark</code> attribute tells you the number of preceding events with an OK status (for incident events) or non-OK status (for resolution events).
-------------	--

Sensu resets `occurrences_watermark` to `1` whenever an event for a given entity and check transitions between OK and non-OK. Within a

sequence of only OK or only non-OK events, Sensu increments `occurrences_watermark` only when the `occurrences` attribute is greater than the preceding `occurrences_watermark`. See the [using event data section](#) for more information.

required

false

type

Integer greater than 0

example

```
"occurrences_watermark": 1
```

output

description

The output from the execution of the check command

required

false

type

String

example

```
"output": "sensu-go-sandbox.curl_timings.time_total 0.005"
```

state

description

The state of the check: `passing` (status `0`), `failing` (status other than `0`), or `flapping`. You can use the `low_flap_threshold` and `high_flap_threshold` [check attributes](#) to configure `flapping` state detection.

required

false

type

String

example

```
"state": "passing"
```

status

description Exit status code produced by the check

- 0 indicates “OK”
- 1 indicates “WARNING”
- 2 indicates “CRITICAL”

exit status codes other than 0, 1, or 2 indicate an “UNKNOWN” or custom status

required false

type Integer

example

```
"status": 0
```

total_state_change

description The total state change percentage for the check’s history

required false

type Integer

example

```
"total_state_change": 0
```

History attributes

executed

description Time that the check request was executed in seconds since the Unix epoch

required false

type	Integer
example	<pre>"executed": 1522100915</pre>
status	
description	<p>Exit status code produced by the check</p> <ul style="list-style-type: none"> 0 indicates “OK” 1 indicates “WARNING” 2 indicates “CRITICAL” <p>exit status codes other than 0, 1, or 2 indicate an “UNKNOWN” or custom status</p>
required	false
type	Integer
example	<pre>"status": 0</pre>

Metric attributes

handlers	
description	An array of Sensu handlers to use for events created by the check. Each array item must be a string.
required	false
type	Array
example	<pre>"handlers": ["influx-db"]</pre>

points

description	Metric data points including a name, timestamp, value, and tags. See the points attributes .
-------------	--

required	false
----------	-------

type	Array
------	-------

example

```
"points": [
  {
    "name": "sensu-go-sandbox.curl_timings.time_total",
    "tags": [
      {
        "name": "response_time_in_ms",
        "value": "101"
      }
    ],
    "timestamp": 1552506033,
    "value": 0.005
  },
  {
    "name": "sensu-go-sandbox.curl_timings.time_namelookup",
    "tags": [
      {
        "name": "namelookup_time_in_ms",
        "value": "57"
      }
    ],
    "timestamp": 1552506033,
    "value": 0.004
  }
]
```

Points attributes

name

description The metric name in the format `$entity.$check.$metric` where `$entity` is the entity name, `$check` is the check name, and `$metric` is the metric name.

required false

type String

example

```
"name": "sensu-go-sandbox.curl_timings.time_total"
```

tags

description Optional tags to include with the metric. Each element of the array must be a hash containing two key value pairs, one being the `name` of the tag and the other describing the `value`. Both values of the pairs must be strings.

required false

type Array

example

```
"tags": [  
  {  
    "name": "response_time_in_ms",  
    "value": "101"  
  }  
]
```

timestamp

description Time that the metric was collected in seconds since the Unix epoch

required false

type Integer

example

```
"timestamp": 1552506033
```

value

description	The metric value
-------------	------------------

required	false
----------	-------

type	Float
------	-------

example

```
"value": 0.005
```

Examples

Example check-only event data

YML

```
type: Event
api_version: core/v2
metadata:
  namespace: default
spec:
  check:
    check_hooks: null
    command: check-cpu.sh -w 75 -c 90
    duration: 1.07055808
    env_vars: null
    executed: 1552594757
    handlers: []
    high_flap_threshold: 0
    history:
      - executed: 1552594757
        status: 0
```

```
interval: 60
issued: 1552594757
last_ok: 1552594758
low_flap_threshold: 0
metadata:
  name: check-cpu
  namespace: default
occurrences: 1
occurrences_watermark: 1
output: |
  CPU OK - Usage:3.96
output_metric_format: ""
output_metric_handlers: []
proxy_entity_name: ""
publish: true
round_robin: false
runtime_assets: []
state: passing
status: 0
stdin: false
subdue: null
subscriptions:
- linux
timeout: 0
total_state_change: 0
ttl: 0
entity:
  deregister: false
  deregistration: {}
  entity_class: agent
  last_seen: 1552594641
  metadata:
    name: sensu-centos
    namespace: default
  redact:
  - password
  - passwd
  - pass
  - api_key
  - api_token
  - access_key
  - secret_key
```

```
- private_key
- secret
subscriptions:
- linux
- entity:sensu-centos
system:
  arch: amd64
  hostname: sensu-centos
  network:
    interfaces:
      - addresses:
          - 127.0.0.1/8
          - ::1/128
        name: lo
      - addresses:
          - 10.0.2.15/24
          - fe80::9688:67ca:3d78:ced9/64
        mac: 08:00:27:11:ad:d2
        name: enp0s3
      - addresses:
          - 172.28.128.3/24
          - fe80::a00:27ff:fe6b:c1e9/64
        mac: 08:00:27:6b:c1:e9
        name: enp0s8
    os: linux
    platform: centos
    platform_family: rhel
    platform_version: 7.4.1708
  user: agent
timestamp: 1552594758
```

JSON

```
{
  "type": "Event",
  "api_version": "core/v2",
  "metadata": {
    "namespace": "default"
  },
  "spec": {
    "check": {
      "check_hooks": null,
```

```
"command": "check-cpu.sh -w 75 -c 90",
"duration": 1.07055808,
"env_vars": null,
"executed": 1552594757,
"handlers": [],
"high_flap_threshold": 0,
"history": [
  {
    "executed": 1552594757,
    "status": 0
  }
],
"interval": 60,
"issued": 1552594757,
"last_ok": 1552594758,
"low_flap_threshold": 0,
"metadata": {
  "name": "check-cpu",
  "namespace": "default"
},
"occurrences": 1,
"occurrences_watermark": 1,
"output": "CPU OK - Usage:3.96\n",
"output_metric_format": "",
"output_metric_handlers": [],
"proxy_entity_name": "",
"publish": true,
"round_robin": false,
"runtime_assets": [],
"state": "passing",
"status": 0,
"stdin": false,
"subdue": null,
"subscriptions": [
  "linux"
],
"timeout": 0,
"total_state_change": 0,
"ttl": 0
},
"entity": {
  "deregister": false,
```

```
"deregistration": {},
"entity_class": "agent",
"last_seen": 1552594641,
"metadata": {
  "name": "sensu-centos",
  "namespace": "default"
},
"redact": [
  "password",
  "passwd",
  "pass",
  "api_key",
  "api_token",
  "access_key",
  "secret_key",
  "private_key",
  "secret"
],
"subscriptions": [
  "linux",
  "entity:sensu-centos"
],
"system": {
  "arch": "amd64",
  "hostname": "sensu-centos",
  "network": {
    "interfaces": [
      {
        "addresses": [
          "127.0.0.1/8",
          "::1/128"
        ],
        "name": "lo"
      },
      {
        "addresses": [
          "10.0.2.15/24",
          "fe80::9688:67ca:3d78:ced9/64"
        ],
        "mac": "08:00:27:11:ad:d2",
        "name": "enp0s3"
      }
    ]
  }
}
```

```

    {
      "addresses": [
        "172.28.128.3/24",
        "fe80::a00:27ff:fe6b:c1e9/64"
      ],
      "mac": "08:00:27:6b:c1:e9",
      "name": "enp0s8"
    }
  ],
  "os": "linux",
  "platform": "centos",
  "platform_family": "rhel",
  "platform_version": "7.4.1708"
},
"user": "agent"
},
"timestamp": 1552594758
}
}

```

Example event with check and metric data

YML

```

type: Event
api_version: core/v2
metadata:
  namespace: default
spec:
  check:
    check_hooks: null
    command: /opt/sensu-plugins-ruby/embedded/bin/metrics-curl.rb -u
"http://localhost"
    duration: 0.060790838
    env_vars: null
    executed: 1552506033
    handlers: []
    high_flap_threshold: 0
    history:
      - executed: 1552505833
        status: 0

```

```
- executed: 1552505843
  status: 0
interval: 10
issued: 1552506033
last_ok: 1552506033
low_flap_threshold: 0
metadata:
  name: curl_timings
  namespace: default
occurrences: 1
occurrences_watermark: 1
output: |-
  sensu-go-sandbox.curl_timings.time_total 0.005 1552506033
  sensu-go-sandbox.curl_timings.time_namelookup 0.004
output_metric_format: graphite_plaintext
output_metric_handlers:
- influx-db
proxy_entity_name: ""
publish: true
round_robin: false
runtime_assets: []
state: passing
status: 0
stdin: false
subdue: null
subscriptions:
- entity:sensu-go-sandbox
timeout: 0
total_state_change: 0
ttl: 0
entity:
  deregister: false
  deregistration: {}
  entity_class: agent
  last_seen: 1552495139
  metadata:
    name: sensu-go-sandbox
    namespace: default
  redact:
  - password
  - passwd
  - pass
```



```
- api_key
- api_token
- access_key
- secret_key
- private_key
- secret
subscriptions:
- entity:sensu-go-sandbox
system:
  arch: amd64
  hostname: sensu-go-sandbox
  network:
    interfaces:
      - addresses:
          - 127.0.0.1/8
          - ::1/128
        name: lo
      - addresses:
          - 10.0.2.15/24
          - fe80::5a94:f67a:1bfc:a579/64
        mac: 08:00:27:8b:c9:3f
        name: eth0
    os: linux
    platform: centos
    platform_family: rhel
    platform_version: 7.5.1804
  user: agent
metrics:
  handlers:
  - influx-db
  points:
  - name: sensu-go-sandbox.curl_timings.time_total
    tags: []
    timestamp: 1552506033
    value: 0.005
  - name: sensu-go-sandbox.curl_timings.time_namelookup
    tags: []
    timestamp: 1552506033
    value: 0.004
timestamp: 1552506033
```

```
{
  "type": "Event",
  "api_version": "core/v2",
  "metadata": {
    "namespace": "default"
  },
  "spec": {
    "check": {
      "check_hooks": null,
      "command": "/opt/sensu-plugins-ruby/embedded/bin/metrics-curl.rb -u
\"http://localhost\"",
      "duration": 0.060790838,
      "env_vars": null,
      "executed": 1552506033,
      "handlers": [],
      "high_flap_threshold": 0,
      "history": [
        {
          "executed": 1552505833,
          "status": 0
        },
        {
          "executed": 1552505843,
          "status": 0
        }
      ],
      "interval": 10,
      "issued": 1552506033,
      "last_ok": 1552506033,
      "low_flap_threshold": 0,
      "metadata": {
        "name": "curl_timings",
        "namespace": "default"
      },
      "occurrences": 1,
      "occurrences_watermark": 1,
      "output": "sensu-go-sandbox.curl_timings.time_total 0.005 1552506033\nsensu-
go-sandbox.curl_timings.time_namelookup 0.004",
      "output_metric_format": "graphite_plaintext",
      "output_metric_handlers": [
        "influx-db"
      ]
    }
  }
}
```

```
],
"proxy_entity_name": "",
"publish": true,
"round_robin": false,
"runtime_assets": [],
"state": "passing",
"status": 0,
"stdin": false,
"subdue": null,
"subscriptions": [
    "entity:sensu-go-sandbox"
],
"timeout": 0,
"total_state_change": 0,
"ttl": 0
},
"entity": {
    "deregister": false,
    "deregistration": {},
    "entity_class": "agent",
    "last_seen": 1552495139,
    "metadata": {
        "name": "sensu-go-sandbox",
        "namespace": "default"
    },
    "redact": [
        "password",
        "passwd",
        "pass",
        "api_key",
        "api_token",
        "access_key",
        "secret_key",
        "private_key",
        "secret"
    ],
    "subscriptions": [
        "entity:sensu-go-sandbox"
    ],
    "system": {
        "arch": "amd64",
        "hostname": "sensu-go-sandbox",
```

```
"network": {
  "interfaces": [
    {
      "addresses": [
        "127.0.0.1/8",
        "::1/128"
      ],
      "name": "lo"
    },
    {
      "addresses": [
        "10.0.2.15/24",
        "fe80::5a94:f67a:1bfc:a579/64"
      ],
      "mac": "08:00:27:8b:c9:3f",
      "name": "eth0"
    }
  ],
  "os": "linux",
  "platform": "centos",
  "platform_family": "rhel",
  "platform_version": "7.5.1804"
},
"user": "agent"
},
"metrics": {
  "handlers": [
    "influx-db"
  ],
  "points": [
    {
      "name": "sensu-go-sandbox.curl_timings.time_total",
      "tags": [],
      "timestamp": 1552506033,
      "value": 0.005
    },
    {
      "name": "sensu-go-sandbox.curl_timings.time_namelookup",
      "tags": [],
      "timestamp": 1552506033,
      "value": 0.004
    }
  ]
}
```

```

    }
  ]
},
"timestamp": 1552506033
}
}

```

Example metric-only event

YML

```

type: Event
api_version: core/v2
metadata:
  namespace: default
spec:
  entity:
    deregister: false
    deregistration: {}
    entity_class: agent
    last_seen: 1552495139
    metadata:
      name: sensu-go-sandbox
      namespace: default
    redact:
      - password
      - passwd
      - pass
      - api_key
      - api_token
      - access_key
      - secret_key
      - private_key
      - secret
    subscriptions:
      - entity:sensu-go-sandbox
  system:
    arch: amd64
    hostname: sensu-go-sandbox
    network:
      interfaces:
        - addresses:

```

```
- 127.0.0.1/8
- ::1/128
name: lo
- addresses:
- 10.0.2.15/24
- fe80::5a94:f67a:1bfc:a579/64
mac: 08:00:27:8b:c9:3f
name: eth0
os: linux
platform: centos
platform_family: rhel
platform_version: 7.5.1804
user: agent
metrics:
  handlers:
  - influx-db
  points:
  - name: sensu-go-sandbox.curl_timings.time_total
    tags: []
    timestamp: 1552506033
    value: 0.005
  - name: sensu-go-sandbox.curl_timings.time_namelookup
    tags: []
    timestamp: 1552506033
    value: 0.004
timestamp: 1552506033
```

JSON

```
{
  "type": "Event",
  "api_version": "core/v2",
  "metadata": {
    "namespace": "default"
  },
  "spec": {
    "entity": {
      "deregister": false,
      "deregistration": {},
      "entity_class": "agent",
      "last_seen": 1552495139,
```

```
"metadata": {
  "name": "sensu-go-sandbox",
  "namespace": "default"
},
"redact": [
  "password",
  "passwd",
  "pass",
  "api_key",
  "api_token",
  "access_key",
  "secret_key",
  "private_key",
  "secret"
],
"subscriptions": [
  "entity:sensu-go-sandbox"
],
"system": {
  "arch": "amd64",
  "hostname": "sensu-go-sandbox",
  "network": {
    "interfaces": [
      {
        "addresses": [
          "127.0.0.1/8",
          "::1/128"
        ],
        "name": "lo"
      },
      {
        "addresses": [
          "10.0.2.15/24",
          "fe80::5a94:f67a:1bfc:a579/64"
        ],
        "mac": "08:00:27:8b:c9:3f",
        "name": "eth0"
      }
    ]
  },
  "os": "linux",
  "platform": "centos",
```

```
    "platform_family": "rhel",
    "platform_version": "7.5.1804"
  },
  "user": "agent"
},
"metrics": {
  "handlers": [
    "influx-db"
  ],
  "points": [
    {
      "name": "sensu-go-sandbox.curl_timings.time_total",
      "tags": [],
      "timestamp": 1552506033,
      "value": 0.005
    },
    {
      "name": "sensu-go-sandbox.curl_timings.time_namelookup",
      "tags": [],
      "timestamp": 1552506033,
      "value": 0.004
    }
  ]
},
"timestamp": 1552506033
}
```


Filters

Contents

[Built-in filters](#)

[Building filter expressions](#)

[Specification](#)

[Examples](#)

[Handling production events](#)

[Handling non-production events](#)

[Handling state change only](#)

[Handling repeated events](#)

[Handling events during office hours only](#)

How do Sensu filters work?

Sensu filters are applied when **event handlers** are configured to use one or more filters. Prior to executing a handler, the Sensu server will apply any filters configured for the handler to the **event** data. If the event is not removed by the filter(s), the handler will be executed. The filter analysis flow performs these steps:

When the Sensu server is processing an event, it will check for the definition of a `handler` (or `handlers`). Prior to executing each handler, the Sensu server will first apply any configured `filters` for the handler.

If multiple `filters` are configured for a handler, they are executed sequentially.

Filter `expressions` are compared with event data.

Filters can be inclusive (only matching events are handled) or exclusive (matching events are not handled).

As soon as a filter removes an event, no further analysis is performed and the event handler will not be executed.

*NOTE: Filters specified in a **handler set** definition have no effect. Filters must be specified in individual handler definitions.*

Inclusive and exclusive filtering

Filters can be *inclusive* `"action": "allow"` (replaces `"negate": false` in Sensu 1) or *exclusive* `"action": "deny"` (replaces `"negate": true` in Sensu 1). Configuring a handler to use multiple *inclusive* filters is the equivalent of using an `AND` query operator (only handle events if they match *inclusive* filter `x AND y AND z`). Configuring a handler to use multiple *exclusive* filters is the equivalent of using an `OR` operator (only handle events if they don't match `x OR y OR z`).

Inclusive filtering: by setting the filter definition attribute `"action": "allow"`, only events that match the defined filter expressions are handled.

Exclusive filtering: by setting the filter definition attribute `"action": "deny"`, events are only handled if they do not match the defined filter expressions.

Filter expression comparison

Filter expressions are compared directly with their event data counterparts. For *inclusive* filter definitions (like `"action": "allow"`), matching expressions will result in the filter returning a `true` value; for *exclusive* filter definitions (like `"action": "deny"`), matching expressions will result in the filter returning a `false` value, and the event will not pass through the filter. Filters that return a true value will continue to be processed via additional filters (if defined), mutators (if defined), and handlers.

Filter expression evaluation

When more complex conditional logic is needed than direct filter expression comparison, Sensu filters provide support for expression evaluation using [Otto](#). Otto is an ECMAScript 5 (JavaScript) VM, and evaluates javascript expressions that are provided in the filter. There are some caveats to using Otto; most notably, the regular expressions specified in ECMAScript 5 do not all work. See the [Otto README](#) for more details.

Filter assets

Sensu filters can have assets that are included in their execution context. When valid assets are associated with a filter, Sensu evaluates any files it finds that have a “.js” extension before executing a filter. The result of evaluating the scripts is cached for a given asset set, for the sake of performance. For an example of how to implement a filter as an asset, see the [guide on reducing alert fatigue](#).

Built-in filters

Sensu includes built-in filters to help you customize event pipelines for metrics and alerts. To start using built-in filters, see the guides to [sending Slack alerts](#) and [planning maintenances](#).

Built-in filter: only incidents

The incidents filter is included in every installation of the [Sensu backend](#). You can use the incidents filter to allow only high priority events through a Sensu pipeline. For example, you can use the incidents filter to reduce noise when sending notifications to Slack. When applied to a handler, the incidents filter allows only warning (`"status": 1`), critical (`"status": 2`), and resolution events to be processed.

To use the incidents filter, include the `is_incident` filter in the handler configuration `filters` array:

YML

```
type: Handler
api_version: core/v2
metadata:
  name: slack
  namespace: default
spec:
  command: sensu-slack-handler --channel '#monitoring'
  env_vars:
    -
SLACK_WEBHOOK_URL=https://hooks.slack.com/services/T00000000/B00000000/XXXXXXXXXXXXXXXX
XXXXXXXXXXXX
  filters:
    - is_incident
  handlers: []
  runtime_assets: []
  timeout: 0
  type: pipe
```

JSON

```
{
  "type": "Handler",
  "api_version": "core/v2",
  "metadata": {
    "name": "slack",
    "namespace": "default"
  },
  "spec": {
    "command": "sensu-slack-handler --channel '#monitoring'",
```

```

"env_vars": [

  "SLACK_WEBHOOK_URL=https://hooks.slack.com/services/T00000000/B00000000/XXXXXXXXXXXX
XXXXXXXXXXXX"

],
"filters": [
  "is_incident"
],
"handlers": [],
"runtime_assets": [],
"timeout": 0,
"type": "pipe"
}
}

```

The `is_incident` filter applies the following filtering logic:

status	allow	discard
0		✗
1	✓	
2	✓	
other		✗
1 → 0 or 2 → 0 (resolution event)	✓	

Built-in filter: allow silencing

Sensu silencing lets you suppress execution of event handlers on an on-demand basis, giving you the ability to quiet incoming alerts and plan maintenances.

To allow silencing for an event handler, add the `not_silenced` filter to the handler configuration `filters` array:

YML

```

type: Handler
api_version: core/v2
metadata:
  name: slack
  namespace: default
spec:
  command: sensu-slack-handler --channel '#monitoring'
  env_vars:
    -
SLACK_WEBHOOK_URL=https://hooks.slack.com/services/T00000000/B00000000/XXXXXXXXXXXXX
XXXXXXXXXXXXX
  filters:
    - is_incident
    - not_silenced
  handlers: []
  runtime_assets: []
  timeout: 0
  type: pipe

```

JSON

```

{
  "type": "Handler",
  "api_version": "core/v2",
  "metadata": {
    "name": "slack",
    "namespace": "default"
  },
  "spec": {
    "command": "sensu-slack-handler --channel '#monitoring'",
    "env_vars": [

"SLACK_WEBHOOK_URL=https://hooks.slack.com/services/T00000000/B00000000/XXXXXXXXXXXXX
XXXXXXXXXXXXX"

    ],
    "filters": [
      "is_incident",
      "not_silenced"
    ],
    "handlers": [],
    "runtime_assets": [],

```

```
    "timeout": 0,  
    "type": "pipe"  
  }  
}
```

When applied to a handler configuration, the `not_silenced` filter silences events that include the `silenced` attribute. The handler in the example above uses both the silencing and `incidents` filters, preventing low priority and silenced events from being sent to Slack.

Built-in filter: has metrics

The metrics filter is included in every installation of the Sensu backend. When applied to a handler, the metrics filter allows only events containing Sensu metrics to be processed. You can use the metrics filter to prevent handlers that require metrics from failing in case of an error in metric collection.

To use the metrics filter, include the `has_metrics` filter in the handler configuration `filters` array:

YML

```
type: Handler  
api_version: core/v2  
metadata:  
  name: influx-db  
  namespace: default  
spec:  
  command: sensu-influxdb-handler -d sensu  
  env_vars:  
    - INFLUXDB_ADDR=http://influxdb.default.svc.cluster.local:8086  
    - INFLUXDB_USER=sensu  
    - INFLUXDB_PASSWORD=password  
  filters:  
    - has_metrics  
  handlers: []  
  runtime_assets: []  
  timeout: 0  
  type: pipe
```

JSON

```
{
  "type": "Handler",
  "api_version": "core/v2",
  "metadata": {
    "name": "influx-db",
    "namespace": "default"
  },
  "spec": {
    "command": "sensu-influxdb-handler -d sensu",
    "env_vars": [
      "INFLUXDB_ADDR=http://influxdb.default.svc.cluster.local:8086",
      "INFLUXDB_USER=sensu",
      "INFLUXDB_PASSWORD=password"
    ],
    "filters": [
      "has_metrics"
    ],
    "handlers": [],
    "runtime_assets": [],
    "timeout": 0,
    "type": "pipe"
  }
}
```

When applied to a handler configuration, the `has_metrics` filter allows only events that include a `metrics_scope`.

Building filter expressions

You can write custom filter expressions as [Sensu query expressions](#) using the event data attributes described in this section. For more information about event attributes, see the [event reference](#).

Syntax quick reference

operator	description
<code>===</code> / <code>!==</code>	Identity operator / Nonidentity operator

`== / !=`

Equality operator / Inequality operator

`&& / ||`

Logical AND / Logical OR

`< / >`

Less than / Greater than

`<= / >=`

Less than or equal to / Greater than or equal to

Event attributes available to filters

attribute	type	description
<code>event.has_check</code>	boolean	Returns true if the event contains check data
<code>event.has_metrics</code>	boolean	Returns true if the event contains metrics
<code>event.is_incident</code>	boolean	Returns true for critical alerts (status <code>2</code>), warnings (status <code>1</code>), and resolution events (status <code>0</code> transitioning from status <code>1</code> or <code>2</code>)
<code>event.is_resolution</code>	boolean	Returns true if the event status is OK (<code>0</code>) and the previous event was of a non-zero status

	n	
<code>event.is_silenced</code>	boolean	Returns true if the event matches an active silencing entry
<code>event.timestamp</code>	integer	Time that the event occurred in seconds since the Unix epoch

Check attributes available to filters

attribute	type	description
<code>event.check.annotations</code>	map	Custom <u>annotations</u> applied to the check
<code>event.check.command</code>	string	The command executed by the check
<code>event.check.cron</code>	string	<u>Check execution schedule</u> using cron syntax
<code>event.check.discard_output</code>	boolean	If the check is configured to discard check output from event data

<code>event.check.duration</code>	float	Command execution time in seconds
<code>event.check.env_vars</code>	array	Environment variables used with command execution
<code>event.check.executed</code>	integer	Time that the check was executed in seconds since the Unix epoch
<code>event.check.handlers</code>	array	Sensu event <u>handlers</u> assigned to the check
<code>event.check.high_flap_threshold</code>	integer	The check's flap detection high threshold in percent state change
<code>event.check.history</code>	array	<u>Check status history</u> for the last 21 check executions
<code>event.check.hooks</code>	array	<u>Check hook</u> execution data
<code>event.check.interval</code>	integer	The check execution frequency in seconds
<code>event.check.issued</code>	integer	Time that the check request was issued in seconds since the Unix epoch

g
e
r

`event.check.labels`

m
a
p

Custom labels applied to the check

`event.check.last_ok`

in
te
g
e
r

The last time that the check returned an OK status (`0`) in seconds since the Unix epoch

`event.check.low_flap_threshold`

in
te
g
e
r

The check's flap detection low threshold in percent state change

`event.check.max_output_size`

in
te
g
e
r

Maximum size, in bytes, of stored check outputs

`event.check.name`

st
ri
n
g

Check name

`event.check.occurrences`

in
te
g
e
r

The number of preceding events with the same status as the current event

`event.check.occurrences_watermark`

in
te
g
e
r

For resolution events, the number of preceding events with a non-OK status

`event.check.output`

st

The output from the execution of the check command

t	ri n g	
event.check.output_metric_format	string	The <u>metric format</u> generated by the check command: nagios_perfdata , graphite_plaintext , influxdb_line , or opentsdb_line
event.check.output_metric_handlers	array	Sensu metric <u>handlers</u> assigned to the check
event.check.proxy_entity_name	string	The entity name, used to create a <u>proxy entity</u> for an external resource
event.check.proxy_requests	map	<u>Proxy request</u> configuration
event.check.publish	boolean	If the check is scheduled automatically
event.check.round_robin	boolean	If the check is configured to be executed in a <u>round-robin style</u>
event.check.runtime_assets	array	Sensu <u>assets</u> used by the check
event.check.state	string	The state of the check: passing (status 0), failing (status other than 0), or flapping

n
g

`event.check.status`

in
te
g
e
r

Exit status code produced by the check: `0` (OK), `1` (warning), `2` (critical), or other status (unknown or custom status)

`event.check.stdin`

b
o
l
e
a
n

If the Sensu agent writes JSON-serialized entity and check data to the command process' STDIN

`event.check.subscriptions`

a
rr
a
y

Subscriptions that the check belongs to

`event.check.timeout`

in
te
g
e
r

The check execution duration timeout in seconds

`event.check.total_state_change`

in
te
g
e
r

The total state change percentage for the check's history

`event.check.ttl`

in
te
g
e
r

The time to live (TTL) in seconds until the event is considered stale

`event.metrics.handlers`

a
rr
a
y

Sensu metric handlers assigned to the check

<code>event.metrics.points</code>	array	<u>Metric data points</u> including a name, timestamp, value, and tags
-----------------------------------	-------	--

Entity attributes available to filters

attribute	type	description
<code>event.entity.annotations</code>	map	Custom <u>annotations</u> assigned to the entity
<code>event.entity.deregister</code>	boolean	If the agent entity should be removed when it stops sending <u>keepalive messages</u>
<code>event.entity.deregistration</code>	map	A map containing a handler name, for use when an entity is deregistered
<code>event.entity.entity_class</code>	string	The entity type: usually <code>agent</code> or <code>proxy</code>
<code>event.entity.labels</code>	map	Custom <u>labels</u> assigned to the entity
<code>event.entity.last_seen</code>	integer	Timestamp the entity was last seen, in seconds since the Unix epoch
<code>event.entity.name</code>	string	Entity name
<code>event.entity.redact</code>	array	List of items to redact from log messages
<code>event.entity.subscriptions</code>	array	List of subscriptions assigned to the entity
<code>event.entity.system</code>	map	Information about the <u>entity's system</u>
<code>event.entity.system.arch</code>	string	The entity's system architecture

<code>event.entity.system.hostname</code>	string	The entity's hostname
<code>event.entity.system.network</code>	map	The entity's network interface list
<code>event.entity.system.os</code>	string	The entity's operating system
<code>event.entity.system.platform</code>	string	The entity's operating system distribution
<code>event.entity.system.platform_family</code>	string	The entity's operating system family
<code>event.entity.system.platform_version</code>	string	The entity's operating system version
<code>event.entity.user</code>	string	Sensu RBAC username used by the agent entity

Filter specification

Top-level attributes

type	
description	Top-level attribute specifying the <code>sensuctl create</code> resource type. Filters should always be of type <code>EventFilter</code> .
required	Required for filter definitions in <code>wrapped-json</code> or <code>yaml</code> format for use with <code>sensuctl create</code> .
type	String
example	<pre>"type": "EventFilter"</pre>

api_version

description Top-level attribute specifying the SENSU API group and version. For filters in SENSU backend version 5.10, this attribute should always be `core/v2`.

required Required for filter definitions in `wrapped-json` or `yaml` format for use with `sensuctl create`.

type String

example

```
"api_version": "core/v2"
```

metadata

description Top-level collection of metadata about the filter, including the `name` and `namespace` as well as custom `labels` and `annotations`. The `metadata` map is always at the top level of the filter definition. This means that in `wrapped-json` and `yaml` formats, the `metadata` scope occurs outside the `spec` scope. See the [metadata attributes reference](#) for details.

required Required for filter definitions in `wrapped-json` or `yaml` format for use with `sensuctl create`.

type Map of key-value pairs

example

```
"metadata": {
  "name": "filter-weekdays-only",
  "namespace": "default",
  "labels": {
    "region": "us-west-1"
  },
  "annotations": {
    "slack-channel": "#monitoring"
  }
}
```


spec	
description	Top-level map that includes the filter <u>spec attributes</u> .
required	Required for filter definitions in <code>wrapped-json</code> or <code>yaml</code> format for use with <code>sensuctl create</code> .
type	Map of key-value pairs
example	<pre>"spec": { "action": "allow", "expressions": ["event.entity.namespace == 'production'"], "runtime_assets": [] }</pre>

Spec attributes

action	
description	Action to take with the event if the filter expressions match. <i>NOTE: see <u>Inclusive and exclusive filtering</u> for more information.</i>
required	true
type	String
allowed values	<code>allow</code> , <code>deny</code>
example	<pre>"action": "allow"</pre>

expressions

description	Filter expressions to be compared with event data. Note that event metadata can be referenced without including the <code>metadata</code> scope, for example: <code>event.entity.namespace</code> .
-------------	---

required	true
----------	------

type	Array
------	-------

example	
---------	--

```
"expressions": [  
  "event.check.team == 'ops'"  
]
```

runtime_assets

description	Assets to be applied to the filter's execution context. JavaScript files in the lib directory of the asset will be evaluated.
-------------	---

required	false
----------	-------

type	Array of String
------	-----------------

default	<code>[]</code>
---------	-----------------

example	
---------	--

```
"runtime_assets": ["underscore"]
```

Metadata attributes

name

description	A unique string used to identify the filter. Filter names cannot contain special characters or spaces (validated with Go regex <code>\A[\w\.\-]+\z</code>). Each filter must have a unique name within its namespace.
-------------	--

required	true
----------	------

type	String
example	<pre>"name": "filter-weekdays-only"</pre>

namespace

description	The Sensu RBAC namespace that this filter belongs to.
required	false
type	String
default	<code>default</code>
example	<pre>"namespace": "production"</pre>

labels

description	Custom attributes you can use to create meaningful collections that can be selected with API filtering and sensuctl filtering . Overusing labels can impact Sensu's internal performance, so we recommend moving complex, non-identifying metadata to annotations.
required	false
type	Map of key-value pairs. Keys can contain only letters, numbers, and underscores, but must start with a letter. Values can be any valid UTF-8 string.
default	<code>null</code>
example	<pre>"labels": { "environment": "development", "region": "us-west-2" }</pre>

annotations

description Non-identifying metadata that's meaningful to people or external tools interacting with Sensu.

In contrast to labels, annotations cannot be used in [API filtering](#) or [sensuctl filtering](#) and do not impact Sensu's internal performance.

required false

type Map of key-value pairs. Keys and values can be any valid UTF-8 string.

default `null`

example

```
"annotations": {  
  "managed-by": "ops",  
  "playbook": "www.example.url"  
}
```

Filter Examples

Minimum required filter attributes

YML

```
type: EventFilter  
api_version: core/v2  
metadata:  
  name: filter_minimum  
  namespace: default  
spec:  
  action: allow  
  expressions:  
  - event.check.occurrences == 1
```

JSON

```
{
  "type": "EventFilter",
  "api_version": "core/v2",
  "metadata": {
    "name": "filter_minimum",
    "namespace": "default"
  },
  "spec": {
    "action": "allow",
    "expressions": [
      "event.check.occurrences == 1"
    ]
  }
}
```

Handling production events

The following filter allows only events with a custom entity label `"environment": "production"` to be handled.

YML

```
type: EventFilter
api_version: core/v2
metadata:
  name: production_filter
  namespace: default
spec:
  action: allow
  expressions:
    - event.entity.labels.environment == 'production'
```

JSON

```
{
  "type": "EventFilter",
  "api_version": "core/v2",
  "metadata": {
```

```

    "name": "production_filter",
    "namespace": "default"
  },
  "spec": {
    "action": "allow",
    "expressions": [
      "event.entity.labels.environment == 'production'"
    ]
  }
}

```

Handling non-production events

The following filter discards events with a custom entity label `"environment": "production"`, allowing only events without an `environment` label or events with `environment` set to something other than `production` to be handled. Note that `action` is `deny`, making this an exclusive filter; if evaluation returns false, the event is handled.

YML

```

type: EventFilter
api_version: core/v2
metadata:
  name: not_production
  namespace: default
spec:
  action: deny
  expressions:
    - event.entity.labels.environment == 'production'

```

JSON

```

{
  "type": "EventFilter",
  "api_version": "core/v2",
  "metadata": {
    "name": "not_production",
    "namespace": "default"
  },
  "spec": {

```

```
    "action": "deny",
    "expressions": [
      "event.entity.labels.environment == 'production'"
    ]
  }
}
```

Handling state change only

Some teams migrating to Sensu have asked about reproducing the behavior of their old monitoring system which alerts only on state change. This `state_change_only` inclusive filter provides such.

YML

```
type: EventFilter
api_version: core/v2
metadata:
  annotations: null
  labels: null
  name: state_change_only
  namespace: default
spec:
  action: allow
  expressions:
    - event.check.occurrences == 1
  runtime_assets: []
```

JSON

```
{
  "type": "EventFilter",
  "api_version": "core/v2",
  "metadata": {
    "name": "state_change_only",
    "namespace": "default",
    "labels": null,
    "annotations": null
  },
  "spec": {
    "action": "allow",
```

```

    "expressions": [
      "event.check.occurrences == 1"
    ],
    "runtime_assets": []
  }
}

```

Handling repeated events

The following example filter definition, entitled `filter_interval_60_hourly`, will match event data with a check `interval` of `60` seconds, and an `occurrences` value of `1` (the first occurrence) -OR- any `occurrences` value that is evenly divisible by 60 via a modulo operator calculation (calculating the remainder after dividing `occurrences` by 60).

YML

```

type: EventFilter
api_version: core/v2
metadata:
  annotations: null
  labels: null
  name: filter_interval_60_hourly
  namespace: default
spec:
  action: allow
  expressions:
    - event.check.interval == 60
    - event.check.occurrences == 1 || event.check.occurrences % 60 == 0
  runtime_assets: []

```

JSON

```

{
  "type": "EventFilter",
  "api_version": "core/v2",
  "metadata": {
    "name": "filter_interval_60_hourly",
    "namespace": "default",
    "labels": null,
    "annotations": null
  }
}

```



```

},
"spec": {
  "action": "allow",
  "expressions": [
    "event.check.interval == 60",
    "event.check.occurrences == 1 || event.check.occurrences % 60 == 0"
  ],
  "runtime_assets": []
}
}

```

The next example will apply the same logic as the previous example, but for checks with a 30 second interval.

YML

```

type: EventFilter
api_version: core/v2
metadata:
  annotations: null
  labels: null
  name: filter_interval_30_hourly
  namespace: default
spec:
  action: allow
  expressions:
    - event.check.interval == 30
    - event.check.occurrences == 1 || event.check.occurrences % 120 == 0
  runtime_assets: []

```

JSON

```

{
  "type": "EventFilter",
  "api_version": "core/v2",
  "metadata": {
    "name": "filter_interval_30_hourly",
    "namespace": "default",
    "labels": null,
    "annotations": null
  }
}

```

```

},
"spec": {
  "action": "allow",
  "expressions": [
    "event.check.interval == 30",
    "event.check.occurrences == 1 || event.check.occurrences % 120 == 0"
  ],
  "runtime_assets": []
}
}

```

Handling events during office hours only

This filter evaluates the event timestamp to determine if the event occurred between 9 AM and 5 PM UTC on a weekday. Remember that `action` is equal to `allow`, so this is an inclusive filter. If evaluation returns false, the event will not be handled.

YML

```

type: EventFilter
api_version: core/v2
metadata:
  annotations: null
  labels: null
  name: nine_to_fiver
  namespace: default
spec:
  action: allow
  expressions:
    - weekday(event.timestamp) >= 1 && weekday(event.timestamp) <= 5
    - hour(event.timestamp) >= 9 && hour(event.timestamp) <= 17
  runtime_assets: []

```

JSON

```

{
  "type": "EventFilter",
  "api_version": "core/v2",
  "metadata": {
    "name": "nine_to_fiver",

```

```

    "namespace": "default",
    "labels": null,
    "annotations": null
  },
  "spec": {
    "action": "allow",
    "expressions": [
      "weekday(event.timestamp) >= 1 && weekday(event.timestamp) <= 5",
      "hour(event.timestamp) >= 9 && hour(event.timestamp) <= 17"
    ],
    "runtime_assets": []
  }
}

```

Using JavaScript libraries with Sensu filters

You can include JavaScript libraries in their filter execution context with `assets`. For instance, assuming you've packaged `underscore.js` into a Sensu `asset`, you could then use functions from the `underscore` library for filter `expressions`.

YML

```

type: EventFilter
api_version: core/v2
metadata:
  annotations: null
  labels: null
  name: deny_if_failure_in_history
  namespace: default
spec:
  action: deny
  expressions:
    - _.reduce(event.check.history, function(memo, h) { return (memo || h.status !=
      0); })
  runtime_assets:
    - underscore

```

JSON

```

{

```

```
"type": "EventFilter",
"api_version": "core/v2",
"metadata": {
  "name": "deny_if_failure_in_history",
  "namespace": "default",
  "labels": null,
  "annotations": null
},
"spec": {
  "action": "deny",
  "expressions": [
    "_reduce(event.check.history, function(memo, h) { return (memo || h.status !=
0); })"
  ],
  "runtime_assets": ["underscore"]
}
}
```

Handlers

Contents

[How do Sensu handlers work?](#)

[Pipe handlers](#)

[TCP/UDP handlers](#)

[Handler sets](#)

[Handling keepalive events](#)

[Specification](#)

[Top-level attributes](#)

[Spec attributes](#)

[Metadata attributes](#)

[socket attributes](#)

[Examples](#)

Discover, download, and share Sensu handlers assets using [Bonsai](#), the Sensu asset index. [Read the guide to installing plugins using assets](#) to get started.

How do Sensu handlers work?

Handlers actions are executed by the Sensu backend on events, and there are several types of handlers available. The most common handler type is the `pipe` handler, which works very similarly to how [checks](#) work, enabling Sensu to interact with almost any computer program via [standard streams](#).

Pipe handlers. Pipe handlers pipe event data into arbitrary commands via `STDIN`.

TCP/UDP handlers. TCP and UDP handlers send event data to a remote socket.

Handler sets. Handler sets (also called “set handlers”) are used to group event handlers, making it easy to manage groups of actions that should be executed for certain types of events.

Pipe handlers

Pipe handlers are external commands that can consume [event](#) data via STDIN.

Pipe handler command

Pipe handler definitions include a `command` attribute, which is a command to be executed by the Sensu backend.

Pipe handler command arguments

Pipe handler `command` attributes may include command line arguments for controlling the behavior of the `command` executable.

TCP/UDP handlers

TCP and UDP handlers enable Sensu to forward event data to arbitrary TCP or UDP sockets for external services to consume.

Handler sets

Handler set definitions allow groups of handlers (individual collections of actions to take on event data) to be referenced via a single named handler set.

NOTE: Attributes defined on handler sets do not apply to the handlers they include. For example, `filters`, and `mutator` attributes defined in a handler set will have no effect.

Handling keepalive events

Sensu keepalives are the heartbeat mechanism used to ensure that all registered Sensu agents are operational and able to reach the Sensu backend. You can connect keepalive events to your monitoring workflows using a keepalive handler. Sensu looks for an event handler named `keepalive` and automatically uses it to process keepalive events.

Let's say you want to receive Slack notifications for keepalive alerts, and you already have a Slack handler set up to process events. To process keepalive events using the Slack pipeline, create a handler set named `keepalive` and add the `slack` handler to the `handlers` array. The resulting `keepalive` handler set configuration looks like this:

YML

```
type: Handler
api_version: core/v2
metadata:
```

```
name: keepalive
namespace: default
spec:
  handlers:
  - slack
  type: set
```

JSON

```
{
  "type": "Handler",
  "api_version": "core/v2",
  "metadata" : {
    "name": "keepalive",
    "namespace": "default"
  },
  "spec": {
    "type": "set",
    "handlers": [
      "slack"
    ]
  }
}
```

Handler specification

Top-level attributes

type	
description	Top-level attribute specifying the <code>sensuctl create</code> resource type. Handlers should always be of type <code>Handler</code> .
required	Required for handler definitions in <code>wrapped-json</code> or <code>yaml</code> format for use with <code>sensuctl create</code> .
type	String

example

```
"type": "Handler"
```

api_version

description Top-level attribute specifying the Sensu API group and version. For handlers in Sensu backend version 5.10, this attribute should always be `core/v2`.

required Required for handler definitions in `wrapped-json` or `yaml` format for use with `sensuctl create`.

type String

example

```
"api_version": "core/v2"
```

metadata

description Top-level collection of metadata about the handler, including the `name` and `namespace` as well as custom `labels` and `annotations`. The `metadata` map is always at the top level of the handler definition. This means that in `wrapped-json` and `yaml` formats, the `metadata` scope occurs outside the `spec` scope. See the [metadata attributes reference](#) for details.

required Required for handler definitions in `wrapped-json` or `yaml` format for use with `sensuctl create`.

type Map of key-value pairs

example

```
"metadata": {
  "name": "handler-slack",
  "namespace": "default",
  "labels": {
    "region": "us-west-1"
  },
  "annotations": {
```



```
    "slack-channel" : "#monitoring"
  }
}
```

spec

description Top-level map that includes the handler spec attributes.

required Required for handler definitions in `wrapped-json` or `yaml` format for use with `sensuctl create`.

type Map of key-value pairs

example

```
"spec": {
  "type": "tcp",
  "socket": {
    "host": "10.0.1.99",
    "port": 4444
  },
  "metadata" : {
    "name": "tcp_handler",
    "namespace": "default"
  }
}
```

Spec attributes

type

description The handler type.

required true

type String

allowed values `pipe`, `tcp`, `udp` & `set`

example

```
"type": "pipe"
```

filters

description An array of Sensu event filters (names) to use when filtering events for the handler. Each array item must be a string.

required false

type Array

example

```
"filters": ["occurrences", "production"]
```

mutator

description The Sensu event mutator (name) to use to mutate event data for the handler.

required false

type String

example

```
"mutator": "only_check_output"
```

timeout

description The handler execution duration timeout in seconds (hard stop). Only used by `pipe`, `tcp`, and `udp` handler types.

required false

type Integer

default 60 (for tcp and udp handlers)

example

```
"timeout": 30
```

command

description The handler command to be executed. The event data is passed to the process via `STDIN`. *NOTE: the `command` attribute is only supported for Pipe handlers (i.e. handlers configured with `"type": "pipe"`).*

required true (if `type` equals `pipe`)

type String

example

```
"command": "/etc/sensu/plugins/pagerduty.go"
```

env_vars

description An array of environment variables to use with command execution. *NOTE: the `env_vars` attribute is only supported for Pipe handlers (i.e. handlers configured with `"type": "pipe"`).*

required false

type Array

example

```
"env_vars":  
[  
  "API_KEY=0428d6b8nb51an4d95nbe28nf90865a66af5"  
]
```

socket

description The `socket` definition scope, used to configure the TCP/UDP handler socket. *NOTE: the `socket` attribute is only supported for TCP/UDP*

handlers (i.e. handlers configured with `"type": "tcp"` or `"type": "udp"`).

required	true (if <code>type</code> equals <code>tcp</code> or <code>udp</code>)
type	Hash
example	<pre>"socket": {}</pre>

handlers

description	An array of Sensu event handlers (names) to use for events using the handler set. Each array item must be a string. <i>NOTE: the <code>handlers</code> attribute is only supported for handler sets (i.e. handlers configured with <code>"type": "set"</code>).</i>
required	true (if <code>type</code> equals <code>set</code>)
type	Array
example	<pre>"handlers": ["pagerduty", "email", "ec2"]</pre>

runtime_assets

description	An array of <u>Sensu assets</u> (names), required at runtime for the execution of the <code>command</code>
required	false
type	Array
example	<pre>"runtime_assets": ["ruby-2.5.0"]</pre>

Metadata attributes

name	
description	A unique string used to identify the handler. Handler names cannot contain special characters or spaces (validated with Go regex <code>\A[\w\.\-]+\z</code>). Each handler must have a unique name within its namespace.
required	true
type	String
example	<pre>"name": "handler-slack"</pre>

namespace	
description	The Sensu <u>RBAC namespace</u> that this handler belongs to.
required	false
type	String
default	<code>default</code>
example	<pre>"namespace": "production"</pre>

labels	
description	Custom attributes you can use to create meaningful collections that can be selected with <u>API filtering</u> and <u>sensuctl filtering</u> . Overusing labels can impact Sensu’s internal performance, so we recommend moving complex, non-identifying metadata to annotations.
required	false

type	Map of key-value pairs. Keys can contain only letters, numbers, and underscores, but must start with a letter. Values can be any valid UTF-8 string.
------	--

default	<code>null</code>
---------	-------------------

example	
---------	--

```
"labels": {  
  "environment": "development",  
  "region": "us-west-2"  
}
```

annotations

description	Non-identifying metadata that's meaningful to people or external tools interacting with Sensu.
-------------	--

In contrast to labels, annotations cannot be used in [API filtering](#) or [sensuctl filtering](#) and do not impact Sensu's internal performance.

required	false
----------	-------

type	Map of key-value pairs. Keys and values can be any valid UTF-8 string.
------	--

default	<code>null</code>
---------	-------------------

example	
---------	--

```
"annotations": {  
  "managed-by": "ops",  
  "playbook": "www.example.url"  
}
```

`socket` attributes

host

description	The socket host address (IP or hostname) to connect to.
-------------	---

required	true
type	String
example	<pre>"host": "8.8.8.8"</pre>

port

description	The socket port to connect to.
required	true
type	Integer
example	<pre>"port": 4242</pre>

Handler examples

Minimum required pipe handler attributes

YML

```
type: Handler
api_version: core/v2
metadata:
  name: pipe_handler_minimum
  namespace: default
spec:
  command: command-example
  type: pipe
```

JSON

```
{
  "type": "Handler",
```

```

"api_version": "core/v2",
"metadata": {
  "name": "pipe_handler_minimum",
  "namespace": "default"
},
"spec": {
  "command": "command-example",
  "type": "pipe"
}
}

```

Minimum required TCP/UDP handler attributes

This is an example of a `tcp` type handler. Changing the type from `tcp` to `udp` gives you the minimum configuration for a `udp` type handler.

YML

```

type: Handler
api_version: core/v2
metadata:
  name: tcp_udp_handler_minimum
  namespace: default
spec:
  socket:
    host: 10.0.1.99
    port: 4444
  type: tcp

```

JSON

```

{
  "type": "Handler",
  "api_version": "core/v2",
  "metadata": {
    "name": "tcp_udp_handler_minimum",
    "namespace": "default"
  },
  "spec": {
    "type": "tcp",

```



```
    "socket": {
      "host": "10.0.1.99",
      "port": 4444
    }
  }
}
```

Sending slack alerts

This handler will send alerts to a channel named `monitoring` with the configured webhook URL, using the `handler-slack` executable command.

YML

```
type: Handler
api_version: core/v2
metadata:
  name: slack
  namespace: default
spec:
  command: sensu-slack-handler --channel '#monitoring'
  env_vars:
    -
SLACK_WEBHOOK_URL=https://hooks.slack.com/services/T00000000/B00000000/XXXXXXXXXXXXX
XXXXXXXXXXXXX
  filters:
    - is_incident
    - not_silenced
  handlers: []
  runtime_assets: []
  timeout: 0
  type: pipe
```

JSON

```
{
  "type": "Handler",
  "api_version": "core/v2",
  "metadata": {
    "name": "slack",
```

```

    "namespace": "default"
  },
  "spec": {
    "command": "sensu-slack-handler --channel '#monitoring'",
    "env_vars": [

"SLACK_WEBHOOK_URL=https://hooks.slack.com/services/T00000000/B00000000/XXXXXXXXXXXXX
XXXXXXXXXXXXX"

    ],
    "filters": [
      "is_incident",
      "not_silenced"
    ],
    "handlers": [],
    "runtime_assets": [],
    "timeout": 0,
    "type": "pipe"
  }
}

```

Sending event data to a TCP socket

This handler will forward event data to a TCP socket (10.0.1.99:4444) and will timeout if an acknowledgement (`ACK`) is not received within 30 seconds.

YML

```

type: Handler
api_version: core/v2
metadata:
  name: tcp_handler
  namespace: default
spec:
  socket:
    host: 10.0.1.99
    port: 4444
  type: tcp

```

JSON

```

{
  "type": "Handler",
  "api_version": "core/v2",
  "metadata" : {
    "name": "tcp_handler",
    "namespace": "default"
  },
  "spec": {
    "type": "tcp",
    "socket": {
      "host": "10.0.1.99",
      "port": 4444
    }
  }
}

```

Sending event data to a UDP socket

The following example will also forward event data but to UDP socket instead(ex: 10.0.1.99:4444).

YML

```

type: Handler
api_version: core/v2
metadata:
  name: udp_handler
  namespace: default
spec:
  socket:
    host: 10.0.1.99
    port: 4444
  type: udp

```

JSON

```

{
  "type": "Handler",
  "api_version": "core/v2",
  "metadata" : {
    "name": "udp_handler",

```

```

    "namespace": "default"
  },
  "spec": {
    "type": "udp",
    "socket": {
      "host": "10.0.1.99",
      "port": 4444
    }
  }
}

```

Executing multiple handlers

The following example handler will execute three handlers: `slack`, `tcp_handler`, and `udp_handler`.

YML

```

type: Handler
api_version: core/v2
metadata:
  name: notify_all_the_things
  namespace: default
spec:
  handlers:
    - slack
    - tcp_handler
    - udp_handler
  type: set

```

JSON

```

{
  "type": "Handler",
  "api_version": "core/v2",
  "metadata" : {
    "name": "notify_all_the_things",
    "namespace": "default"
  },
  "spec": {

```

```
"type": "set",
"handlers": [
    "slack",
    "tcp_handler",
    "udp_handler"
]
}
}
```

Hooks

Contents

[Specification](#)

[Examples](#)

How do hooks work?

Hooks are executed in response to the result of a check command execution and based on the exit status code of that command (ex: `1`). Hook commands can optionally receive JSON serialized Sensu client data via STDIN. You can create, manage, and reuse hooks independently of checks.

Check response types

Each **type** of response (ex: `non-zero`) can contain one or more hooks, and correspond to one or more exit status code. Hooks are executed, in order of precedence, based on their type:

1. `1` to `255`
2. `ok`
3. `warning`
4. `critical`
5. `unknown`
6. `non-zero`

You can assign one or more hooks to a check in the check definition. See the [check specification](#) to configure the `check_hooks` attribute.

Check hooks

The hook command output, status, executed timestamp and duration are captured and published in the resulting event.

You can use `sensuctl` to view this data:

```
sensuctl event info entity_name check_name --format yaml
```

```
type: Event
api_version: core/v2
metadata:
  namespace: default
spec:
  check:
    ...
    hooks:
      - command: df -hT / | grep '/'
        duration: 0.002904412
        executed: 1559948435
        issued: 0
        metadata:
          name: root_disk
          namespace: default
        output: "/dev/mapper/centos-root xfs      41G   1.6G   40G   4% /\n"
        status: 0
        stdin: false
        timeout: 60
```

Hooks specification

Top-level attributes

type	
description	Top-level attribute specifying the <code>sensuctl create</code> resource type. Hooks should always be of type <code>HookConfig</code> .
required	Required for hook definitions in <code>wrapped-json</code> or <code>yaml</code> format for use with <code>sensuctl create</code> .
type	String

example

```
"type": "HookConfig"
```

api_version

description Top-level attribute specifying the Sensu API group and version. For hooks in Sensu backend version 5.10, this attribute should always be `core/v2`.

required Required for hook definitions in `wrapped-json` or `yaml` format for use with `sensuctl create`.

type String

example

```
"api_version": "core/v2"
```

metadata

description Top-level collection of metadata about the hook, including the `name` and `namespace` as well as custom `labels` and `annotations`. The `metadata` map is always at the top level of the hook definition. This means that in `wrapped-json` and `yaml` formats, the `metadata` scope occurs outside the `spec` scope. See the [metadata attributes reference](#) for details.

required Required for hook definitions in `wrapped-json` or `yaml` format for use with `sensuctl create`.

type Map of key-value pairs

example

```
"metadata": {
  "name": "process_tree",
  "namespace": "default",
  "labels": {
    "region": "us-west-1"
  },
  "annotations": {
```



```
    "slack-channel" : "#monitoring"
  }
}
```

spec

description Top-level map that includes the hook [spec attributes](#).

required Required for hook definitions in `wrapped-json` or `yaml` format for use with `sensuctl create`.

type Map of key-value pairs

example

```
"spec": {
  "command": "ps aux",
  "timeout": 60,
  "stdin": false
}
```

Spec attributes

command

description The hook command to be executed.

required true

type String

example

```
"command": "sudo /etc/init.d/nginx start"
```

timeout

description	The hook execution duration timeout in seconds (hard stop).
required	false
type	Integer
default	60
example	<pre>"timeout": 30</pre>

stdin

description	If the Sensu agent writes JSON serialized Sensu entity and check data to the command process' STDIN. The command must expect the JSON data via STDIN, read it, and close STDIN. This attribute cannot be used with existing Sensu check plugins, nor Nagios plugins etc, as Sensu agent will wait indefinitely for the hook process to read and close STDIN.
required	false
type	Boolean
default	false
example	<pre>"stdin": true</pre>

Metadata attributes

name

description	A unique string used to identify the hook. Hook names cannot contain special characters or spaces (validated with Go regex <code>\A[\w\.-]+\z</code>). Each hook must have a unique name within its namespace.
required	true

type	String
example	<pre>"name": "process_tree"</pre>

namespace

description	The Sensu RBAC namespace that this hook belongs to.
required	false
type	String
default	default
example	<pre>"namespace": "production"</pre>

labels

description	<p>Custom attributes to include with event data, which can be accessed using event filters.</p> <p>In contrast to annotations, you can use labels to create meaningful collections that can be selected with API filtering and sensuctl filtering. Overusing labels can impact Ssensu's internal performance, so we recommend moving complex, non-identifying metadata to annotations.</p>
required	false
type	Map of key-value pairs. Keys can contain only letters, numbers, and underscores, but must start with a letter. Values can be any valid UTF-8 string.
default	null
example	<pre>"labels": { "environment": "development",</pre>

```
"region": "us-west-2"
}
```

annotations

description Non-identifying metadata to include with event data, which can be accessed using [event filters](#). You can use annotations to add data that's meaningful to people or external tools interacting with Sensu.

In contrast to labels, annotations cannot be used in [API filtering](#) or [sensuctl filtering](#) and do not impact Sensu's internal performance.

required false

type Map of key-value pairs. Keys and values can be any valid UTF-8 string.

default null

example

```
"annotations": {
  "managed-by": "ops",
  "playbook": "www.example.url"
}
```

Examples

Rudimentary auto-remediation

Hooks can be used for rudimentary auto-remediation tasks, for example, starting a process that is no longer running.

NOTE: Using hooks for auto-remediation should be approached carefully, as they run without regard to the number of event occurrences.

YML

```
type: HookConfig
api_version: core/v2
metadata:
  annotations: null
  labels: null
  name: restart_nginx
  namespace: default
spec:
  command: sudo systemctl start nginx
  stdin: false
  timeout: 60
```

JSON

```
{
  "type": "HookConfig",
  "api_version": "core/v2",
  "metadata": {
    "name": "restart_nginx",
    "namespace": "default",
    "labels": null,
    "annotations": null
  },
  "spec": {
    "command": "sudo systemctl start nginx",
    "timeout": 60,
    "stdin": false
  }
}
```

Capture the process tree

Hooks can also be used for automated data gathering for incident triage, for example, a check hook could be used to capture the process tree when a process has been determined to be not running etc.

YML

```
type: HookConfig
api_version: core/v2
metadata:
```

```
annotations: null
labels: null
name: process_tree
namespace: default
spec:
  command: ps aux
  stdin: false
  timeout: 60
```

JSON

```
{
  "type": "HookConfig",
  "api_version": "core/v2",
  "metadata": {
    "name": "process_tree",
    "namespace": "default",
    "labels": null,
    "annotations": null
  },
  "spec": {
    "command": "ps aux",
    "timeout": 60,
    "stdin": false
  }
}
```

Mutators

Contents

[Built-in mutators](#)

[Specification](#)

[Examples](#)

How do mutators work?

A handler can specify a mutator to transform event data. Mutators are executed prior to the execution of a handler. If the mutator executes successfully, the modified event data is returned to the handler, and the handler is then executed. If the mutator fails to execute, an error will be logged, and the handler will not be executed.

When Sensu server processes an event, it will check the handler for the presence of a mutator, and execute that mutator before executing the handler.

If the mutator executes successfully (it returns an exit status code of 0), modified event data is provided to the handler, and the handler is executed.

If the mutator fails to execute (it returns a non-zero exit status code, or fails to complete within its configured timeout), an error will be logged and the handler will not execute.

Mutator specification

Accepts input/data via `STDIN`

Able to parse JSON event data

Outputs JSON data (modified event data) to `STDOUT` or `STDERR`

Produces an exit status code to indicate state:

`0` indicates OK status

exit codes other than `0` indicate failure

Commands

Each Sensu mutator definition defines a command to be executed. Mutator commands are executable

commands which will be executed on a Sensu server, run as the `sensu user`. Most mutator commands are provided by Sensu Plugins.

Sensu mutator `command` attributes may include command line arguments for controlling the behavior of the `command` executable. Many Sensu mutator plugins provide support for command line arguments for reusability.

How and where are mutator commands executed?

As mentioned above, all mutator commands are executed by a Sensu server as the `sensu` user. Commands must be executable files that are discoverable on the Sensu server system (installed in a system `$PATH` directory).

NOTE: By default, the Sensu installer packages will modify the system `$PATH` for the Sensu processes to include `/etc/sensu/plugins`. As a result, executable scripts (like plugins) located in `/etc/sensu/plugins` will be valid commands. This allows `command` attributes to use “relative paths” for Sensu plugin commands, for example: `"command": "check-http.go -u https://sensuapp.org"`.

Built-in mutators

Sensu includes built-in mutators to help you customize event pipelines for metrics and alerts.

Built-in mutator: only check output

To process an event, some handlers require only the check output, not the entire event definition. For example, when sending metrics to Graphite using a TCP handler, Graphite expects data that follows the Graphite plaintext protocol. By using the built-in `only_check_output` mutator, Sensu reduces the event to only the check output, so it can be accepted by Graphite.

To use the only check output mutator, include the `only_check_output` mutator in the handler configuration `mutator` string:

YML

```
type: Handler
api_version: core/v2
metadata:
  name: graphite
```



```

namespace: default
spec:
  mutator: only_check_output
  socket:
    host: 10.0.1.99
    port: 2003
  type: tcp

```

JSON

```

{
  "type": "Handler",
  "api_version": "core/v2",
  "metadata": {
    "name": "graphite",
    "namespace": "default"
  },
  "spec": {
    "type": "tcp",
    "socket": {
      "host": "10.0.1.99",
      "port": 2003
    },
    "mutator": "only_check_output"
  }
}

```

Mutators specification

Top-level attributes

type

description	Top-level attribute specifying the <code>sensuctl create</code> resource type. Mutators should always be of type <code>Mutator</code> .
-------------	---

required	Required for mutator definitions in <code>wrapped-json</code> or <code>yaml</code> format for use with <code>sensuctl create</code> .
----------	---

type	String
example	<pre>"type": "Mutator"</pre>

api_version

description	Top-level attribute specifying the Sensu API group and version. For mutators in Sensu backend version 5.10, this attribute should always be <code>core/v2</code> .
required	Required for mutator definitions in <code>wrapped-json</code> or <code>yaml</code> format for use with <code>sensuctl create</code> .
type	String
example	<pre>"api_version": "core/v2"</pre>

metadata

description	Top-level collection of metadata about the mutator, including the <code>name</code> and <code>namespace</code> as well as custom <code>labels</code> and <code>annotations</code> . The <code>metadata</code> map is always at the top level of the mutator definition. This means that in <code>wrapped-json</code> and <code>yaml</code> formats, the <code>metadata</code> scope occurs outside the <code>spec</code> scope. See the metadata attributes reference for details.
required	Required for mutator definitions in <code>wrapped-json</code> or <code>yaml</code> format for use with <code>sensuctl create</code> .
type	Map of key-value pairs
example	<pre>"metadata": { "name": "example-mutator", "namespace": "default", "labels": {</pre>

```

    "region": "us-west-1"
  },
  "annotations": {
    "slack-channel" : "#monitoring"
  }
}

```

spec

description Top-level map that includes the mutator [spec attributes](#).

required Required for mutator definitions in [wrapped-json](#) or [yaml](#) format for use with [sensuctl create](#) .

type Map of key-value pairs

example

```

"spec": {
  "command": "example_mutator.go",
  "timeout": 0,
  "env_vars": [],
  "runtime_assets": []
}

```

Spec attributes

command

description The mutator command to be executed by Sensu server.

required true

type String

example

```

"command": "/etc/sensu/plugins/mutated.go"

```

env_vars

description	An array of environment variables to use with command execution.
-------------	--

required	false
----------	-------

type	Array
------	-------

example	
---------	--

```
"env_vars": ["RUBY_VERSION=2.5.0"]
```

timeout

description	The mutator execution duration timeout in seconds (hard stop).
-------------	--

required	false
----------	-------

type	integer
------	---------

example	
---------	--

```
"timeout": 30
```

runtime_assets

description	An array of <u>Sensu assets</u> (names), required at runtime for the execution of the <code>command</code>
-------------	--

required	false
----------	-------

type	Array
------	-------

example	
---------	--

```
"runtime_assets": ["ruby-2.5.0"]
```

Metadata attributes

name	
description	A unique string used to identify the mutator. Mutator names cannot contain special characters or spaces (validated with Go regex <code>\A[\w\.\-]+\z</code>). Each mutator must have a unique name within its namespace.
required	true
type	String
example	<pre>"name": "example-mutator"</pre>

namespace	
description	The Sensu <u>RBAC namespace</u> that this mutator belongs to.
required	false
type	String
default	<code>default</code>
example	<pre>"namespace": "production"</pre>

labels	
description	Custom attributes you can use to create meaningful collections that can be selected with <u>API filtering</u> and <u>sensuctl filtering</u> . Overusing labels can impact Sensu’s internal performance, so we recommend moving complex, non-identifying metadata to annotations.
required	false

type	Map of key-value pairs. Keys can contain only letters, numbers, and underscores, but must start with a letter. Values can be any valid UTF-8 string.
default	<code>null</code>
example	<pre> labels: { "environment": "development", "region": "us-west-2" } </pre>

annotations

description	<p>Non-identifying metadata that's meaningful to people or external tools interacting with Sensu.</p> <p>In contrast to labels, annotations cannot be used in API filtering or sensuctl filtering and do not impact Sensu's internal performance.</p>
required	false
type	Map of key-value pairs. Keys and values can be any valid UTF-8 string.
default	<code>null</code>
example	<pre> annotations: { "managed-by": "ops", "playbook": "www.example.url" } </pre>

Examples

The following Sensu mutator definition uses an imaginary Sensu plugin called `example_mutator.go` to modify event data prior to handling the event.

Mutator definition

YML

```
type: Mutator
api_version: core/v2
metadata:
  annotations: null
  labels: null
  name: example-mutator
  namespace: default
spec:
  command: example_mutator.go
  env_vars: []
  runtime_assets: []
  timeout: 0
```

JSON

```
{
  "type": "Mutator",
  "api_version": "core/v2",
  "metadata": {
    "name": "example-mutator",
    "namespace": "default",
    "labels": null,
    "annotations": null
  },
  "spec": {
    "command": "example_mutator.go",
    "timeout": 0,
    "env_vars": [],
    "runtime_assets": []
  }
}
```

Minimum required mutator attributes

YML

```
type: Mutator
api_version: core/v2
```

```
metadata:
  name: mutator_minimum
  namespace: default
spec:
  command: example_mutator.go
```

JSON

```
{
  "type": "Mutator",
  "api_version": "core/v2",
  "metadata": {
    "name": "mutator_minimum",
    "namespace": "default"
  },
  "spec": {
    "command": "example_mutator.go"
  }
}
```


Role-based access control

Contents

Namespaces: [Managing namespaces](#) | [Specification](#) | [Examples](#)

Resources: [Namespaced resource types](#) | [Cluster-wide resource types](#)

Users: [Managing users](#) | [Specification](#) | [Examples](#) | [Groups](#)

Roles and cluster roles: [Managing roles](#) | [Specification](#) | [Examples](#)

Role bindings and cluster role bindings: [Managing role bindings](#) | [Specification](#) | [Examples](#)

[Example workflows](#)

Sensu role-based access control (RBAC) helps different teams and projects share a Sensu instance. RBAC allows management and access of users and resources based on **namespaces**, **groups**, **roles**, and **bindings**.

Namespaces partition resources within Sensu. Sensu entities, checks, handlers, and other [namespaced resources](#) belong to a single namespace.

Roles create sets of permissions (get, delete, etc.) tied to resource types. **Cluster roles** apply permissions across namespaces and include access to [cluster-wide resources](#) like users and namespaces.

Users represent a person or agent that interacts with Sensu. Users can belong to one or more **groups**.

Role bindings assign a role to a set of users and groups within a namespace; **cluster role bindings** assign a cluster role to a set of users and groups cluster-wide.

Sensu access controls apply to [sensuctl](#), the Sensu [API](#), and the Sensu [dashboard](#). In addition to built-in RBAC, Sensu includes [license-activated](#) support for authentication using external [authentication providers](#).

Namespaces

Namespaces help teams use different resources (entities, checks, handlers, etc.) within Sensu and impose their own controls on those resources. A Sensu instance can have multiple namespaces, each with their own set of managed resources. Resource names need to be unique within a namespace, but not across namespaces.

To create and manage namespaces, [configure sensuctl](#) as the default [admin](#) user or create a [cluster](#)

role with `namespaces` permissions.

Default namespace

Every Sensu backend includes a `default` namespace. All resources created without a specified namespace are created within the `default` namespace.

Viewing namespaces

You can use `sensuctl` to view all namespaces within Sensu:

```
sensuctl namespace list
```

Creating a namespace

You can use `sensuctl` to create a namespace. For example, the following command creates a namespace called `production`:

```
sensuctl namespace create production
```

Namespace names can contain alphanumeric characters and hyphens, but must begin and end with an alphanumeric character.

Managing namespaces

You can use `sensuctl` to view, create, and delete namespaces.

To delete a namespace:

```
sensuctl namespace delete [NAMESPACE-NAME]
```

To get help managing namespaces with `sensuctl`:

```
sensuctl namespace help
```

Assigning a resource to a namespace

You can assign a resource to a namespace in the resource definition. Only resources belonging to a namespaced resource type (like checks, filters, and handlers) can be assigned to a namespace.

For example, to assign a check called `check-cpu` to the `production` namespace, include the `namespace` attribute in the check definition:

YML

```
type: CheckConfig
api_version: core/v2
metadata:
  name: check-cpu
  namespace: production
spec:
  check_hooks: null
  command: check-cpu.sh -w 75 -c 90
  handlers:
  - slack
  interval: 30
  subscriptions:
  - system
  timeout: 0
  ttl: 0
```

JSON

```
{
  "type": "CheckConfig",
  "api_version": "core/v2",
  "metadata": {
    "name": "check-cpu",
    "namespace": "production"
  },
  "spec": {
    "check_hooks": null,
```

```

"command": "check-cpu.sh -w 75 -c 90",
"handlers": ["slack"],
"interval": 30,
"subscriptions": ["system"],
"timeout": 0,
"ttl": 0
}
}

```

See the [reference docs](#) for the corresponding [resource type](#) to create resource definitions.

PRO TIP: By omitting the `namespace` attribute from resource definitions, you can use the `sensuctl create --namespace` flag to specify the namespace for a group of resources at the time of creation, allowing you to replicate resources across namespaces without manual editing. See the [sensuctl reference](#) for more information.

Namespace specification

Attributes

name	
description	The name of the namespace. Names can contain alphanumeric characters and hyphens, but must begin and end with an alphanumeric character.
required	true
type	String
example	<pre>"name": "production"</pre>

Namespace example

The following examples are in `yaml` and `wrapped-json` formats for use with `sensuctl create`.

YML

```
type: Namespace
api_version: core/v2
metadata: {}
spec:
  name: default
```

JSON

```
{
  "type": "Namespace",
  "api_version": "core/v2",
  "metadata": {},
  "spec": {
    "name": "default"
  }
}
```

Resources

Permissions within Sensus are scoped to resource types, like checks, handlers, and users. You can use resource types to configure permissions in Sensus roles and cluster roles.

Namespaced resource types

Namespaced resources must belong to a single namespace and can be accessed by [roles](#) and [cluster roles](#).

Type	Description
assets	<u>Asset</u> resources within a namespace
checks	<u>Check</u> resources within a namespace
entities	<u>Entity</u> resources within a namespace

events	<u>Event</u> resources within a namespace
extensions	Placeholder type
filters	<u>Filter</u> resources within a namespace
handlers	<u>Handler</u> resources within a namespace
hooks	<u>Hook</u> resources within a namespace
mutators	<u>Mutator</u> resources within a namespace
rolebindings	Namespace-specific role assigners
roles	Namespace-specific permission sets
silenced	<u>Silencing</u> resources within a namespace

Cluster-wide resource types

Cluster-wide resources cannot be assigned to a namespace and can only be accessed by cluster roles.

Type	Description
cluster	Sensu clusters running multiple <u>Sensu backends</u>
clusterrolebindings	Cluster-wide role assigners
clusterroles	Cluster-wide permission sets
namespaces	Resource partitions within a Sensu instance
users	People or agents interacting with Sensu
authproviders	<u>Authentication provider</u> configuration (licensed tier)
license	Sensu <u>license</u>

Special resource types

Special resources types can be accessed by both [roles](#) and [cluster roles](#).

Type	Description
*	All resources within Sensu. The * type takes precedence over other rules within the same role. If you wish to deny a certain type, you can't use the * type and must explicitly allow every type required. When applied to a role, the * type applies only to namespaced resource types . When applied to a cluster role, the * type applies to both namespaced resource types and cluster-wide resource types .

Users

A user represents a person or an agent which interacts with Sensu. Users and groups can be assigned one or more roles and inherit all permissions from each role assigned to them.

You can use your Sensu username and password to [configure sensuctl](#) or log in to the [dashboard](#).

Default user

By default, Sensu includes a global `admin` user that you can use to manage Sensu and create new users.

attribute	value
username	<code>admin</code>
password	<code>P@ssw0rd!</code>
groups	<code>cluster-admins</code>
cluster role	<code>cluster-admin</code>
cluster role binding	<code>cluster-admin</code>

We **strongly** recommended changing the default password for the admin user immediately. Once

authenticated, you can change the password using the `change-password` command.

```
sensuctl user change-password
```

Sensu also includes an `agent` user that is used internally by the Sensu agent. You can configure an agent's user credentials using the `user` and `password` agent configuration flags.

Viewing users

You can use `sensuctl` to see a list of all users within Sensu. The following example returns a list of users in `yaml` format for use with `sensuctl create`.

```
sensuctl user list --format yaml
```

Creating a user

You can use `sensuctl` to create a user. For example, the following command creates a user with the username `alice`, creates a password, and assigns the user to the `ops` and `dev` groups. Passwords must have at least eight characters.

```
sensuctl user create alice --password='password' --groups=ops,dev
```

Assigning user permissions

To assign permissions to a user:

1. Create the user.
2. Create a role or (for cluster-wide access) a cluster role.
3. Create a role binding (or cluster role binding) to assign the role to the user.

Managing users

To test the password for a user:


```
sensuctl user test-creds USERNAME --password 'password'
```

An empty response indicates valid credentials; a request-unauthorized response indicates invalid credentials.

To change the password for a user:

```
sensuctl user change-password USERNAME --current-password CURRENT_PASSWORD --new-password NEW_PASSWORD
```

To disable a user:

```
sensuctl user disable USERNAME
```

To re-enable a disabled user:

```
sensuctl user reinstate USERNAME
```

User specification

Attributes

username

description	The name of the user. Cannot contain special characters.
-------------	--

required	true
----------	------

type	String
------	--------

example	
---------	--

```
"username": "alice"
```

password

description	The user's password. Passwords must have at least eight characters.
-------------	---

required	true
----------	------

type	String
------	--------

example	
---------	--

```
"password": "P@ssw0rd!"
```

groups

description	Groups to which the user belongs.
-------------	-----------------------------------

required	false
----------	-------

type	Array
------	-------

example	
---------	--

```
"groups": ["dev", "ops"]
```

disabled

description	The state of the user's account.
-------------	----------------------------------

required	false
----------	-------

type	Boolean
------	---------

default	false
---------	-------

example	
---------	--

```
"disabled": false
```

User example

The following examples are in `yml` and `wrapped-json` formats for use with `sensuctl create`.

YML

```
type: User
api_version: core/v2
metadata: {}
spec:
  disabled: false
  groups:
  - ops
  - dev
password: P@ssw0rd!
username: alice
```

JSON

```
{
  "type": "User",
  "api_version": "core/v2",
  "metadata": {},
  "spec": {
    "username": "alice",
    "password": "P@ssw0rd!",
    "disabled": false,
    "groups": ["ops", "dev"]
  }
}
```

Groups

A group is a set of users within Sensu. Groups can be assigned one or more roles and inherit all permissions from each role assigned to them. Users can be assigned to one or more groups. Groups are not a resource type within Sensu; you can create and manage groups only within user definitions.

Default group

Sensu includes a default `cluster-admins` group that contains the default `admin` user and a `system:agents` group used internally by Sensu agents.

Assigning a user to a group

Groups are created and managed within user definitions. You can use `sensuctl` to add users to groups.

To add a user to a group:

```
sensuctl user add-group USERNAME GROUP
```

To set the groups for a user:

```
sensuctl user set-groups USERNAME GROUP1[,GROUP2, ...[,GROUPN]]
```

Removing a user from a group

You can use `sensuctl` to remove users from groups.

To remove a user from a group:

```
sensuctl user remove-group USERNAME GROUP
```

To remove a user from all groups:

```
sensuctl user remove-groups USERNAME
```

Roles and cluster roles

A role is a set of permissions controlling access to Sensu resources. **Roles** specify permissions for resources within a namespace while **cluster roles** can include permissions for cluster-wide resources. You can use role bindings to assign roles to user and groups. To avoid re-creating commonly used roles in each namespace, create a cluster role and use a role binding (not a cluster role binding) to restrict permissions within a specific namespace.

To create and manage roles cluster-wide, configure sensuctl as the default `admin` user or create a cluster role with `roles` permissions. To create and manage roles within a namespace, create a role with `roles` permissions within that namespace.

Cluster roles

Cluster roles can specify access permissions for cluster-wide resources like users and namespaces as well as namespaced resources like checks and handlers. They can also be used to grant access to namespaced resources across all namespaces (needed to run `sensuctl check list --all-namespaces`, for example) when used in conjunction with cluster role bindings. Cluster roles use the same specification as roles and can be managed using the same sensuctl commands with `cluster-role` substituted for `role`.

To create and manage cluster roles, configure sensuctl as the default `admin` user or create a cluster role with permissions for `clusterroles`.

Default roles

Every Sensu backend includes:

Role name	Type	Description
<code>cluster-admin</code>	Cluster Role	Full access to all <u>resource types</u> across namespaces, including access to <u>cluster-wide resource types</u> .

admin	ClusterRole	Full access to all <u>resource types</u> . You can apply this cluster role within a namespace by using a role binding (not a cluster role binding).
edit	ClusterRole	Read and write access to most resources with the exception of roles and role bindings. You can apply this cluster role within a namespace by using a role binding (not a cluster role binding).
view	ClusterRole	Read-only permission to most <u>resource types</u> with the exception of roles and role bindings. You can apply this cluster role within a namespace by using a role binding (not a cluster role binding).
system:agent	ClusterRole	Used internally by Sensu agents. You can configure an agent's user credentials using the <u>user</u> and <u>password</u> <u>agent configuration flags</u> .

Viewing roles

You can use sensuctl to see a list of roles within Sensu:

```
sensuctl role list
```

To see the permissions and scope for a specific role:

```
sensuctl role info admin
```

To view cluster roles, use the `cluster-role` command:

```
sensuctl cluster-role list
```

Creating a role

You can use `sensuctl` to create a role. For example, the following command creates an admin role restricted to the production namespace.

```
sensuctl role create prod-admin --verb get,list,create,update,delete --resource * --  
namespace production
```

Once you've create the role, [create a role binding](#) (or [cluster role binding](#)) to assign the role to users and groups. For example, to assign the `prod-admin` role created above to the `oncall` group, create the following role binding.

```
sensuctl role-binding create prod-admin-oncall --role=prod-admin --group=oncall
```

Creating a cluster-wide role

You can use `sensuctl` to create a cluster role. For example, the following command creates a global event reader role that can read only events across all namespaces within Sensu.

```
sensuctl cluster-role create global-event-reader --verb get,list --resource events
```

Managing roles

You can use `sensuctl` to view, create, edit, and delete roles. To use any of these commands with cluster roles, substitute the `cluster-role` command for the `role` command.

To edit a role:

```
sensuctl edit roles [ROLE-NAME] [flags]
```

To delete a role:

```
sensuctl role delete [ROLE-NAME]
```

To get help managing roles with sensuctl:

```
sensuctl role help
```

Role and cluster role specification

Role attributes

name	
description	Name of the role
required	true
type	String
example	<pre>"name": "admin"</pre>

namespace

description	Namespace the role is restricted to. This attribute is not available for cluster roles.
required	false
type	String
example	<pre>"namespace": "production"</pre>

rules

description	The rulesets that a role applies.
required	true
type	Array
example	<pre>"rules": [{ "verbs": ["get", "list"], "resources": ["checks"], "resource_names": [""] }]</pre>

Rule attributes

A rule is an explicit statement which grants a particular permission to a resource.

verbs

description	The permissions to be applied by the rule: <code>get</code> , <code>list</code> , <code>create</code> , <code>update</code> , or <code>delete</code> .
required	true

type	Array
example	<pre>"verbs": ["get", "list"]</pre>

resources

description	The type of resource that the rule has permission to access. Roles can only access namespaced resource types while cluster roles can access namespaced and cluster-wide resource types . See resource types for available types.
required	true
type	Array
example	<pre>"resources": ["checks"]</pre>

resource_names

description	Specific resource names that the rule has permission to access. Resource name permissions are only taken into account for requests using <code>get</code> , <code>update</code> , and <code>delete</code> verbs.
required	false
type	Array
example	<pre>"resource_names": ["check-cpu"]</pre>

Role example

The following examples are in `yaml` and `wrapped-json` formats for use with `sensuctl create` .

YML

```
type: Role
api_version: core/v2
metadata:
  name: namespaced-resources-all-verbs
  namespace: default
spec:
  rules:
  - resource_names: []
    resources:
    - assets
    - checks
    - entities
    - events
    - filters
    - handlers
    - hooks
    - mutators
    - rolebindings
    - roles
    - silenced
  verbs:
  - get
  - list
  - create
  - update
  - delete
```

JSON

```
{
  "type": "Role",
  "api_version": "core/v2",
  "metadata": {
    "name": "namespaced-resources-all-verbs",
    "namespace": "default"
  },
  "spec": {
    "rules": [
      {
```

```

    "resource_names": [],
    "resources": [
        "assets", "checks", "entities", "events", "filters", "handlers",
        "hooks", "mutators", "rolebindings", "roles", "silenced"
    ],
    "verbs": ["get", "list", "create", "update", "delete"]
}
]
}
}

```

Cluster role example

The following examples are in `yml` and `wrapped-json` formats for use with `sensuctl create`.

YML

```

type: ClusterRole
api_version: core/v2
metadata:
  name: all-resources-all-verbs
spec:
  rules:
  - resource_names: []
    resources:
    - assets
    - checks
    - entities
    - events
    - filters
    - handlers
    - hooks
    - mutators
    - rolebindings
    - roles
    - silenced
    - cluster
    - clusterrolebindings
    - clusterroles
    - namespaces
    - users

```

```
- authproviders
- license
verbs:
- get
- list
- create
- update
- delete
```

JSON

```
{
  "type": "ClusterRole",
  "api_version": "core/v2",
  "metadata": {
    "name": "all-resources-all-verbs"
  },
  "spec": {
    "rules": [
      {
        "resource_names": [],
        "resources": [
          "assets", "checks", "entities", "events", "filters", "handlers",
          "hooks", "mutators", "rolebindings", "roles", "silenced",
          "cluster", "clusterrolebindings", "clusterroles",
          "namespaces", "users", "authproviders", "license"
        ],
        "verbs": ["get", "list", "create", "update", "delete"]
      }
    ]
  }
}
```

Role bindings and cluster role bindings

A **role binding** assigns a **role** or **cluster role** to users and groups within a namespace. A **cluster role binding** assigns a **cluster role** to users and groups across namespaces and resource types.

To create and manage role bindings within a namespace, [create a role](#) with `rolebindings`

permissions within that namespace, and log in by [configuring sensuctl](#).

Cluster role bindings

Cluster role bindings can assign a cluster role to users and groups. Cluster role bindings use the same [specification](#) as role bindings and can be managed using the same sensuctl commands with

`cluster-role-binding` substituted for `role-binding`.

To create and manage cluster role bindings, [configure sensuctl](#) as the default `admin` user or [create a cluster role](#) with permissions for `clusterrolebindings`.

Viewing role bindings

You can use [sensuctl](#) to see a list of role bindings within Sensu:

```
sensuctl role-binding list
```

To see the details for a specific role binding:

```
sensuctl role-binding info [BINDING-NAME]
```

To see a list of cluster role bindings:

```
sensuctl cluster-role-binding list
```

Creating a role binding

You can use [sensuctl](#) to create a role binding that assigns a role:

```
sensuctl role-binding create [NAME] --role=NAME [--user=username] [--group=groupname]
```

Or a role binding that assigns a cluster role:

```
sensuctl role-binding create [NAME] --cluster-role=NAME [--user=username] [--group=groupname]
```

To create a cluster role binding:

```
sensuctl cluster-role-binding create [NAME] --cluster-role=NAME [--user=username] [--group=groupname]
```

Managing role bindings

You can use `sensuctl` to see a list, create, and delete role bindings and cluster role bindings. To use any of these commands with cluster roles, substitute the `cluster-role-binding` command for the `role-binding` command.

To delete a role binding:

```
sensuctl role-binding delete [ROLE-NAME]
```

To get help managing role bindings with `sensuctl`:

```
sensuctl role-binding help
```

Role binding and cluster role binding specification

roleRef	
description	References a role in the current namespace or a cluster role.
required	true

type	Hash
example	<pre>"roleRef": { "type": "Role", "name": "event-reader" }</pre>

subjects

description	The users or groups being assigned.
required	true
type	Array

example

```
"subjects": [  
  {  
    "type": "User",  
    "name": "alice"  
  }  
]
```

`roleRef` *specification*

type	
description	<code>Role</code> for a role binding or <code>ClusterRole</code> for a cluster role binding.
required	true
type	String
example	<pre>"type": "Role"</pre>

name	
description	The name of the role or cluster role being assigned.
required	true
type	String
example	<pre>"name": "event-reader"</pre>

subjects **specification**

type	
description	<code>User</code> for assigning a user or <code>Group</code> for assigning a group.
required	true
type	String
example	<pre>"type": "User"</pre>

name	
description	Username or group name.
required	true
type	String
example	<pre>"name": "alice"</pre>

example with prefix

```
"name": "ad:alice"
```

Role binding example

The following examples are in `yml` and `wrapped-json` formats for use with `sensuctl create`.

YML

```
type: RoleBinding
api_version: core/v2
metadata:
  name: event-reader-binding
  namespace: default
spec:
  role_ref:
    name: event-reader
    type: Role
  subjects:
  - name: bob
    type: User
```

JSON

```
{
  "type": "RoleBinding",
  "api_version": "core/v2",
  "metadata": {
    "name": "event-reader-binding",
    "namespace": "default"
  },
  "spec": {
    "role_ref": {
      "name": "event-reader",
      "type": "Role"
    },
    "subjects": [
      {
        "name": "bob",
```

```
      "type": "User"
    }
  ]
}
}
```

Cluster role binding example

The following examples are in `yml` and `wrapped-json` formats for use with `sensuctl create`.

YML

```
type: ClusterRoleBinding
api_version: core/v2
metadata:
  name: cluster-admin
spec:
  role_ref:
    name: cluster-admin
    type: ClusterRole
  subjects:
  - name: cluster-admins
    type: Group
```

JSON

```
{
  "type": "ClusterRoleBinding",
  "api_version": "core/v2",
  "metadata": {
    "name": "cluster-admin"
  },
  "spec": {
    "role_ref": {
      "name": "cluster-admin",
      "type": "ClusterRole"
    },
    "subjects": [
      {
        "name": "cluster-admins",
```

```

        "type": "Group"
    }
]
}
}

```

Role and role binding examples

The following role and role binding give a `dev` group access to create and manage Sensu workflows within the `default` namespace.

```

{
  "type": "Role",
  "api_version": "core/v2",
  "metadata": {
    "name": "workflow-creator",
    "namespace": "default"
  },
  "spec": {
    "rules": [
      {
        "resource_names": [],
        "resources": ["checks", "hooks", "filters", "events", "filters", "mutators",
"handlers"],
        "verbs": ["get", "list", "create", "update", "delete"]
      }
    ]
  }
}
{
  "type": "RoleBinding",
  "api_version": "core/v2",
  "metadata": {
    "name": "dev-binding",
    "namespace": "default"
  },
  "spec": {
    "role_ref": {
      "name": "workflow-creator",

```

```

    "type": "Role"
  },
  "subjects": [
    {
      "name": "dev",
      "type": "Group"
    }
  ]
}
}

```

Role and role binding examples with a group prefix

In the following code example, if a groups prefix of `ad` is configured for Active Directory authentication, this role and role binding will give a `dev` group access to create and manage Sensu workflows within the `default` namespace.

```

{
  "type": "Role",
  "api_version": "core/v2",
  "metadata": {
    "name": "workflow-creator",
    "namespace": "default"
  },
  "spec": {
    "rules": [
      {
        "resource_names": [],
        "resources": ["checks", "hooks", "filters", "events", "filters", "mutators",
"handlers"],
        "verbs": ["get", "list", "create", "update", "delete"]
      }
    ]
  }
}
{
  "type": "RoleBinding",
  "api_version": "core/v2",
  "metadata": {

```

```

    "name": "dev-binding-with-groups-prefix",
    "namespace": "default"
  },
  "spec": {
    "role_ref": {
      "name": "workflow-creator",
      "type": "Role"
    },
    "subjects": [
      {
        "name": "ad:dev",
        "type": "Group"
      }
    ]
  }
}

```

Example workflows

[Assigning user permissions within a namespace](#)

[Assigning group permissions within a namespace](#)

[Assigning group permissions across all namespaces](#)

Assigning user permissions within a namespace

To assign permissions to a user:

1. [Create the user](#).
2. [Create a role](#).
3. [Create a role binding](#) to assign the role to the user.

For example, the following configuration creates a user `alice`, a role `default-admin`, and a role binding `alice-default-admin`, giving `alice` full permissions for [namespaced resource types](#) within the `default` namespace. You can add these resources to Sensu using [sensuctl create](#).

```

{
  "type": "User",
  "api_version": "core/v2",

```

```
"metadata": {},
"spec": {
  "disabled": false,
  "username": "alice"
}
}
{
  "type": "Role",
  "api_version": "core/v2",
  "metadata": {
    "name": "default-admin",
    "namespace": "default"
  },
  "spec": {
    "rules": [
      {
        "resource_names": [],
        "resources": [
          "assets", "checks", "entities", "events", "filters", "handlers",
          "hooks", "mutators", "rolebindings", "roles", "silenced"
        ],
        "verbs": ["get", "list", "create", "update", "delete"]
      }
    ]
  }
}
{
  "type": "RoleBinding",
  "api_version": "core/v2",
  "metadata": {
    "name": "alice-default-admin",
    "namespace": "default"
  },
  "spec": {
    "role_ref": {
      "name": "default-admin",
      "type": "Role"
    },
    "subjects": [
      {
        "name": "alice",
        "type": "User"
      }
    ]
  }
}
```

```

    }
  ]
}
}

```

Assigning group permissions within a namespace

To assign permissions to group of users:

1. Create at least once user assigned to a group.
2. Create a role.
3. Create a role binding to assign the role to the group.

For example, the following configuration creates a user `alice` assigned to the group `ops`, a role `default-admin`, and a role binding `ops-default-admin`, giving the `ops` group full permissions for namespaced resource types within the `default` namespace. You can add these resources to Sensu using `sensuctl create`.

```

{
  "type": "User",
  "api_version": "core/v2",
  "metadata": {},
  "spec": {
    "disabled": false,
    "username": "alice"
  }
}
{
  "type": "Role",
  "api_version": "core/v2",
  "metadata": {
    "name": "default-admin",
    "namespace": "default"
  },
  "spec": {
    "rules": [
      {
        "resource_names": [],
        "resources": [

```



```

        "assets", "checks", "entities", "events", "filters", "handlers",
        "hooks", "mutators", "rolebindings", "roles", "silenced"
    ],
    "verbs": ["get", "list", "create", "update", "delete"]
}
]
}
}
{
  "type": "RoleBinding",
  "api_version": "core/v2",
  "metadata": {
    "name": "ops-default-admin",
    "namespace": "default"
  },
  "spec": {
    "role_ref": {
      "name": "default-admin",
      "type": "Role"
    },
    "subjects": [
      {
        "name": "ops",
        "type": "Group"
      }
    ]
  }
}
}

```

PRO TIP: To avoid re-creating commonly used roles in each namespace, create a cluster role and use a role binding to restrict permissions within a specific namespace.

Assigning group permissions across all namespaces

To assign cluster-wide permissions to group of users:

1. Create at least once user assigned to a group.
2. Create a cluster role.
3. Create a cluster role binding) to assign the role to the group.

For example, the following configuration creates a user `alice` assigned to the group `ops`, a cluster role `default-admin`, and a cluster role binding `ops-default-admin`, giving the `ops` group full permissions for namespaced resource types and cluster-wide resource types across all namespaces. You can add these resources to Sensu using `sensuctl create`.

```
{
  "type": "User",
  "api_version": "core/v2",
  "metadata": {},
  "spec": {
    "disabled": false,
    "username": "alice",
    "groups": ["ops"]
  }
}
{
  "type": "ClusterRole",
  "api_version": "core/v2",
  "metadata": {
    "name": "default-admin"
  },
  "spec": {
    "rules": [
      {
        "resource_names": [],
        "resources": [
          "assets", "checks", "entities", "events", "filters", "handlers",
          "hooks", "mutators", "rolebindings", "roles", "silenced",
          "cluster", "clusterrolebindings", "clusterroles",
          "namespaces", "users", "authproviders", "license"
        ],
        "verbs": ["get", "list", "create", "update", "delete"]
      }
    ]
  }
}
{
  "type": "ClusterRoleBinding",
  "api_version": "core/v2",
  "metadata": {
```

```
    "name": "ops-default-admin"
  },
  "spec": {
    "role_ref": {
      "name": "default-admin",
      "type": "ClusterRole"
    },
    "subjects": [
      {
        "name": "ops",
        "type": "Group"
      }
    ]
  }
}
```

Sensu query expressions

Contents

[Specification](#)

[Examples](#)

How do Sensu query expressions work?

Sensu query expressions (**SQE**) are based on [JavaScript](#) expressions, and provide additional functionalities for Sensu usage (like nested parameters and custom functions) so Sensu resources can be directly evaluated. SQE should always return **true** or **false**.

Syntax quick reference

operator	description
<code>===</code> / <code>!==</code>	Identity operator / Nonidentity operator
<code>==</code> / <code>!=</code>	Equality operator / Inequality operator
<code>&&</code> / <code> </code>	Logical AND / Logical OR
<code><</code> / <code>></code>	Less than / Greater than
<code><=</code> / <code>>=</code>	Less than or equal to / Greater than or equal to

Sensu query expressions specification

Sensu query expressions are valid ECMAScript 5 (JavaScript) expressions that return **true** or **false**. Other values are not allowed. If other values are returned, an error is logged and the filter evaluates to false.

Custom functions

`hour` : returns the hour, in UTC and in the 24-hour time notation, of a UNIX Epoch time.

```
// event.timestamp equals to 1520275913, which is Monday, March 5, 2018 6:51:53 PM UTC
// The following expression returns true
hour(event.timestamp) >= 17
```

`weekday` : returns a number representing the day of the week, where Sunday equals `0`, of a UNIX Epoch time.

```
// event.timestamp equals to 1520275913, which is Monday, March 5, 2018 6:51:53 PM UTC
// The following expression returns false
weekday(event.timestamp) == 0
```

Sensu query expressions examples

Evaluating an event attribute

The following example returns true if the event's entity contains a custom attribute named `namespace` that is equal to `production`.

```
event.entity.namespace == 'production'
```

Evaluating an array

To evaluate an attribute that contains an array of elements, use the `.indexOf` method. The following example returns true if an entity includes the subscription `system`.

```
entity.subscriptions.indexOf('system') >= 0
```

Evaluating the day of the week

The following example returns true if the event occurred on a weekday.

```
weekday(event.timestamp) >= 1 && weekday(event.timestamp) <= 5
```

Evaluating office hours

The following example returns true if the event occurred between 9 AM and 5 PM UTC.

```
hour(event.timestamp) >= 9 && hour(event.timestamp) <= 17
```

Silencing

Contents

[Specification](#)

[Examples](#)

[Silence all checks on a specific entity](#)

[Silence a specific check on a specific entity](#)

[Silence all checks on entities with a specific subscription](#)

[Silence a specific check on entities with a specific subscription](#)

[Silence a specific check on every entity](#)

[Deleting silences](#)

How does silencing work?

Silences are created on an ad-hoc basis via `sensuctl`. When silencing entries are successfully created, they are assigned a `name` in the format `$SUBSCRIPTION:$CHECK`, where `$SUBSCRIPTION` is the name of a Sensu entity subscription and `$CHECK` is the name of a Sensu check. Silences can be used to silence checks on specific entities by taking advantage of per-entity subscriptions, for example: `entity:$ENTITY_NAME`. When the check name and/or subscription described in a silencing entry match an event and a handler use the `not_silenced` built-in filter, this handler will not be executed.

These silences are persisted in the Sensu data store. When the Sensu server processes subsequent check results, matching silences are retrieved from the store. If one or more matching entries exist, the event is updated with a list of silenced entry names. The presence of silences indicates that the event is silenced.

When creating a silencing entry, a combination of check and subscription can be specified, but only one or the other is strictly required.

For example, when a silencing entry is created specifying only a check, its name will contain an asterisk (or wildcard) in the `$SUBSCRIPTION` position. This indicates that any event with a matching check name will be marked as silenced, regardless of the originating entities' subscriptions.

Conversely, a silencing entry which specifies only a subscription will have a name with an asterisk in the `$CHECK` position. This indicates that any event where the originating entities' subscriptions match the subscription specified in the entry will be marked as silenced, regardless of the check name.

Silencing specification

Silenced entry names

Silences must contain either a subscription or check name, and are identified by the combination of `$SUBSCRIPTION:$CHECK` . If a check or subscription is not provided, it will be substituted with a wildcard (asterisk): `$SUBSCRIPTION:*` or `*:$CHECK` .

Top-level attributes

type	
description	Top-level attribute specifying the <code>sensuctl create</code> resource type. Silences should always be of type <code>Silenced</code> .
required	Required for silencing entry definitions in <code>wrapped-json</code> or <code>yaml</code> format for use with <code>sensuctl create</code> .
type	String
example	<pre>"type": "Silenced"</pre>

api_version	
description	Top-level attribute specifying the Sensu API group and version. For silences in Sensu backend version 5.10, this attribute should always be <code>core/v2</code> .
required	Required for silencing entry definitions in <code>wrapped-json</code> or <code>yaml</code> format for use with <code>sensuctl create</code> .
type	String
example	<pre>"api_version": "core/v2"</pre>

metadata

description Top-level collection of metadata about the silencing entry, including the `name` and `namespace` as well as custom `labels` and `annotations`. The `metadata` map is always at the top level of the silencing entry definition. This means that in `wrapped-json` and `yaml` formats, the `metadata` scope occurs outside the `spec` scope. See the [metadata attributes reference](#) for details.

required Required for silencing entry definitions in `wrapped-json` or `yaml` format for use with `sensuctl create`.

type Map of key-value pairs

example

```
"metadata": {
  "name": "appserver:mysql_status",
  "namespace": "default",
  "labels": {
    "region": "us-west-1"
  }
}
```

spec

description Top-level map that includes the silencing entry [spec attributes](#).

required Required for silences in `wrapped-json` or `yaml` format for use with `sensuctl create`.

type Map of key-value pairs

example

```
"spec": {
  "expire": -1,
  "expire_on_resolve": false,
  "creator": "admin",
  "reason": null,
}
```

```
"check": null,  
"subscription": "entity:i-424242",  
"begin": 1542671205  
}
```

Spec attributes

check

description	The name of the check the entry should match
-------------	--

required	true, unless <code>subscription</code> is provided
----------	--

type	String
------	--------

example

```
"check": "haproxy_status"
```

subscription

description	The name of the subscription the entry should match
-------------	---

required	true, unless <code>check</code> is provided
----------	---

type	String
------	--------

example

```
"subscription": "entity:i-424242"
```

begin

description	Time at which silence entry goes into effect, in epoch.
-------------	---

required	false
----------	-------

type	Integer
------	---------

example	
---------	--

```
"begin": 1512512023
```

expire

description	Number of seconds until this entry should be deleted.
-------------	---

required	false
----------	-------

type	Integer
------	---------

default	-1
---------	----

example	
---------	--

```
"expire": 3600
```

expire_on_resolve

description	If the entry should be deleted when a check begins return OK status (resolves).
-------------	---

required	false
----------	-------

type	Boolean
------	---------

default	false
---------	-------

example	
---------	--

```
"expire_on_resolve": true
```

creator

description	Person/application/entity responsible for creating the entry.
-------------	---

required	false
type	String
default	null
example	<pre>"creator": "Application Deploy Tool 5.0"</pre>

reason

description	Explanation for the creation of this entry.
required	false
type	String
default	null
example	<pre>"reason": "rebooting the world"</pre>

Metadata attributes

name

description	Silencing identifier generated from the combination of a subscription name and check name.
required	false - This value cannot be modified.
type	String
example	<pre>"name": "appserver:mysql_status"</pre>

namespace

description The Sensu [RBAC namespace](#) that this silencing entry belongs to.

required false

type String

default `default`

example

```
"namespace": "production"
```

labels

description Custom attributes you can use to create meaningful collections that can be selected with [API filtering](#) and [sensuctl filtering](#). Overusing labels can impact Sensu's internal performance, so we recommend moving complex, non-identifying metadata to annotations.

required false

type Map of key-value pairs. Keys can contain only letters, numbers, and underscores, but must start with a letter. Values can be any valid UTF-8 string.

default `null`

example

```
"labels": {  
  "environment": "development",  
  "region": "us-west-2"  
}
```

annotations

description Non-identifying metadata that's meaningful to people interacting with Sensu.

In contrast to labels, annotations cannot be used in [API filtering](#) or [sensuctl filtering](#) and do not impact Sensu's internal performance.

required	false
type	Map of key-value pairs. Keys and values can be any valid UTF-8 string.
default	<code>null</code>
example	<pre>"annotations": { "managed-by": "ops", "playbook": "www.example.url" }</pre>

Examples

Silence all checks on a specific entity

Assume a Sensu entity `i-424242` which we wish to silence any alerts on. We'll do this by taking advantage of per-entity subscriptions:

YML

```
type: Silenced  
api_version: core/v2  
metadata:  
  annotations: null  
  labels: null  
  name: entity:i-424242:*  
  namespace: default  
spec:  
  begin: 1542671205  
  check: null  
  creator: admin  
  expire: -1  
  expire_on_resolve: false  
  reason: null
```

```
subscription: entity:i-424242
```

JSON

```
{
  "type": "Silenced",
  "api_version": "core/v2",
  "metadata": {
    "name": "entity:i-424242:*",
    "namespace": "default",
    "labels": null,
    "annotations": null
  },
  "spec": {
    "expire": -1,
    "expire_on_resolve": false,
    "creator": "admin",
    "reason": null,
    "check": null,
    "subscription": "entity:i-424242",
    "begin": 1542671205
  }
}
```

Silence a specific check on a specific entity

Following on the previous example, silence a check named `check_ntp` on entity `i-424242`, ensuring the entry is deleted once the underlying issue has been resolved:

YML

```
check: check_ntp
expire_on_resolve: true
subscription: entity:i-424242
```

JSON

```
{
  "subscription": "entity:i-424242",
```

```
"check": "check_ntp",  
"expire_on_resolve": true  
}
```

The optional `expire_on_resolve` attribute used here indicates that when the server processes a matching check from the specified entity with status OK, this silencing entry will automatically be removed.

When used in combination with other attributes (like `creator` and `reason`), this provides Sensu operators with a method of acknowledging that they have received an alert, suppressing additional notifications, and automatically clearing the silencing entry when the check status returns to normal.

Silence all checks on entities with a specific subscription

In this case, we'll completely silence any entities subscribed to `appserver`. Just as in the example of silencing all checks on a specific entity, we'll create a silencing entry specifying only the `appserver` subscription:

YML

```
subscription: appserver
```

JSON

```
{  
  "subscription": "appserver"  
}
```

Silence a specific check on entities with a specific subscription

Assume a check `mysql_status` which we wish to silence, running on Sensu entities with the subscription `appserver`:

YML

```
check: mysql_status  
subscription: appserver
```


JSON

```
{
  "subscription": "appserver",
  "check": "mysql_status"
}
```

Silence a specific check on every entity

To silence the check `mysql_status` on every entity in our infrastructure, regardless of subscriptions, we only need to provide the check name:

YML

```
check: mysql_status
```

JSON

```
{
  "check": "mysql_status"
}
```

Deleting silences

To delete a silencing entry, you will need to provide its name. Subscription only silencing entry names will be similar to this:

YML

```
name: appserver:*
```

JSON

```
{
  "name": "appserver:*"
}
```

Check only silencing entry names will be similar to this:

YML

```
name: '*:mysql_status'
```

JSON

```
{  
  "name": "*:mysql_status"  
}
```

Tessen

Contents

[Configuring Tessen](#)

[Specification](#)

[Example](#)

[Tessen payload example](#)

Tessen is the Sensu call-home service. Enabled by default on Sensu backends, Tessen sends anonymized data about Sensu instances to Sensu Inc., including the version, cluster size, number of events processed, and number of resources created (like checks and handlers). We rely on this data to understand how Sensu is being used and make informed decisions about product improvements. [Read the blog post](#) to learn more about Tessen.

All data submissions are logged for complete transparency at the `info` log level and transmitted over HTTPS. See the [troubleshooting guide](#) to set the Sensu backend log level and view logs.

Configuring Tessen

You can use the [Tessen API](#) and [sensuctl](#) to view and manage Tessen configuration. Tessen is enabled by default on Sensu backends and required for [licensed](#) Sensu instances. To manage Tessen configuration using `sensuctl`, configure `sensuctl` as the default `admin` [user](#).

To see the status of Tessen:

```
sensuctl tessen info
```

To opt out of Tessen:

```
sensuctl tessen opt-out
```

NOTE: [Licensed](#) Sensu instances override Tessen configuration to opt in at runtime.

You can use the `--skip-confirm` flag to skip the confirmation step.

```
sensuctl tessen opt-out --skip-confirm
```

To opt in to Tessen:

```
sensuctl tessen opt-in
```

Tessen specification

Top-level attributes

type	
description	Top-level attribute specifying the <code>sensuctl create</code> resource type. Tessen configuration should always be of type <code>TessenConfig</code> .
required	Required for Tessen configuration in <code>wrapped-json</code> or <code>yaml</code> format for use with <code>sensuctl create</code> .
type	String
example	<pre>"type": "TessenConfig"</pre>

api_version	
description	Top-level attribute specifying the Sensu API group and version. For Tessen configuration in this version of Sensu, this attribute should always be <code>core/v2</code> .
required	Required for Tessen configuration in <code>wrapped-json</code> or <code>yaml</code> format

for use with `sensuctl create` .

type	String
example	<pre>"api_version": "core/v2"</pre>

spec

description	Top-level map that includes Tessen configuration spec attributes .
required	Required for Tessen configuration in <code>wrapped-json</code> or <code>yaml</code> format for use with <code>sensuctl create</code> .
type	Map of key-value pairs
example	<pre>"spec": { "opt_out": false }</pre>

Spec attributes

opt_out

description	Set to <code>false</code> to enable Tessen; set to <code>true</code> to opt out of Tessen. Licensed Sensu instances override the <code>opt_out</code> attribute to <code>false</code> at runtime.
required	true
default	<code>false</code>
type	Boolean
example	<pre>opt_out": false</pre>

Tessen configuration example

The following example is in `wrapped-json` format for use with `sensuctl create`. To manage Tessen using the [Tessen API](#), use non-wrapped `json` format as shown in the [API docs](#).

YML

```
type: TessenConfig
api_version: core/v2
spec:
  opt_out: false
```

JSON

```
{
  "type": "TessenConfig",
  "api_version": "core/v2",
  "spec": {
    "opt_out": false
  }
}
```

Tessen payload example

If opted in to Tessen, there are various metrics that get sent back to the Tessen service. In the example payload below, you can see that the number of check hooks is sent back to the Tessen service.

```
{
  "component": "tessend",
  "level": "debug",
  "metric_name": "hook_count",
  "metric_value": 2,
  "msg": "collected a metric for tessend",
  "time": "2019-09-16T09:02:11Z"
```

```
}
```

There are other metrics sent on, such as the number of handlers:

```
{
  "component": "tessend",
  "level": "debug",
  "metric_name": "handler_count",
  "metric_value": 10,
  "msg": "collected a metric for tessend",
  "time": "2019-09-16T09:02:06Z"
}
```

Or the number of filters:

```
{
  "component": "tessend",
  "level": "debug",
  "metric_name": "filter_count",
  "metric_value": 4,
  "msg": "collected a metric for tessend",
  "time": "2019-09-16T09:02:01Z"
}
```

If opted into Tessen, all of the metrics and payloads sent are available to view in the logs, which you can view via `journalctl -u sensu-backend.service`. If you'd like to view the events on-disk, please see the [guide on configuring systemd to log to disk](#).

Tokens

Contents

[Sensu token specification](#)

[Examples](#)

Tokens are placeholders included in a check definition that the agent replaces with entity information before executing the check. You can use tokens to fine-tune check attributes (like alert thresholds) on a per-entity level while re-using the check definition.

How do tokens work?

When a check is scheduled to be executed by an agent, it first goes through a token substitution step. The agent replaces any tokens with matching attributes from the entity definition, and then the check is executed. Invalid templates or unmatched tokens will return an error, which is logged and sent to the Sensu backend message transport. Checks with token matching errors will not be executed.

Token substitution is supported for check definition `command` attributes and `hook` `command` attributes. Only [entity attributes](#) are available for substitution. Available attributes will always have [string values](#), such as labels and annotations.

Managing entity labels

You can use token substitution with any defined [entity attributes](#), including custom labels. See the [entity reference](#) for information on managing entity labels for proxy entities and agent entities.

Sensu token specification

Sensu Go uses the [Go template](#) package to implement token substitution. Use double curly braces around the token and a dot before the attribute to be substituted: `{{ .system.hostname }}`.

Token substitution syntax

Tokens are invoked by wrapping references to entity attributes and labels with double curly braces, such as `{{ .name }}` to substitute an entity's name. Nested Sensu entity attributes can be accessed via dot notation (ex: `system.arch`).

`{{ .name }}` would be replaced with the entity name attribute

`{{ .labels.url }}` would be replaced with a custom label called `url`

`{{ .labels.disk_warning }}` would be replaced with a custom label called `disk_warning`

NOTE: When an annotation or label name has a dot (e.g. `cpu.threshold`), the template index function syntax must be used to ensure correct processing because the dot notation is also used for object nesting.

Token substitution default values

In the event that an attribute is not provided by the entity, a token's default value will be substituted. Token default values are separated by a pipe character and the word `default` (`| default`), and can be used to provide a "fallback value" for entities that are missing a specified token attribute.

`{{.labels.url | default "https://sensu.io"}}` would be replaced with a custom label called `url`. If no such attribute called `url` is included in the entity definition, the default (or fallback) value of `https://sensu.io` will be used to substitute the token.

Unmatched tokens

If a token is unmatched during check preparation, the agent check handler will return an error, and the check will not be executed. Unmatched token errors will look similar to the following:

```
error: unmatched token: template: :1:22: executing "" at <.system.hostname>: map has  
no entry for key "System"
```

Check config token errors will be logged by the agent, and sent to Sensu backend message transport as a check failure.

Token data type limitations

As part of the substitution process, Sensu converts all tokens to strings. This means that tokens cannot be used for bare integer values or to access individual list items.

For example, token substitution **cannot** be used for specifying a check interval because the interval attribute requires an *integer* value. Token substitution **can** be used for alerting thresholds because those values are included within the command *string*.

Examples

Token substitution for check thresholds

In this example check configuration, the `check-disk-usage.go` command accepts `-w` (warning) and `-c` (critical) arguments to indicate the thresholds (as percentages) for creating warning or critical events. If no token substitutions are provided by an entity configuration, Sensu will use default values to create a warning event at 80% disk capacity (i.e. `{{ .labels.disk_warning | default 80 }}`), and a critical event at 90% capacity (i.e. `{{ .labels.disk_critical | default 90 }}`).

YML

```
type: CheckConfig
api_version: core/v1
metadata:
  annotations: null
  labels: null
  name: check-disk-usage
  namespace: default
spec:
  check_hooks: null
  command: check-disk-usage.rb -w {{.labels.disk_warning | default 80}} -c
{{.labels.disk_critical
  | default 90}}
  env_vars: null
  handlers: []
  high_flap_threshold: 0
  interval: 10
  low_flap_threshold: 0
  proxy_entity_name: ""
  publish: true
  runtime_assets: null
  stdin: false
```

```
subscriptions:
- staging
timeout: 0
ttl: 0
```

JSON

```
{
  "type": "CheckConfig",
  "api_version": "core/v1",
  "metadata": {
    "name": "check-disk-usage",
    "namespace": "default",
    "labels": null,
    "annotations": null
  },
  "spec": {
    "command": "check-disk-usage.rb -w {{.labels.disk_warning | default 80}} -c {{.labels.disk_critical | default 90}}",
    "handlers": [],
    "high_flap_threshold": 0,
    "interval": 10,
    "low_flap_threshold": 0,
    "publish": true,
    "runtime_assets": null,
    "subscriptions": [
      "staging"
    ],
    "proxy_entity_name": "",
    "check_hooks": null,
    "stdin": false,
    "ttl": 0,
    "timeout": 0,
    "env_vars": null
  }
}
```

The following example entity would provide the necessary attributes to override the `.labels.disk_warning` and `labels.disk_critical` tokens declared above.

```
type: Entity
api_version: core/v2
metadata:
  annotations: null
  labels:
    disk_critical: "90"
    disk_warning: "80"
  name: example-hostname
  namespace: default
spec:
  deregister: false
  deregistration: {}
  entity_class: agent
  last_seen: 1542667231
  redact:
    - password
    - passwd
    - pass
    - api_key
    - api_token
    - access_key
    - secret_key
    - private_key
    - secret
  subscriptions:
    - entity:example-hostname
    - staging
system:
  arch: amd64
  hostname: example-hostname
  network:
    interfaces:
      - addresses:
          - 127.0.0.1/8
          - ::1/128
        name: lo
      - addresses:
          - 10.0.2.15/24
          - fe80::26a5:54ec:cf0d:9704/64
        mac: 08:00:27:11:ad:d2
```

```
    name: enp0s3
  - addresses:
    - 172.28.128.3/24
    - fe80::a00:27ff:febc:be60/64
    mac: 08:00:27:bc:be:60
    name: enp0s8
os: linux
platform: centos
platform_family: rhel
platform_version: 7.4.1708
user: agent
```

JSON

```
{
  "type": "Entity",
  "api_version": "core/v2",
  "metadata": {
    "name": "example-hostname",
    "namespace": "default",
    "labels": {
      "disk_warning": "80",
      "disk_critical": "90"
    },
    "annotations": null
  },
  "spec": {
    "entity_class": "agent",
    "system": {
      "hostname": "example-hostname",
      "os": "linux",
      "platform": "centos",
      "platform_family": "rhel",
      "platform_version": "7.4.1708",
      "network": {
        "interfaces": [
          {
            "name": "lo",
            "addresses": [
              "127.0.0.1/8",
              "::1/128"
            ]
          }
        ]
      }
    }
  }
}
```

```

    },
    {
      "name": "enp0s3",
      "mac": "08:00:27:11:ad:d2",
      "addresses": [
        "10.0.2.15/24",
        "fe80::26a5:54ec:cf0d:9704/64"
      ]
    },
    {
      "name": "enp0s8",
      "mac": "08:00:27:bc:be:60",
      "addresses": [
        "172.28.128.3/24",
        "fe80::a00:27ff:febc:be60/64"
      ]
    }
  ],
  "arch": "amd64"
},
"subscriptions": [
  "entity:example-hostname",
  "staging"
],
"last_seen": 1542667231,
"deregister": false,
"deregistration": {},
"user": "agent",
"redact": [
  "password",
  "passwd",
  "pass",
  "api_key",
  "api_token",
  "access_key",
  "secret_key",
  "private_key",
  "secret"
]
}
}

```


License management

Contents

[Activating your license](#)

[Entity limit](#)

[License expiration](#)

[License management API](#)

Quick links

[Log in to your Sensu account](#)

[Configure authentication providers](#)

[Discover enterprise assets](#)

[Guide to using assets](#)

[Contact Sensu support](#)

[Contact Sensu sales](#)

Activating your license

If you haven't already, [install the backend, agent, and sensuctl](#) and [configure sensuctl](#).

Log in to your Sensu account at account.sensu.io and download your license file using the “Download license” link.

Sensu account: Download Sensu license.

Sensu Go License

View and download your Sensu Go license key.

Account ID

44

Billing Email

trainingteam@sensu.io

Issued

February 19, 2019

Expires

February 19, 2020

Download license

With the license file downloaded, you can activate your license using `sensuctl` or the [license API](#).

To activate your license using `sensuctl`:

```
sensuctl create --file sensu_license.json
```

You can use `sensuctl` to view your license details at any time.

```
# Active license
sensuctl license info
=== Training Team - Sensu
Account Name: Training Team - Sensu
Account ID:   123
Plan:        managed
Version:     1
Features:    all
EntityLimit: 0
Issuer:      Sensu, Inc.
Issued:      2019-02-15 15:01:44 -0500 -0500
Valid:       true
```

```
Valid Until: 2019-03-15 00:00:00 -0800 -0800
```

```
# No license found  
sensuctl license info  
Error: not found
```

Entity limit

Your license includes the entity limit tied to your Sensu licensing package. (An entity limit of `0` allows unlimited entities.) Both agent and proxy entities count towards the overall entity limit. [Contact us](#) to upgrade your license.

To see your current entity count, use any `/api/core` or `/api/enterprise` [API request](#). For example:

```
curl http://127.0.0.1:8080/api/core/v2/namespaces/default/entities -v -H  
"Authorization: Bearer $SENSU_TOKEN"
```

You should see the current entity count and limit as response headers.

```
HTTP/1.1 200 OK  
Content-Type: application/json  
Sensu-Entity-Count: 4  
Sensu-Entity-Limit: 0
```

License expiration

To see your license expiration date, log in to your Sensu account at account.sensu.io.

If your license is within 30 days of expiration, Sensu issues regular warnings in the Sensu [backend logs](#). If your license expires, you will no longer have access to [licensed-tier features](#).

API

- › [Assets](#)
- › [Auth](#)
- › [Authproviders](#)
- › [Checks](#)
- › [Cluster-Role-Bindings](#)
- › [Cluster-Roles](#)
- › [Cluster](#)
- › [Entities](#)
- › [Events](#)
- › [Filters](#)
- › [Handlers](#)
- › [Health](#)
- › [Hooks](#)
- › [License](#)
- › [Metrics](#)
- › [Mutators](#)
- › [Namespaces](#)
- › [Overview](#)
- › [Role-Bindings](#)
- › [Roles](#)
- › [Silenced](#)
- › [Tessen](#)
- › [Users](#)

> Version

Learn Sensu Go

Contents

In this tutorial, you'll download the Sensu sandbox and create a monitoring workflow with Sensu.

[Set up the sandbox](#)

[Lesson #1: Create a monitoring event](#)

[Lesson #2: Create an event pipeline](#)

[Lesson #3: Automate event production with the Sensu agent](#)

Set up the sandbox

1. Install Vagrant and VirtualBox

[Download Vagrant](#)

[Download VirtualBox](#)

2. Download the sandbox

[Download from GitHub](#) or clone the repository:

```
git clone https://github.com/sensu/sandbox && cd sandbox/sensu-go
```

NOTE: If you've cloned the sandbox repository before, run `cd sandbox/sensu-go` and `git pull https://github.com/sensu/sandbox` instead.

3. Start Vagrant

```
ENABLE_SENSU_SANDBOX_PORT_FORWARDING=1 vagrant up
```

The Learn Sensu sandbox is a CentOS 7 virtual machine pre-installed with Sensu, InfluxDB, and Grafana. It's intended for you to use as a learning tool — we do not recommend using it in a production installation. To install Sensu in production, use the [installation guide](#) instead.

The sandbox startup process takes about 5 minutes.

NOTE: The sandbox configures VirtualBox to forward TCP ports 3002 and 4002 from the sandbox virtual machine (VM) to the localhost to make it easier for you to interact with the sandbox dashboards. Dashboard links provided in this tutorial assume port forwarding from the VM to the host is active.

4. SSH into the sandbox

Thanks for waiting! To start shell into the sandbox:

```
vagrant ssh
```

You should be greeted with this prompt:

```
[sensu_go_sandbox]$
```

To exit out of the sandbox, press `CTRL + D`.

To erase and restart the sandbox, run `vagrant destroy` and then `vagrant up`.

To reset the sandbox's Sensu configuration to the beginning of this tutorial, run `vagrant provision`.

NOTE: The sandbox pre-configures `sensuctl` with the Sensu Go admin user, so you won't have to configure `sensuctl` each time you spin up the sandbox to try out a new feature. Before installing `sensuctl` outside of the sandbox, read the [first time setup reference](#) to learn how to configure `sensuctl`.

Lesson #1: Create a Sensu monitoring event

First, make sure everything is working correctly using the `sensuctl` command line tool. Use `sensuctl` to see that your Sensu backend instance has a single namespace, `default`, and two users: the default admin user and the user created for a Sensu agent to use.

```
sensuctl namespace list
```

Name

default

```
sensuctl user list
```

Username	Groups	Enabled
----------	--------	---------

admin	cluster-admins	true
-------	----------------	------

agent	system:agents	true
-------	---------------	------

Sensu keeps track of monitored components as entities. Start by using `sensuctl` to make sure Sensu hasn't connected to any entities yet:

```
sensuctl entity list
```

ID	Class	OS	Subscriptions	Last Seen
----	-------	----	---------------	-----------

Now you can start the Sensu agent to begin monitoring the sandbox:

```
sudo systemctl start sensu-agent
```

Use `sensuctl` to see that Sensu is now monitoring the sandbox entity:

```
sensuctl entity list
```

ID	Class	OS	Subscriptions	Last Seen
----	-------	----	---------------	-----------

```
sensu-go-sandbox agent linux entity:sensu-go-sandbox 2019-01-24 21:29:06 +0000 UTC
```

Sensu agents send keepalive events to help you monitor agent status. Use `sensuctl` to see the keepalive events generated by the sandbox entity:

```
sensuctl event list
```

Entity	Check	Output	Status	Silenced	Timestamp
sensu-go-sandbox	keepalive	Keepalive last sent from sensu-go-sandbox at 2019-01-24 21:29:06 +0000 UTC	0	false	2019-01-24 21:29:06 +0000 UTC

The `sensu-go-sandbox` keepalive event has status 0, which means the agent is in an OK state and is able to communicate with the Sensu backend.

You can also see the event and the entity in the [Sensu dashboard](#). Log in to the dashboard with the default admin credentials: username `admin` and password `P@ssw0rd!`.

Lesson #2: Pipe keepalive events into Slack

Now that you know the sandbox is working properly, let's get to the fun stuff: creating a workflow. In this lesson, you'll create a workflow that sends keepalive alerts to Slack.

NOTE: If you'd rather not create a Slack account, you can skip ahead to [Lesson #3](#).

1. Get your Slack webhook URL

[Create a Slack workspace](#) (or use an existing workspace, if you're already a Slack admin).

Then, visit `YOUR-WORKSPACE-NAME.slack.com/services/new/incoming-webhook`. Follow the steps to add the *Incoming WebHooks* integration and save your webhook. Your webhook channel and URL will be listed under Integration Settings — you'll need both later in this lesson.

2. Register the Sensu Slack handler asset

Assets are shareable, reusable packages that make it easy to deploy Sensu plugins. In this lesson, we'll use the Sensu Slack handler asset to power a `slack` handler.

Use `sensuctl` to register the Sensu Slack handler asset.

```
sensuctl asset create sensu-slack-handler --url
"https://assets.bonsai.sensu.io/3149de09525d5e042a83edbb6eb46152b02b5a65/sensu-
slack-handler_1.0.3_linux_amd64.tar.gz" --sha512
"68720865127fbc7c2fe16ca4d7bbf2a187a2df703f4b4acae1c93e8a66556e9079e1270521999b58714
73e6c851f51b34097c54fdb8d18eedb7064df9019adc8"
```

You should see a confirmation message from `sensuctl`.

```
Created
```

The `sensu-slack-handler` asset is now ready to use with Sensu. Use `sensuctl` to see the complete asset definition.

```
sensuctl asset info sensu-slack-handler --format yaml
```

PRO TIP: You can use resource definitions to create and update resources (like assets) using `sensuctl create --file filename.yaml`. See the [sensuctl docs](#) for more information.

3. Create a Sensu Slack handler

Open the `sensu-slack-handler.json` handler definition provided with the sandbox in your preferred text editor. Edit the definition to include your Slack channel, webhook URL, and the `sensu-slack-handler` asset.

NOTE: If you aren't sure how to open the handler and edit the definition, try these [Vi/Vim gist instructions](#).

```
"env_vars": [
  "KEEPALIVE_SLACK_WEBHOOK=https://hooks.slack.com/services/AAA/BBB/CCC",
  "KEEPALIVE_SLACK_CHANNEL=#monitoring"
```

```
],  
"runtime_assets": ["sensu-slack-handler"]
```

Now you can create a Slack handler named `keepalive` to process keepalive events.

```
sensuctl create --file sensu-slack-handler.json
```

Use `sensuctl` to see available event handlers — in this case, you'll only see the `keepalive` handler you just created..

```
sensuctl handler list
```

Name	Type	Timeout	Filters	Mutator	Execute
Environment Variables				Assets	
<hr/>					
<hr/>					
<hr/>					
<hr/>					
keepalive	pipe	0		RUN:	/usr/local/bin/sensu-slack-handler -c "\${KEEPALIVE_SLACK_CHANNEL}" -w "\${KEEPALIVE_SLACK_WEBHOOK}" KEEPALIVE_SLACK_WEBHOOK=https://hooks.slack.com/services/AAA/BBB/CCC,KEEPALIVE_SLACK_CHANNEL=#monitoring sensu-slack-handler

Sensu monitoring events should begin arriving in your Slack channel, indicating that the sandbox entity is in an OK state.

4. Filter keepalive events

Now that you're generating Slack alerts, let's reduce the potential for alert fatigue by adding a filter that sends only warning, critical, and resolution alerts to Slack.

To accomplish this, you'll interactively add the built-in `is_incident` filter to the `keepalive` handler, which will make sure you only receive alerts when the sandbox entity fails to send a keepalive event.

```
sensuctl handler update keepalive
```

The first prompt will be for environment variables. Just press `return` to continue. The second prompt is for the filters selection — enter `is_incident` to apply the `is_incident` filter.

```
? Filters: is_incident
```

For each of the mutator, timeout, type, runtime assets, and command prompts, just press `return`.

Use `sensuctl` to confirm that the `keepalive` handler now includes the `is_incident` filter:

```
sensuctl handler info keepalive
```

```
=== keepalive
```

```
Name:      keepalive
```

```
Type:      pipe
```

```
Timeout:    0
```

```
Filters:    is_incident
```

```
Mutator:
```

```
Execute:    RUN: sensu-slack-handler -c "${KEEPALIVE_SLACK_CHANNEL}" -w  
"${KEEPALIVE_SLACK_WEBHOOK}"
```

```
Environment Variables: KEEPALIVE_SLACK_WEBHOOK=https://hooks.slack.com/services/AAA/BBB/CCC,  
KEEPALIVE_SLACK_CHANNEL=#monitoring
```

```
Runtime Assets: sensu-slack-handler
```

With the filter in place, you should no longer receive messages in your Slack channel every time the `sandbox` entity sends a `keepalive` event.

Let's stop the agent and confirm that you receive the expected warning message.

```
sudo systemctl stop sensu-agent
```

After a couple minutes, you should see a warning message in your Slack channel informing you that the `sandbox` entity is no longer sending `keepalive` events.

Start the agent to resolve the warning.

```
sudo systemctl start sensu-agent
```

Lesson #3: Automate event production with the Sensu agent

So far, you've used the Sensu agent's built-in keepalive feature, but in this lesson, you'll create a check that automatically produces workload-related events. Instead of sending alerts to Slack, you'll store event data with [InfluxDB](#) and visualize it with [Grafana](#).

1. Make sure the Sensu agent is running

```
sudo systemctl restart sensu-agent
```

2. Install Nginx and the Sensu HTTP Plugin

You'll use the [Sensu HTTP Plugin](#) to monitor an Nginx server running on the sandbox.

First, install the EPEL release package:

```
sudo yum install -y epel-release
```

Then, install and start Nginx:

```
sudo yum install -y nginx && sudo systemctl start nginx
```

Make sure it's working:

```
curl -I http://localhost:80
```

```
HTTP/1.1 200 OK
...
```

Then install the Sensu HTTP Plugin:

```
sudo sensu-install -p sensu-plugins-http
```

You'll use the `metrics-curl.rb` plugin. Test its output with:

```
/opt/sensu-plugins-ruby/embedded/bin/metrics-curl.rb -u "http://localhost"
```

```
...
sensu-go-sandbox.curl_timings.http_code 200 1535670975
```

3. Create an InfluxDB pipeline

Now, let's create the InfluxDB pipeline to store these metrics and visualize them with Grafana. To create a pipeline to send metric events to InfluxDB, start by registering the [Sensu InfluxDB handler asset](#).

```
sensuctl asset create sensu-influxdb-handler --url
"https://assets.bonsai.sensu.io/b28f8719a48aa8ea80c603f97e402975a98cea47/sensu-
influxdb-handler_3.1.2_linux_amd64.tar.gz" --sha512
"612c6ff9928841090c4d23bf20aaf7558e4eed8977a848cf9e2899bb13a13e7540bac2b63e324f39d9b
1257bb479676bc155b24e21bf93c722b812b0f15cb3bd"
```

You should see a confirmation message from sensuctl.

```
Created
```

The `sensu-influxdb-handler` asset is now ready to use with Sensu. Use `sensuctl` to see the complete asset definition.

```
sensuctl asset info sensu-influxdb-handler --format yaml
```

Open the `influx-handler.json` handler definition provided with the sandbox, and edit the `runtime_assets` attribute to include the `sensu-influxdb-handler` asset.

```
"runtime_assets": ["sensu-influxdb-handler"]
```

Now you can use `sensuctl` to create the `influx-db` handler:

```
sensuctl create --file influx-handler.json
```

Use `sensuctl` to confirm that the handler was created successfully.

```
sensuctl handler list
```

The `influx-db` handler should be listed. If you completed [lesson #2](#), you'll also see the `keepalive` handler.

4. Create a check to monitor Nginx

The `curl_timings-check.json` file provided with the sandbox will create a service check that runs the `metrics-curl.rb` check plugin every 10 seconds on all entities with the `entity:sensu-go-sandbox` subscription and sends events to the InfluxDB pipeline. The `metrics-curl.rb` plugin is already included as the value of the command field in `curl_timings-check.json` — you just need to create the file:

```
sensuctl create --file curl_timings-check.json
```

```
sensuctl check list
```

Name	Command	Interval	Cron	Timeout	TTL	Subscriptions
------	---------	----------	------	---------	-----	---------------

Handlers	Assets	Hooks	Publish?	Stdin?	Metric Format	Metric Handlers
----------	--------	-------	----------	--------	---------------	-----------------

curl_timings	/opt/sensu-plugins-ruby/embedded/bin/metrics-curl.rb -u "http://localhost"		10	0	0	
entity:sensu-go-sandbox		true	false	graphite_plaintext	influx-db	

This check specifies a metrics handler and metric format. In Sensu Go, metrics are a core element of the data model: you can build pipelines to handle metrics separately from alerts. This allows you to customize your monitoring workflows to get better visibility and reduce alert fatigue.

After about 10 seconds, you can see the event produced by the entity:

```
sensuctl event info sensu-go-sandbox curl_timings --format json | jq .
```

```
...
  "history": [
    {
      "status": 0,
      "executed": 1556472457
    },
  ],
  "output": "sensu-go-sandbox.curl_timings.time_total 0.005 1556472657\n...",
  ...
  "output_metric_format": "graphite_plaintext",
  "output_metric_handlers": [
    "influx-db"
  ],
  ...
```

Because the check definition specified a metric format of `graphite_plaintext`, the Sensu agent will treat the output of the check command as Graphite-formatted metrics and translate them into a set of Sensu-formatted metrics (not shown in the output). These metrics are then sent to the InfluxDB handler, which reads Sensu-formatted metrics and converts them to a format InfluxDB accepts.

NOTE: Metric support isn't limited to Graphite! The Sensu agent can extract metrics in multiple line protocol formats, including Nagios performance data.

5. See the HTTP response code events for Nginx in Grafana.

Log in to [Grafana](#) with username: `admin` and password: `admin`. You should see a graph of live HTTP response codes for Nginx.

Now, if you turn Nginx off, you should see the impact in Grafana:

```
sudo systemctl stop nginx
```

Start Nginx:

```
sudo systemctl start nginx
```

6. Automate disk usage monitoring for the sandbox

Now that you have an entity set up, you can add more checks. For example, let's say you want to monitor disk usage on the sandbox.

First, install the plugin:

```
sudo sensu-install -p sensu-plugins-disk-checks
```

Test the plugin:

```
/opt/sensu-plugins-ruby/embedded/bin/metrics-disk-usage.rb
```

```
sensu-core-sandbox.disk_usage.root.used 2235 1534191189
sensu-core-sandbox.disk_usage.root.avail 39714 1534191189
...
```

Then create the check using `sensuctl` and the `disk_usage-check.json` file included with the sandbox, assigning it to the `entity:sensu-go-sandbox` subscription and the InfluxDB pipeline:


```
sensuctl create --file disk_usage-check.json
```

You don't need to make any changes to disk_usage-check.json before running `sensuctl create --file disk_usage-check.json`.

You should see the check working in the [dashboard entity view](#) and via sensuctl:

```
sensuctl event list
```

Now, you should be able to see disk usage metrics for the sandbox in Grafana: [reload your Grafana tab to show the Ssensu Go Sandbox Combined](#).

You made it! You're ready for the next level of Ssensu-ing.

Before you move on, take a moment to remove the virtual machine and resources installed during this sandbox lesson. Press `CTRL + D` to exit the sandbox. Then run:

```
vagrant destroy
```

Now you can continue exploring Ssensu with a clean slate. Here are some resources to help continue your journey:

Try another [lesson in the Ssensu sandbox](#)

[Install Ssensu Go](#)

[Collect StatsD metrics](#)

[Create a read-only user](#)

Container and application monitoring with Sensu

Contents

In this tutorial, we'll deploy a sample app with Kubernetes and monitor it with Sensu. The sample app has three endpoints: `/` returns the local hostname, `/metrics` returns Prometheus metric data, `/healthz` returns the boolean health state, and `POST /healthz` toggles the health state.

[Prerequisites](#)

[Setup](#)

[Multitenancy](#)

[Deploying Sensu agents and InfluxDB](#)

[Monitoring an app](#)

[Create a Sensu pipeline to Slack](#)

[Create a Sensu service check](#)

[Collecting app metrics](#)

[Create a Sensu pipeline to InfluxDB](#)

[Create a Sensu metric check](#)

[Visualize metrics with Grafana](#)

[Collecting Kubernetes metrics](#)

[Next steps](#)

Prerequisites

The sample app requires Kubernetes and a Kubernetes Ingress controller. Most hosted Kubernetes offerings, such as GKE, include a Kubernetes Ingress controller.

In this tutorial, we'll be using [Minikube](#), a cross-platform application for running a local single-node Kubernetes cluster. After you've installed and started Minikube, proceed through the rest of the guide.

Setup

1. Clone the sample app.

```
git clone https://github.com/sensu/sensu-kube-demo && cd sensu-kube-demo
```

2. Create the Kubernetes ingress resources.

```
minikube start

kubectl apply -f https://raw.githubusercontent.com/kubernetes/ingress-
nginx/master/deploy/static/mandatory.yaml

minikube addons enable ingress

kubectl create -f go/ingress-nginx/ingress/sensu-go.yaml
```

3. Deploy kube-state-metrics.

```
git clone https://github.com/kubernetes/kube-state-metrics

kubectl apply -f kube-state-metrics/kubernetes
```

4. Open your `/etc/hosts` file and add the following hostnames.

NOTE: Here we'll use the IP address for the Minikube VM in our hosts file. To view the address, use the command `minikube ip`.

```
192.168.99.100      sensu.local webui.sensu.local sensu-enterprise.local
dashboard.sensu-enterprise.local
192.168.99.100      influxdb.local grafana.local dummy.local
```

5. Install sensuctl.

Jump over to the [sensuctl installation guide](#), and follow the instructions to install sensuctl on Windows, macOS, or Linux.

6. Deploy two instances of the sample app (dummy) behind a load balancer.

```
kubectl apply -f go/deploy/dummy.yaml
```

We can test the dummy app using the API.

```
# Linux/macOS
curl -i http://dummy.local
```

```
# Windows
Invoke-WebRequest -Uri http://dummy.local -Method GET
```

A `200` response indicates that the dummy app is working correctly.

7. Deploy the Sensu backend

```
kubectl create -f go/deploy/sensu-backend.yaml
```

Multitenancy

Use Sensu role-based access control to create a `demo` namespace and a `demo` user.

1. Configure sensuctl to use the built-in `admin` user.

```
sensuctl configure
? Sensu Backend URL: http://sensu.local
? Username: admin
? Password: P@ssw0rd!
? Namespace: default
? Preferred output format: tabular
```

2. Create a `demo` namespace.

```
sensuctl namespace create demo
```

We can use `sensuctl` to confirm that the namespace was created successfully and set the `demo` namespace as the default for our `sensuctl` session.

```
sensuctl namespace list  
  
sensuctl config set-namespace demo
```

3. Create a `dev` user role with full-access to the `demo` namespace.

```
sensuctl role create dev \  
--verb get,list,create,update,delete \  
--resource \* --namespace demo
```

4. Create a `dev` role binding for the `dev` group.

```
sensuctl role-binding create dev --role dev --group dev
```

5. Create a `demo` user that is a member of the `dev` group.

```
sensuctl user create demo --interactive  
? Username: demo  
? Password: password  
? Groups: dev
```

6. Reconfigure `sensuctl` to use the `demo` user and `demo` namespace.

```
sensuctl configure  
? Sensu Backend URL: http://sensu.local
```

```
? Username: demo
? Password: password
? Namespace: demo
? Preferred output format: tabular
```

Deploying Sensu agents and InfluxDB

1. Deploy InfluxDB with a Sensu agent sidecar

Create a Kubernetes ConfigMap for InfluxDB configuration.

```
kubectl create configmap influxdb-config --from-file go/configmaps/influxdb.conf
```

Deploy InfluxDB with a Sensu agent sidecar.

```
kubectl create -f go/deploy/influxdb.sensu.yaml
```

2. Create a Sensu pipeline to store metrics with InfluxDB.

Use the files provided with the sample app to create a Sensu asset for the [Sensu InfluxDB handler](#) and create an `influxdb` event handler.

```
sensuctl create --file go/config/assets/influxdb-handler.yaml
```

```
sensuctl create --file go/config/handlers/influxdb.yaml
```

3. Deploy Sensu agent sidecars for the dummy app instances.

```
kubectl apply -f go/deploy/dummy.sensu.yaml
```

Monitoring an app

Let's take a look at what we're monitoring. We can see the Sensu agents installed on our two dummy app instances with their last seen timestamp, as well as the Sensu agent monitoring our InfluxDB instance.

```
sensuctl entity list
```

ID	Class	OS	Subscriptions	Last Seen
dummy-76d8fb7bdf-967q7	agent	linux	dummy,entity:dummy-76d8fb7bdf-967q7	2019-01-18 10:56:56 -0800 PST
dummy-76d8fb7bdf-knh7r	agent	linux	dummy,entity:dummy-76d8fb7bdf-knh7r	2019-01-18 10:56:56 -0800 PST
influxdb-64b7d5f884-f9ptg	agent	linux	influxdb,entity:influxdb-64b7d5f884-f9ptg	2019-01-18 10:56:59 -0800 PST

Create a Sensu pipeline to Slack

Let's say we want to receive a Slack alert if the dummy app returns an unhealthy response. We can create a Sensu pipeline to send events to Slack using the [Sensu Slack plugin](#). Sensu Plugins are open-source collections of Sensu building blocks shared by the Sensu Community.

1. Create an asset to help agents find and install the [Sensu Slack handler](#).

```
sensuctl create --file go/config/assets/slack-handler.yaml
```

2. Get your Slack webhook URL and add it to `go/config/handlers/slack.yaml`.

If you're already an admin of a Slack, visit https://YOUR_WORKSPACE_NAME_HERE.slack.com/services/new/incoming-webhook and follow the steps to add the Incoming WebHooks integration and save the settings. (If you're not yet a Slack admin, start [here](#) to create a new workspace.) After saving, you'll see your webhook URL under Integration Settings.

Open `go/config/handlers/slack.yaml` and replace `SECRET` in the following line with your Slack workspace webhook URL and `#demo` with the Slack channel of your choice:

```
"command": "slack-handler --channel '#demo' --timeout 20 --username 'sensu' --
```

```
webhook-url 'SECRET',
```

So it looks something like:

```
"command": "slack-handler --channel '#my-channel' --timeout 20 --username 'sensu' --  
webhook-url 'https://hooks.slack.com/services/XXXXXXXXXXXXXXXXXX',
```

3. Create a handler to send events to Slack using the `slack-handler` asset.

```
sensuctl create --file go/config/handlers/slack.yaml
```

Create a Sensu service check to monitor the status of the dummy app

To automatically monitor the status of the dummy app, we'll create an asset that lets the Sensu agents use a [Sensu HTTP plugin](#).

1. Create the `check-plugins` asset.

```
sensuctl create --file go/config/assets/check-plugins.yaml
```

2. Now we can create a check to monitor the status of the dummy app that uses the `check-plugins` asset and the Slack pipeline.

```
sensuctl create --file go/config/checks/dummy-app-healthz.yaml
```

3. With the automated alert workflow in place, we can see the resulting events in the Sensu dashboard.

Sign in to the [Sensu dashboard](#) with your sensuctl username (`demo`) and password (`password`). Since we're working within the `demo` namespace, select the `demo` namespace in the Sensu dashboard menu.

4. Toggle the health of the dummy app to simulate a failure.


```
# Linux/macOS
curl -iXPOST http://dummy.local/healthz
```

```
# Windows
Invoke-WebRequest -Uri http://dummy.local/healthz -Method POST
```

We should now be able to see a critical alert in the [Sensu dashboard](#) as well as by using sensuctl:

```
sensuctl event list
```

You should also see an alert in Slack.

Continue to post to `/healthz` until all Sensu entities return to a healthy state.

```
# Linux/macOS
curl -iXPOST http://dummy.local/healthz
```

```
# Windows
Invoke-WebRequest -Uri http://dummy.local/healthz -Method POST
```

Collecting app metrics

Create a Sensu metric check to collect Prometheus metrics

To automatically collect Prometheus metrics from the dummy app, we'll create an asset that lets the Sensu agents use the [Sensu Prometheus plugin](#).

1. Create the `prometheus-collector` asset.

```
sensuctl create --file go/config/assets/prometheus-collector.yaml
```

2. Now we can create a check to collect Prometheus metrics that uses the `prometheus-collector` asset.

```
sensuctl create --file go/config/checks/dummy-app-prometheus.yaml
```

Visualize metrics with Grafana

1. Deploy Grafana with a Sensu agent sidecar.

Create Kubernetes ConfigMaps for Grafana configuration.

```
kubectl create configmap grafana-provisioning-datasources --from-file=./go/configmaps/grafana-provisioning-datasources.yaml
```

```
kubectl create configmap grafana-provisioning-dashboards --from-file=./go/configmaps/grafana-provisioning-dashboards.yaml
```

Deploy Grafana with a Sensu agent sidecar.

```
kubectl apply -f go/deploy/grafana.sensu.yaml
```

After a few minutes, we can see the Sensu agents we have installed on the dummy app, InfluxDB, and Grafana pods.

```
sensuctl entity list
```

ID	Class	OS	Subscriptions	Last Seen
dummy-6c57b8f868-ft5dz	agent	linux	dummy,entity:dummy-6c57b8f868-ft5dz	2018-11-20 18:43:15 -0800 PST
dummy-6c57b8f868-m24hw	agent	linux	dummy,entity:dummy-6c57b8f868-m24hw	2018-11-20 18:43:15 -0800 PST
grafana-5b88f8df8d-vgjtm	agent	linux	grafana,entity:grafana-5b88f8df8d-vgjtm	2018-11-20 18:43:14 -0800 PST

2. Log in to Grafana.

To see the metrics we're collecting from the dummy app, log into [Grafana](#) with the username `admin` and password `password`.

3. Create a dashboard.

Create a new dashboard using the InfluxDB datasource to see live metrics from the dummy app.

Collecting Kubernetes metrics

Now that we have a pipeline set up to send metrics, we can create a check that collects Prometheus metrics from Kubernetes and connect it to the pipeline.

Deploy a Sensu agent as a daemonset on your Kubernetes node.

```
kubectl apply -f go/deploy/sensu-agent-daemonset.yaml
```

Then create a check to collect Prometheus metrics from Kubernetes using the `prometheus-collector` asset and `influxdb` handler.

```
sensuctl create --file go/config/checks/kube-state-prometheus.yaml
```

You should now be able to access Kubernetes metric data in [Grafana](#) and see metric events in the [Sensu dashboard](#).

Next steps

To stop or delete the sample app, use `minikube stop` or `minikube delete` respectively.

For more information about monitoring with Sensu, check out the following resources:

[Reducing alert fatigue with Sensu filters](#)

[Aggregating StatD metrics with Ssensu](#)

[Aggregating Nagios metrics with Ssensu](#)

Using the Sensu Prometheus Collector

Contents

- [Set up](#)
- [Install and configure Prometheus](#)
- [Install and configure Sensu Go](#)
- [Install and configure InfluxDB](#)
- [Install and configure Grafana](#)
- [Create a Sensu InfluxDB pipeline](#)
- [Install Sensu InfluxDB handler](#)
- [Create a Sensu handler](#)
- [Collect Prometheus metrics with Sensu](#)
- [Install Sensu Prometheus Collector](#)
- [Add a Sensu check to complete the pipeline](#)
- [Visualize metrics with Grafana](#)
- [Configure a dashboard in Grafana](#)
- [View metrics in Grafana](#)

What is the Sensu Prometheus Collector?

The [Sensu Prometheus Collector](#) is a check plugin that collects metrics from a [Prometheus exporter](#) or the [Prometheus query API](#). This allows Sensu to route the collected metrics to one or more time series databases, such as InfluxDB or Graphite.

Why use Sensu with Prometheus?

The Prometheus ecosystem contains a number of actively maintained exporters, such as the [node exporter](#) for reporting hardware and operating system metrics or Google's [cAdvisor exporter](#) for monitoring containers. These exporters expose metrics which Sensu can collect and route to one or more time series databases, such as InfluxDB or Graphite. Both Sensu and Prometheus can run in parallel, complementing each other and making use of environments where Prometheus is already deployed.

In this guide

This guide uses CentOS 7 as the operating system with all components running on the same compute resource. Commands and steps may change for different distributions or if components are running on different compute resources.

At the end, you will have Prometheus scraping metrics. The Sensu Prometheus Collector will then query the Prometheus API as a Sensu check, send those to an InfluxDB Sensu handler, which will send metrics to an InfluxDB instance. Finally, Grafana will query InfluxDB to display those collected metrics.

Set up

Install and configure Prometheus

Download and extract Prometheus.

```
wget https://github.com/prometheus/prometheus/releases/download/v2.6.0/prometheus-2.6.0.linux-amd64.tar.gz

tar xvfz prometheus-*.tar.gz

cd prometheus-*
```

Replace the default `prometheus.yml` configuration file with the following configuration.

```
global:
  scrape_interval: 15s
  external_labels:
    monitor: 'codelab-monitor'

scrape_configs:
  - job_name: 'prometheus'
    scrape_interval: 5s
    static_configs:
      - targets: ['localhost:9090']
```

Start Prometheus in the background.

```
nohup ./prometheus --config.file=prometheus.yml > prometheus.log 2>&1 &
```

Ensure Prometheus is running. The matching result will vary slightly.

```
ps -ef | grep "[p]rometheus"
vagrant    7647   3937   2 22:23 pts/0    00:00:00 ./prometheus --
config.file=prometheus.yml
```

Install and configure Sensu Go

Follow the RHEL/CentOS [install instructions](#) for the Sensu backend, Sensu agent and sensuctl.

Add an `app_tier` subscription to `/etc/sensu/agent.yml`.

```
subscriptions:
  - "app_tier"
```

Restart the sensu agent to apply the configuration change.

```
sudo systemctl restart sensu-agent
```

Ensure Sensu services are running.

```
systemctl status sensu-backend
systemctl status sensu-agent
```

Install and configure InfluxDB

Add InfluxDB repo.

```
echo "[influxdb]
name = InfluxDB Repository - RHEL \${releasever}
baseurl = https://repos.influxdata.com/rhel/\${releasever}/\${basearch}/stable
enabled = 1
gpgcheck = 1
gpgkey = https://repos.influxdata.com/influxdb.key" | sudo tee
/etc/yum.repos.d/influxdb.repo
```

Install InfluxDB.

```
sudo yum -y install influxdb
```

Open `/etc/influxdb/influxdb.conf` and uncomment the `http` API line.

```
[http]
# Determines whether HTTP endpoint is enabled.
enabled = true
```

Start InfluxDB.

```
sudo systemctl start influxdb
```

Add the Sensu user and database.

```
influx -execute "CREATE DATABASE sensu"

influx -execute "CREATE USER sensu WITH PASSWORD 'sensu'"

influx -execute "GRANT ALL ON sensu TO sensu"
```


Install and configure Grafana

Install Grafana.

```
sudo yum install -y https://s3-us-west-2.amazonaws.com/grafana-releases/release/grafana-5.1.4-1.x86_64.rpm
```

Change Grafana's listen port to not conflict with the Sensu Dashboard.

```
sudo sed -i 's/^;http_port = 3000/http_port = 4000/' /etc/grafana/grafana.ini
```

Create a `/etc/grafana/provisioning/datasources/influxdb.yaml` file, and add an InfluxDB data source.

```
apiVersion: 1

deleteDatasources:
  - name: InfluxDB
    orgId: 1

datasources:
  - name: InfluxDB
    type: influxdb
    access: proxy
    orgId: 1
    database: sensu
    user: grafana
    password: grafana
    url: http://localhost:8086
```

Start Grafana.

```
sudo systemctl start grafana-server
```

Create a Sensu InfluxDB pipeline

Create a Sensu InfluxDB handler asset

Put the following asset definition in a file called `asset_influxdb`:

YML

```
type: Asset
api_version: core/v2
metadata:
  name: sensu-influxdb-handler
  namespace: default
spec:
  sha512:
612c6ff9928841090c4d23bf20aaf7558e4eed8977a848cf9e2899bb13a13e7540bac2b63e324f39d9b1
257bb479676bc155b24e21bf93c722b812b0f15cb3bd
  url:
https://assets.bonsai.sensu.io/b28f8719a48aa8ea80c603f97e402975a98cea47/sensu-
influxdb-handler_3.1.2_linux_amd64.tar.gz
```

JSON

```
{
  "type": "Asset",
  "api_version": "core/v2",
  "metadata": {
    "name": "sensu-influxdb-handler",
    "namespace": "default"
  },
  "spec": {
    "sha512":
"612c6ff9928841090c4d23bf20aaf7558e4eed8977a848cf9e2899bb13a13e7540bac2b63e324f39d9b
1257bb479676bc155b24e21bf93c722b812b0f15cb3bd",
    "url":
"https://assets.bonsai.sensu.io/b28f8719a48aa8ea80c603f97e402975a98cea47/sensu-
influxdb-handler_3.1.2_linux_amd64.tar.gz"
  }
}
```

Create a Sensu handler

Put the following handler definition in a file called `handler` :

YML

```
type: Handler
api_version: core/v2
metadata:
  name: influxdb
  namespace: default
spec:
  command: "sensu-influxdb-handler -a 'http://127.0.0.1:8086' -d sensu -u sensu -p sensu"
  timeout: 10
  type: pipe
  runtime_assets:
    - sensu-influxdb-handler
```

JSON

```
{
  "type": "Handler",
  "api_version": "core/v2",
  "metadata": {
    "name": "influxdb",
    "namespace": "default"
  },
  "spec": {
    "command": "sensu-influxdb-handler -a 'http://127.0.0.1:8086' -d sensu -u sensu -p sensu",
    "timeout": 10,
    "type": "pipe",
    "runtime_assets": [
      "sensu-influxdb-handler"
    ]
  }
}
```

PRO TIP: `sensuctl create -f` also accepts files containing multiple resources definitions.

Use `sensuctl` to add the handler and the asset to Sensu.

```
sensuctl create --file handler --file asset_influxdb
```

Collect Prometheus metrics with Sensu

Create a Sensu Prometheus Collector asset

Put the following handler definition in a file called `asset_prometheus`:

YML

```
type: Asset
api_version: core/v2
metadata:
  name: sensu-prometheus-collector
  namespace: default
spec:
  url:
https://assets.bonsai.sensu.io/ef812286f59de36a40e51178024b81c69666e1b7/sensu-
prometheus-collector_1.1.6_linux_amd64.tar.gz
  sha512:
a70056ca02662fbf2999460f6be93f174c7e09c5a8b12efc7cc42ce1ccb5570ee0f328a2dd8223f506df
3b5972f7f521728f7bdd6abf9f6ca2234d690aeb3808
```

JSON

```
{
  "type": "Asset",
  "api_version": "core/v2",
  "metadata": {
    "name": "sensu-prometheus-collector",
    "namespace": "default"
  },
}
```

```
"spec": {
  "url":
    "https://assets.bonsai.sensu.io/ef812286f59de36a40e51178024b81c69666e1b7/sensu-
    prometheus-collector_1.1.6_linux_amd64.tar.gz",
  "sha512":
    "a70056ca02662fbf2999460f6be93f174c7e09c5a8b12efc7cc42ce1ccb5570ee0f328a2dd8223f506d
    f3b5972f7f521728f7bdd6abf9f6ca2234d690aeb3808"
}
```

Add a Sensu check to complete the pipeline

Given the following check definition in a file called `check` :

YML

```
type: CheckConfig
api_version: core/v2
metadata:
  name: prometheus_metrics
  namespace: default
spec:
  command: "sensu-prometheus-collector -prom-url http://localhost:9090 -prom-query
up"
  handlers:
  - influxdb
  interval: 10
  publish: true
  output_metric_format: influxdb_line
  output_metric_handlers: []
  subscriptions:
  - app_tier
  timeout: 0
  runtime_assets:
  - sensu-prometheus-collector
```

JSON

```
{
  "type": "CheckConfig",
```

```

"api_version": "core/v2",
"metadata": {
  "name": "prometheus_metrics",
  "namespace": "default"
},
"spec": {
  "command": "sensu-prometheus-collector -prom-url http://localhost:9090 -prom-
query up",
  "handlers": [
    "influxdb"
  ],
  "interval": 10,
  "publish": true,
  "output_metric_format": "influxdb_line",
  "output_metric_handlers": [],
  "subscriptions": [
    "app_tier"
  ],
  "timeout": 0,
  "runtime_assets": [
    "sensu-prometheus-collector"
  ]
}
}

```

Use `sensuctl` to add the check to SENSU.

```
sensuctl create --file check --file asset_prometheus
```

We can see the events generated by the `prometheus_metrics` check in the SENSU dashboard. Visit <http://127.0.0.1:3000>, and log in as the default admin user: username `admin` and password `P@ssw0rd!`.

We can also see the metric event data using `sensuctl`.

```
sensuctl event list
```

Entity	Check	Output	Status	Silenced	Timestamp
--------	-------	--------	--------	----------	-----------

sensu-centos	keepalive	Keepalive last sent from sensu-centos at 2019-02-12 01:01:37 +0000 UTC	0	false
2019-02-12 01:01:37 +0000 UTC				
sensu-centos	prometheus_metrics	up,instance=localhost:9090,job=prometheus value=1 1549933306	0	false
2019-02-12 01:01:46 +0000 UTC				

Visualize metrics with Grafana

Configure a dashboard in Grafana

Download the Grafana dashboard configuration file from the Sensu docs.

```
wget https://docs.sensu.io/sensu-go/5.10/files/up_or_down_dashboard.json
```


Using the downloaded file, add the dashboard to Grafana using an API call.

```
curl -XPOST -H 'Content-Type: application/json' -d@up_or_down_dashboard.json  
HTTP://admin:admin@127.0.0.1:4000/api/dashboards/db
```

View metrics in Grafana

Confirm metrics in Grafana with `admin:admin` login at <http://127.0.0.1:4000>.

Once logged in, click on Home in the upper left corner, then below click on the Up or Down Sample 2 dashboard. Once there, you should see a graph that has started showing metrics like this



Conclusion

You should now have a working setup with Prometheus scraping metrics. The Sensu Prometheus Collecting is being ran via a Sensu check and collecting those metrics from Prometheus' API. The metrics are then handled by the InfluxDB handler, sent to InfluxDB and then visualized by a Grafana Dashboard.

Using this information, you can now plug the Sensu Prometheus Collector into your Sensu ecosystem and leverage Prometheus to gather metrics and Sensu to send them to the proper final destination. Prometheus has a [comprehensive list](#) of additional exporters to pull in metrics.

Sensu service logging with systemd

Contents

By default, systems where systemd is the service manager do not write logs to `/var/log/sensu/` for the `sensu-agent` and the `sensu-backend` services. This guide walks you through how to add log forwarding from journald to syslog, have rsyslog write logging data to disk, and set up log rotation of the newly created log files.

To configure journald to forward logging data to syslog, modify `/etc/systemd/journald.conf` to include the following line:

```
ForwardToSyslog=yes
```

Next, set up rsyslog to write the logging data received from journald to `/var/log/sensu/servicename.log`. In this example, the `sensu-backend` and `sensu-agent` logging data is sent to individual files named after the service. The `sensu-backend` is not required if only setting up log forwarding for the `sensu-agent` service.

```
# For the sensu-backend service, inside /etc/rsyslog.d/99-sensu-backend.conf
if $programname == 'sensu-backend' then {
    /var/log/sensu/sensu-backend.log
    ~
}

# For the sensu-agent service, inside /etc/rsyslog.d/99-sensu-agent.conf
if $programname == 'sensu-agent' then {
    /var/log/sensu/sensu-agent.log
    ~
}
```

Restart rsyslog and journald to apply the new configuration:

```
systemctl restart systemd-journald
systemctl restart rsyslog
```

Set up log rotation for newly created log files to ensure logging does not fill up your disk. These examples rotate the log files `/var/log/sensu/sensu-agent.log` and `/var/log/sensu/sensu-backend.log` weekly, unless the size of 100M is reached first. The last seven rotated logs are kept and compressed, with the exception of the most recent one. After rotation, `rsyslog` is restarted to ensure logging is written to a new file and not the most recent rotated file.

```
# Inside /etc/logrotate.d/sensu-agent.conf
/var/log/sensu/sensu-agent.log {
    daily
    rotate 7
    size 100M
    compress
    delaycompress
    postrotate
        /bin/systemctl restart rsyslog
    endscript
}

# Inside /etc/logrotate.d/sensu-backend.conf
/var/log/sensu/sensu-backend.log {
    daily
    rotate 7
    size 100M
    compress
    delaycompress
    postrotate
        /bin/systemctl restart rsyslog
    endscript
}
```

You can use the following command to see what logrotate would do if it were executed now based on the above schedule and size threshold. The `-d` flag will output details, but it will not take action on the logs or execute the postrotate script.

```
logrotate -d /etc/logrotate.d/sensu.conf
```


Reference

- › [Agent](#)
- › [Assets](#)
- › [Backend](#)
- › [Checks](#)
- › [Datastore](#)
- › [Entities](#)
- › [Events](#)
- › [Filters](#)
- › [Handlers](#)
- › [Hooks](#)
- › [License](#)
- › [Mutators](#)
- › [Rbac](#)
- › [Sensu-Query-Expressions](#)
- › [Silencing](#)
- › [Tessen](#)
- › [Tokens](#)